# **EXHIBIT D**

# **2018 POLICE FLHP ROAD KING® SPECIFICATIONS**



## Color

Vivid Black

# **Engine**

Engine Milwaukee-Eight™ 107

Bore 3.937 in.

Stroke 4.375 in.

Displacement 107 cu in

Compression Ratio 10.0:1

Fuel System Electronic Sequential Port Fuel Injection (ESPFI)

### **Dimensions**

Length 96.5 in.
Seat Height, Laden 27.3 in.
Seat Height, Unladen 31.1 in.
Ground Clearance 3.9 in.

### **EXHIBIT D**

### 2018 POLICE FLHP ROAD KING® SPECIFICATIONS

Rake (steering head) (deg) 26
Trail 6.7 in.
Wheelbase 64 in.
Tires, Front Specification BW 130/80B17 65H
Tires, Rear Specification BW 180/65B16 81H
Fuel Capacity 6 gal.
Oil Capacity (w/filter) 4 qt.
Weight, As Shipped 805 lb.
Weight, In Running Order 840 lb.

#### **Performance**

Engine Torque Testing Method J1349
Engine Torque 111.4 ft-lb
Engine Torque (rpm) 3,250
Lean Angle, Right (deg.) 32
Lean Angle, Left (deg.) 32
Fuel Economy: Estimated City/Hwy 45 mpg

#### Drivetrain

Primary Drive Chain, 34/46 ratio Gear Ratios (overall) 1st 9.593 Gear Ratios (overall) 2nd 6.65 Gear Ratios (overall) 3rd 4.938 Gear Ratios (overall) 4th 4 Gear Ratios (overall) 5th 3.407 Gear Ratios (overall) 6th 2.875

#### Chassis

Wheels, Front Type Impeller Cast Aluminum
Wheels, Rear Type Impeller Cast Aluminum
Brakes, Caliper Type 32 mm, 4-piston fixed front and rear

#### **Electric**

Lights (as per country regulation), Indicator Lamps High beam, running lights, directional light bar, neutral, low oil pressure, engine diagnostics, turn signals, battery, security system (optional), low fuel warning, cruise control, ABS (optional), Gear/RPM display, miles to empty display Gauges Standard Cruise Control

#### **EXHIBIT D**

### 2018 POLICE FLHP ROAD KING® SPECIFICATIONS

\*. Vehicles depicted may differ from vehicles manufactured and delivered. Specifications and prices listed may differ from specifications and prices of vehicles manufactured and delivered. All product descriptions (including depictions, specifications, dimensions, measurements, ratings and competitive comparisons) are based on available information at the time of publication. Although such descriptions are believed correct, errors and changes can occur and complete accuracy cannot be guaranteed. Harley-Davidson may make changes at any time to prices and specifications, and may change or discontinue models, without notice and without incurring any obligation. Attention: Vehicles in the configurations shown and many of the accessories described in this catalog may not be available for sale or use in some locations. Please check with your dealer for complete product details and the latest information. All models feature 6-speed transmission (VRSC™ models and Sportster® models are 5-speed) and carbon fiber belt final drive; multi-plate clutch with diaphragm spring in oil bath; and 2-year unlimited mileage warranty.