Attachment 9

ROADWAY ITEMS - I 91

ITEM	PROCESSED AGGREGATE	BITUMINOUS CONCRETE SURFACE PATCH	PMA 50.5	ULTRA-THIN BONDED PMA PAVEMENT (TYPE B)	HOT-MIX ASPHALT SMOOTHNESS ADJUSTMENT	POLYMER MODIFIED ASPHALT EMULSION (TYPE 1)	FILLING JOINTS AND CRACKS IN BITUMINOUS CONCRETE PAVEMENT	HAND WORK	MATERIAL FOR TACK COAT	FINE MILLING OF BITUMINOUS CONCRETE (0 TO 4 INCHES)	MATERIAL TRANSFER VEHICLE	DOCUMENTATION OF UNIFORM PLACEMENT OF BITUMINOUS CONCRETE (PAVER)	DOCUMENTATION OF UNIFORM COMPACTION OF BITUMINOUS CONCRETE (ROLLER)	ASPHALT ADJUSTMENT COST	SURFACE PATCH	BITUMINOUS CONCRETE PARK CURBING	EARTH EXCAVATION	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" YELLOW	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" WHITE	HOT-APPLIED PAINTED PAVEMENT MARKINGS 8" WHITE	HOT-APPLIED PAINTED PAVEMENT MARKINGS 8" WHITE	HOT-APPLIED PAINTED LEGEND, ARROWS AND MARKINGS	TYPE "C", SINGLE GRATE (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (LIP CURB)	TYPE "C", SINGLE GRATE (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (CONCRETE CURB)	TYPE "C", SINGLE GRATE (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (SLOPED GRANITE CURB)	TYPE "C-L", SINGLE GRATE	TYPE "C-L", DOUBLE GRATE, TYPE 1	TYPE "C-L", DOUBLE GRATE, TYPE 2	TYPE "C-M", SINGLE GRATE	TYPE "C-M", DOUBLE GRATE, TYPE 1	TYPE "C-M", DOUBLE GRATE, TYPE 2
UNIT	TON	SY	TON	SY	EST	GAL	LF	TONS	GAL	SY	TON	TON	TON	EST	SF	LF	CY	LF	LF	LF	LF	SF	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH
	200	6774	82046	520485	1	78073	415864	100	49941	713442	111047	94353	94353	1	16052	3000	110	240000	247500	135000	70000	12500	60		3							42		12	60		
SUBTOTAL	200	6774	82046	520485	1	78073	415864		49941	713442	111047	94353	94353	1	16052	3000	110	240000	247500	135000	70000	12500															
UNASSIGNED	10	339	12307	26024	0	3904	20793		2497	35672	0	0	0	0	803	150	6	0	0	0	0	0															
TOTAL	210	7113	94353	546509	1	81976	436657	100	52438	749114	111047	94353	94353	1	16855	3150	116	240000	247500	135000	70000	12500	60		3							42		12	60		

ROADWAY ITEMS - ROUTE 187

ITEM	PROCESSED AGGREGATE	BITUMINOUS CONCRETE SURFACE PATCH	PMA S0.5	FILLING JOINTS AND CRACKS IN BITUMINOUS CONCRETE PAVEMENT	HAND WORK	MATERIAL FOR TACK COAT	FINE MILLING OF BITUMINOUS CONCRETE (0 TO 4 INCHES)	MATERIAL TRANSFER VEHICLE	DOCUMENTATION OF UNIFORM PLACEMENT OF BITUMINOUS CONCRETE (PAVER)	DOCUMENTATION OF UNIFORM COMPACTION OF BITUMINOUS CONCRETE (ROLLER)	ASPHALT ADJUSTMENT COST	SURFACE PATCH	BITUMINOUS CONCRETE LIP CURBING	EARTH EXCAVATION	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" YELLOW	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" WHITE	HOT-APPLIED PAINTED LEGEND, ARROWS AND MARKINGS	TYPE "C", SINGLE GRATE (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (LIP CURB)	TYPE "C", SINGLE GRATE (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (CONCRETE CURB)	TYPE "C", SINGLE GRATE (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (SLOPED GRANITE CURB)	TYPE "C-L", SINGLE GRATE	TYPE "C-L", DOUBLE GRATE, TYPE 1	TYPE "C-L", DOUBLE GRATE, TYPE 2	TYPE "C-M", SINGLE GRATE	TYPE "C-M", DOUBLE GRATE, TYPE 1	TYPE "C-M", DOUBLE GRATE, TYPE 2	SIDEWALK CONCRETE WORK
UNIT	TON	SY	TON	LF	TONS	GAL	SY	TON	TON	TON	EST	SF	LF	CY	LF	LF	SF	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	SF
	160	86	10650	18838		6483	92613	12248	12248	12248	1	2084	8300	310	52500	62000	3000	85	2	18							1	1	1				
SUBTOTAL	160	86	10650	18838		6483	92613	12248	12248	12248	1	2084	8300	310	52500	62000	3000																	
UNASSIGNED	8	4	1598	942		324	4631	0	0	0	0	104	415	16																				
TOTAL	168	90	12248	19779		6807	97244	12248	12248	12248	1	2188	8715	326	52500	62000	3000	85	2	18							1	1	1				

Attachment 9

ROADWAY ITEMS - ROUTE 349

ITEM	PROCESSED AGGREGATE	BITUMINOUS CONCRETE PATCHING - PARTIAL DEPTH	BITUMINOUS CONCRETE SURFACE PATCH	PMA 50.5	FILLING JOINTS AND CRACKS IN BITUMINOUS CONCRETE PAVEMENT	HAND WORK	MATERIAL FOR TACK COAT	FINE MILLING OF BITUMINOUS CONCRETE (0 TO 4 INCHES)	MATERIAL TRANSFER VEHICLE	DOCUMENTATION OF UNIFORM PLACEMENT OF BITUMINOUS CONCRETE (PAVER)	DOCUMENTATION OF UNIFORM COMPACTION OF BITUMINOUS CONCRETE (ROLLER)	ASPHALT ADJUSTMENT COST	SURFACE PATCH	BITUMINOUS CONCRETE LIP CURBING	EARTH EXCAVATION	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" YELLOW	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" WHITE	HOT-APPLIED PAINTED PAVEMENT MARKINGS 6" WHITE	HOT-APPLIED PAINTED PAVEMENT MARKINGS 8" WHITE	HOT-APPLIED PAINTED LEGEND, ARROWS AND MARKINGS	TYPE "C", SINGLE GRATE (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (LIP CURB)	TYPE "C", SINGLE GRATE (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (CONCRETE CURB)	TYPE "C", SINGLE GRATE (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (SLOPED GRANITE CURB)	TYPE "C-L", SINGLE GRATE	TYPE "C-L", DOUBLE GRATE, TYPE 1	TYPE "C-L", DOUBLE GRATE, TYPE 2	TYPE "C-M", SINGLE GRATE	TYPE "C-M", DOUBLE GRATE, TYPE 1	TYPE "C-M", DOUBLE GRATE, TYPE 2	SIDEWALK CONCRETE WORK
UNIT	TON	SY	SY	TON	LF	TONS	GAL	SY	TON	TON	TON	EST	SF	LF	CY	LF	LF	LF	LF	SF	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	SF
	20	202	898	15039	78918	8	8137	116240	17294	17294	17294	1	2615	750	28	128000	53000	8000	18000	2000	60	0	0	26	1	6	9	0	0	18	0	0	6	0	0	750
SUBTOTAL	20	202	898	15039	78918	8	8137	116240	17294	17294	17294	1	2615	750	28	128000	53000	8000	18000	2000	60	0	0	26	1	6	9	0	0	18	0	0	6	0	0	750
UNASSIGNED	0	10	45	2256	3946	0	407	5812	0	0	0	0	131	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	20	212	943	17294	82864	8	8544	122052	17294	17294	17294	1	2746	750	28	128000	53000	8000	18000	2000	60	0	0	26	1	6	9	0	0	18	0	0	6	0	0	750

Attachment 9

ROADWAY ITEMS - ROUTE 110

ITEM	PROCESSED AGGREGATE	BITUMINOUS CONCRETE SURFACE PATCH	PMA S0.5	FILLING JOINTS AND CRACKS IN BITUMINOUS CONCRETE PAVEMENT	HAND WORK	MATERIAL FOR TACK COAT	FINE MILLING OF BITUMINOUS CONCRETE (0 TO 4 INCHES)	MATERIAL TRANSFER VEHICLE	DOCUMENTATION OF UNIFORM PLACEMENT OF BITUMINOUS CONCRETE (PAVER)	DOCUMENTATION OF UNIFORM COMPACTION OF BITUMINOUS CONCRETE (ROLLER)	ASPHALT ADJUSTMENT COST	SURFACE PATCH	BITUMINOUS CONCRETE LIP CURBING	EARTH EXCAVATION	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" YELLOW	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" WHITE	HOT-APPLIED PAINTED LEGEND, ARROWS AND MARKINGS	TYPE "C", SINGLE GRATE (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (LIP CURB)	TYPE "C", SINGLE GRATE (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (CONCRETE CURB)	TYPE "C", SINGLE GRATE (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (SLOPED GRANITE CURB)	TYPE "C-L", SINGLE GRATE	TYPE "C-L", DOUBLE GRATE, TYPE 1	TYPE "C-L", DOUBLE GRATE, TYPE 2	TYPE "C-M", SINGLE GRATE	TYPE "C-M", DOUBLE GRATE, TYPE 1	TYPE "C-M", DOUBLE GRATE, TYPE 2	SIDEWALK CONCRETE WORK
UNIT	TON	SY	TON	LF	TONS	GAL	SY	TON	TON	TON	EST	SF	LF	CY	LF	LF	SF	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	SF
	60	560	16120	34460	100	7136	101943	18538	18538	18538	1	2294	3900	145	124500	55500	2300	39									6			1			
SUBTOTAL	60	560	16120	34460		7136	101943	18538	18538	18538	1	2294	3900	145	124500	55500	2300																
UNASSIGNED	3	28	2418	1723		357	5097	0	0	0	0	115	195	7	0	0	0																
TOTAL	63	588	18538	36183	100	7493	107040	18538	18538	18538	1	2408	4095	152	124500	55500	2300	39									6			1			

Attachment 9

ROADWAY ITEMS - ROUTE 202

ITEM	PROCESSED AGGREGATE	BITUMINOUS CONCRETE PATCHING - PARTIAL DEPTH	BITUMINOUS CONCRETE SURFACE PATCH	PMA S0.5	FILLING JOINTS AND CRACKS IN BITUMINOUS CONCRETE PAVEMENT	HAND WORK	MATERIAL FOR TACK COAT	FINE MILLING OF BITUMINOUS CONCRETE (0 TO 4 INCHES)	MATERIAL TRANSFER VEHICLE	DOCUMENTATION OF UNIFORM PLACEMENT OF BITUMINOUS CONCRETE (PAVER)	DOCUMENTATION OF UNIFORM COMPACTION OF BITUMINOUS CONCRETE (ROLLER)	ASPHALT ADJUSTMENT COST	SURFACE PATCH	BITUMINOUS CONCRETE LIP CURBING	EARTH EXCAVATION	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" YELLOW	HOT-APPLIED PAINTED PAVEMENT MARKINGS 4" WHITE	HOT-APPLIED PAINTED LEGEND, ARROWS AND MARKINGS	TYPE "C", SINGLE GRATE (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (LIP CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (LIP CURB)	TYPE "C", SINGLE GRATE (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (CONCRETE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (CONCRETE CURB)	TYPE "C", SINGLE GRATE (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 1 (SLOPED GRANITE CURB)	TYPE "C", DOUBLE GRATE,TYPE 2 (SLOPED GRANITE CURB)	TYPE "C-L", SINGLE GRATE	TYPE "C-L", DOUBLE GRATE, TYPE 1	TYPE "C-L", DOUBLE GRATE, TYPE 2	TYPE "C-M", SINGLE GRATE	TYPE "C-M", DOUBLE GRATE, TYPE 1	TYPE "C-M", DOUBLE GRATE, TYPE 2	SIDEWALK CONCRETE WORK
UNIT	TON	SY	SY	TON	LF	TONS	GAL	SY	TON	TON	TON	EST	SF	LF	CY	LF	LF	SF	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	SF
	60	500	512	12062	32203	150	6526	93231	13871	13871	13871	1	2098	3000	120	119000	45500	170	25	1								1					
SUBTOTAL	60	500	512	12062	32203		6526	93231	13871	13871	13871	1	2098	3000	120	119000	45500	170															
UNASSIGNED	3	25	26	1809	1610		326	4662	0	0	0	0	105	150	6	0	0	0															
TOTAL	63	525	538	13871	33813		6852	97893	13871	13871	13871	1	2203	3150	126	119000	45500	170	25	1								1					