## Exhibit F TASK AND FREQUENCY REDUCED SCHEDULE

| Exhibit A<br>Reference # |          | SERVICE DESCRIPTION   | FREQUENCY |              |              |
|--------------------------|----------|---|-----------|--------------|--------------|
|                          | <u> </u> |   | DAILY     | WEEKLY       | MONTHLY      |
|                          |          |   |           |              |              |
|                          | -        | Administration Basement   |           |              |              |
| A                        |          | Dust mop basement radius hallway, remove dust from edges  |           | M, W, F      |              |
| К                        |          | Clean fingerprints from both sides of glass   |           | M, W, F      |              |
| W, CC                    | 3        | Clean public bathroom and locker room sinks, toilets, urinals, mirrors and exposed plumbing.                                  |           | M, W, F      |              |
|                          | 4        | Clean bathroom/locker room floors   |           | V            |              |
| Z                        | 4        |   |           | X            |              |
| DD, EE                   | 5        | Refill soap and paper dispensers<br>Sweep dust and debris from link slate stairway  |           | M, W, F      |              |
| U                        | 6        |   |           | M, W, F      |              |
|                          | 7        | Clean and wipe rear entrance cigarette urns   |           | M, W, F      |              |
| U                        | 8        | Dust and polish blue steel in link stairwell  |           | Х            |              |
| U                        | 9        | Damp mop link slate stairway  |           | Х            |              |
| U                        | 10       | Clean all burge and dist frame link at a invalle radius index. sills  |           | х            |              |
|                          |          | Clean all bugs and dirt from link stairwell walls and window sills  |           | NA 11/ -     |              |
| R                        |          | Empty trash receptacles in the rear exit and parking lot  |           | M, W, F      |              |
| U                        |          | Clean rear stairwell of all debris  |           | Х            |              |
|                          |          | Exercise Room   |           | T            |              |
|                          | 1        | Vacuum carpet   |           |              | Х            |
|                          | _        | Sanitize equipment  |           |              | Х            |
|                          |          | Lobby / Link  |           | T            |              |
| A                        | 1        | Dust mop loby terrazzo including all edges and behind doors<br>Clean public bathroom and locker room sinks, toilets, urinals, |           | M, W, F      |              |
| W, CC                    | 2        | mirrors and expose plumbing.  |           | M, W, F      |              |
| Z                        | 3        | Clean bathroom/locker room floors   |           | х            |              |
| R                        | 3        | Empty trash receptacles in lobby  |           | ^<br>M, W, F |              |
| H                        | 4        | Vacuum elevator floors and edges  |           |              |              |
| п                        | -        | -   |           | M, W, F      |              |
| К                        | 6        | Clean all fingerprints from front vestibule both doors and link door  |           | M, W, F      |              |
|                          | 7        | Empty and wipe clean exit ash receptacle  |           | M, W, F      |              |
| U                        | 8        | Dust steel blue railings in lobby and link stairwell  |           | Х            |              |
| R                        | 9        | Empty outside trash in front entrance area  |           | Х            |              |
| J                        | 10       | Remove boot marks from walls  |           | Х            |              |
| N                        | 11       | Disinfect pay phones  |           | Х            |              |
|                          | IV       | Office Wing (Training Division, Certification Division, Administra  | tion. Ha  | artford Cou  | unty Office) |
| R                        | 1        | Empty trash from all office areas including the copy room   |           | M, W, F      | ,            |
|                          | 2        | Clean men and womens bathroom sinks, toilets, urinals, mirrors  |           |              |              |
| W, CC                    |          | and expose plumbing.  |           | M, W, F      |              |
| DD, EE                   | 3        | Refill soap and paper dispensers  |           | M, W, F      |              |
|                          | 4        | Vacuum all carpet areas including under desks and perimeter   |           |              |              |
| Н                        | -        | edges   |           | Х            |              |
| R                        | 5        | Empty trash in the employee lounge  |           | M, W, F      |              |
| Q                        | 6        | Clean kitchenette, sink, stove in the employee lounge   |           | M, W, F      |              |
| Q                        | 7        | Wipe all employee lounge tables with disinfectant   |           | M, W, F      |              |
| R                        | 8        |   |           |              |              |
|                          |          | Empty white paper recycling containers into bins on loading docks   |           | Х            |              |
| N <i>,</i> S             | 9        | Dust all cubicles, furnitures, window sills, blinds   |           | Х            |              |
| W, CC                    | 10       | Clean State Fire Administrators's bathroom sink, toilet, mirror and   |           | x            |              |
|                          |          | expose plumbing   |           |              |              |
| К                        | 11       | Clean all fingerprints from doors and glass inserts (both sides)  |           | Х            |              |

| Exhibit A<br>eference # |      | SERVICE DESCRIPTION   |       | FREQUENCY |         |  |
|-------------------------|------|---|-------|-----------|---------|--|
|                         |      |   | DAILY | WEEKLY    | MONTHLY |  |
| D                       | 12   | Damp mop and burnish employee lounge and copy room floor            |       | х         |         |  |
| N                       | 13   | Dust copy room equipment and work tables                            |       | X         |         |  |
|                         | V    | Classroom Wing  |       |           |         |  |
| R                       | 1    | Empty all trash from classrooms used (per schedule provided by      |       |           |         |  |
|                         |      | the Client Agency Designee)   |       | M, W, F   |         |  |
| H <i>,</i> N            | 2    | Spot check traffic areas for dirt/dust/carpet stains                |       | M, W, F   |         |  |
| N <i>,</i> S            | 3    | Dust/clean all classroom shelving, desks, lecterns, window sills    |       | х         |         |  |
| R                       | 4    | Clean any classroom trash receptacles of coffee/soda spills         |       | M, W, F   |         |  |
| N                       |      | Kitchen and Servery   |       | ,, .      |         |  |
| A                       | 1    | Sweep and wet-mop / sanitize kitchen floor (day porter)             |       | M, W, F   |         |  |
|                         | 2    | Clean and sanitize bathroom sink, toilet, urinal, mirror and expose |       |           |         |  |
| W, CC                   | _    | plumbing  |       | M, W, F   |         |  |
| Q                       | 3    | Clean stainless steel tray tracks                                   |       | M, W, F   |         |  |
| A                       | 4    | Wet-mop and sanitize servery floor                                  |       | M, W, F   |         |  |
| MM                      | 5    | Grease trap maintenance (Must be done at 7:30am)                    |       | M, W, F   |         |  |
|                         | VII  | Multipurpose Room   |       |           |         |  |
| R                       | 1    | Empty all trash receptacles and replace liners                      |       | M, W, F   |         |  |
| R                       | 2    | Empty trash from outside courtyard                                  |       | M, W, F   |         |  |
|                         | 3    | Empty and wipe outside courtyard ash receptacle                     |       | M, W, F   |         |  |
| Q                       | 4    | Wipe all tables and chairs with specified cleaner                   |       | M, W, F   |         |  |
| А                       | 5    | Dust mop/sweep all floor areas including the servery area           |       | M, W, F   |         |  |
| J                       | 6    | Wipe servery walls of any hand foot marks                           |       | Х         |         |  |
|                         | 7    | Check and clean barrels (trash receptacle) of any spillage if       |       |           |         |  |
| R                       |      | required  |       | Х         |         |  |
| D                       | 8    | Damp mop and burnish floor area                                     |       | Х         |         |  |
| К, Ј                    | 9    | Clean fingerprints off all door hardware/glass/soda machines        |       | Х         |         |  |
| S                       | 10   | Dust window sills and blinds  |       |           | Х       |  |
| J                       | 11   | Clean any spill marks on walls                                      |       | Х         |         |  |
|                         | VIII | Auditorium  |       |           |         |  |
|                         | 1    | Spot check for use and dust/ vacuum as needed throughout            |       |           |         |  |
| Н                       |      | seating   |       | M, W, F   |         |  |
| N                       | 2    | Dust all seating furniture and equipment area                       |       | Х         |         |  |
|                         | IX   | Commission Room   |       |           |         |  |
| R                       | 1    | Empty trash and change liner  |       | M, W, F   |         |  |
| H, N                    | 2    | Spot check dusting and vacuum as needed                             |       | M, W, F   |         |  |
| N                       | 3    | Dust all furniture  |       | ,,.       | Х       |  |
| H                       | 4    | Vacuum thoroughly all seating and floor                             |       |           | X       |  |
|                         | X    | Loading Dock and Adjacent Hallway                                   |       |           |         |  |
| R                       | 1    | Empty trash on loading dock   |       | M, W, F   |         |  |
| II                      | 2    | Empty and wipe ash receptacle on loading dock                       |       | M, W, F   |         |  |
| А                       | 4    | Damp mop loading dock floor to remove spill stains                  |       | X         |         |  |
| NN                      | 5    | Clean loading dock exterior stairway of bugs,ashes,leaves,dirt      |       | Х         |         |  |
|                         | XI   | 2nd Floor   |       |           |         |  |
|                         |      |   |       |           |         |  |
| Н                       | 1    | Spot check and vacuum hallway carpeting                             |       | M, W, F   |         |  |

## Exhibit F TASK AND FREQUENCY REDUCED SCHEDULE

| Exhibit A<br>Reference # |      | SERVICE DESCRIPTION   | FREQUENCY |         |         |
|--------------------------|------|---|-----------|---------|---------|
|                          |      |   | DAILY     | WEEKLY  | MONTHLY |
|                          |      |   |           |         |         |
| Н                        | 3    | Vacuum resident lounge carpeting  |           | Х       |         |
| А                        | 4    | Damp mop facilities office and resident lounge floor  |           | Х       |         |
| А                        | 5    | Damp mop laundry lockup   |           | Х       |         |
|                          | XII  | Bookstore   |           |         |         |
| Н                        | 1    | Vacuum carpets  |           | Х       |         |
| N                        | 2    | Dust all furniture  |           | Х       |         |
| N <i>,</i> H             | 3    | Clean desk surfaces and underneath all desks  |           | Х       |         |
| R                        |      | Empty trash   |           | M, W, F |         |
|                          | XIII | Fire Station Building 4 Bathrooms, Locker Rooms and Gear<br>Rooms   |           |         |         |
| W                        | 1    | Clean Rest Rooms sinks, toilets, urinals and exposed plumbing   |           | M, W, F |         |
| BB                       | 2    | Clean locker room floors  |           | X       |         |
| BB                       | 3    | Dust top of lockers   |           | X       |         |
| Z                        | 4    | Clean bathroom flooring   |           | Х       |         |
| Y                        | 5    | Clean walls   |           | Х       |         |
| R                        | 6    | Empty exterior and interior trash and replace liner   |           |         |         |
| NINI                     | 7    | Clean exterior - Sweep entry ways, walk ways and stairs, pick up  |           |         |         |
| NN                       |      | litter and debris on premise and parking lot  |           |         |         |
|                          | XIV  | Fire Station Building 5 Bathroom,Locker Rooms and Gear Rooms  |           |         |         |
| W                        | 1    | Clean Rest Rooms sinks, toilets, urinals and exposed plumbing   |           | M, W, F |         |
| BB                       | 2    | Clean locker room floors  |           | Х       |         |
| BB                       | 3    | Dust top of lockers   |           | Х       |         |
| Z, BB                    | 4    | Clean Gear Room Floors  |           | Х       |         |
| Y                        | 5    | Clean walls   |           | Х       |         |
| R                        | 6    | Empty exterior and interior trash and replace liner   |           | Х       |         |
| NN                       | 7    | Clean exterior - Sweep entry ways, walk ways and stairs, pick up litter and debris on premise and parking lot |           | х       |         |