

# STATE OF CONNECTICUT

DEPARTMENT OF ADMINISTRATIVE SERVICES  
 PROCUREMENT DIVISION  
 450 Columbus Boulevard, Hartford, CT 06103

Gregory Mooney  
 Contract Specialist

860-713-5755  
 Telephone Number

CONTRACT AWARD NO.: <b>15PSX0267</b>
Contract Award Date: 1 February 2016
Bid Due Date: 4 January 2016
SUPPLEMENT DATE: 20 October 2017

**CONTRACT AWARD SUPPLEMENT #4**  
**IMPORTANT: THIS IS NOT A PURCHASE ORDER. DO NOT PRODUCE OR SHIP WITHOUT AN AGENCY PURCHASE ORDER.**

DESCRIPTION: **Rental of Roadway Equipment with Operators**

FOR: <b>Department of Transportation, All Using State Agencies, and Political Subdivisions</b>		TERM OF CONTRACT: <b>February 1, 2016 through February 1, 2018</b>	
		AGENCY REQUISITION NUMBER:	
CHANGE TO IN STATE (NON-SB) CONTRACT VALUE	CHANGE TO DAS-CERTIFIED SMALL BUSINESS CONTRACT VALUE	CHANGE TO OUT OF STATE CONTRACT VALUE	CHANGE TO TOTAL CONTRACT AWARD VALUE
			N/A

**NOTICE TO CONTRACTORS:** This notice is not an order to ship. Purchase Orders against contracts will be furnished by the using agency or agencies on whose behalf the contract is made. INVOICE SHALL BE RENDERED DIRECT TO THE ORDERING AGENCY.

**NOTE:** Dollar amounts listed next to each contractor are possible award amounts, however, they do not reflect any expected purchase amounts (actual or implied). They are for CHRO use only.

**NOTICE TO AGENCIES:** A complete explanatory report shall be furnished promptly to the Procurement Manager concerning items delivered and/or services rendered on orders placed against awards listed herein which are found not to comply with the specifications or which are otherwise unsatisfactory from the agency's viewpoint, as well as failure of the contractor to deliver within a reasonable period of time specified. Please issue orders and process invoices promptly.

**CASH DISCOUNTS:** Cash discounts, if any, shall be given SPECIAL ATTENTION, but such cash discount shall not be taken unless payment is made within the discount period.

**PRICE BASIS:** Unless otherwise noted, prices include delivery and transportation charges fully prepaid f.o.b. agency. No extra charge is to be made for packing or packages.

**PLEASE NOTE:**

J.V. III Construction, Inc. has lost its favorable vehicle safety rating after fitness review by the Department of Motor Vehicles ("DMV"). Since the import of an unfavorable rating is that their commercial vehicle operation may have an adverse impact on public safety, DAS is advising state agencies to cease issuing purchase orders to J.V. III Construction, Inc. under the Contract until J.V. III Construction, Inc. cures this breach by attaining a favorable DMV rating. If DMV provides DAS with written proof of a favorable rating after a re-inspection, then DAS will advise state agencies to issue new purchase orders to J.V. III Construction, Inc.

If J.V. III Construction, Inc. does not cure the breach on or before 10 November 2017, the Contract with J.V. III Construction, Inc. is cancelled effective that date. DAS will issue an additional Contract Supplement indicating that the breach has been cured or the Contract is cancelled.

All terms and conditions not otherwise affected by this supplement remain unchanged and in full force and effect.

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
 (Original Signature on Document in Procurement Files)

Name: **GREGORY MOONEY**

Title: Contract Specialist

Date:

CONTRACT SUPPLEMENT  
SP-37 - Rev. 11/17/16  
Prev. Rev. 4/28/14

Gregory Mooney  
Contract Analyst

860-713-5755  
Telephone Number

# STATE OF CONNECTICUT

DEPARTMENT OF ADMINISTRATIVE SERVICES

PROCUREMENT DIVISION

450 Columbus Boulevard, Hartford, CT 06103

CONTRACT AWARD NO.:

15PSX0267

Contract Award Date:

1 February 2016

Bid Due Date:

4 January 2016

SUPPLEMENT DATE:

20 April 2017

## CONTRACT AWARD SUPPLEMENT #3

**IMPORTANT: THIS IS NOT A PURCHASE ORDER. DO NOT PRODUCE OR SHIP WITHOUT AN AGENCY PURCHASE ORDER.**

DESCRIPTION: **Rental of Roadway Equipment with Operators**

FOR: <b>Department of Transportation, All Using State Agencies, and Political Subdivisions</b>		TERM OF CONTRACT: <b>February 1, 2016 through February 1, 2018</b>	
		AGENCY REQUISITION NUMBER:	
CHANGE TO IN STATE (NON-SB) CONTRACT VALUE	CHANGE TO DAS-CERTIFIED SMALL BUSINESS CONTRACT VALUE	CHANGE TO OUT OF STATE CONTRACT VALUE	CHANGE TO TOTAL CONTRACT AWARD VALUE
			0

**NOTICE TO CONTRACTORS:** This notice is not an order to ship. Purchase Orders against contracts will be furnished by the using agency or agencies on whose behalf the contract is made. INVOICE SHALL BE RENDERED DIRECT TO THE ORDERING AGENCY.

**NOTE:** Dollar amounts listed next to each contractor are possible award amounts, however, they do not reflect any expected purchase amounts (actual or implied). They are for CHRO use only.

**NOTICE TO AGENCIES:** A complete explanatory report shall be furnished promptly to the Procurement Manager concerning items delivered and/or services rendered on orders placed against awards listed herein which are found not to comply with the specifications or which are otherwise unsatisfactory from the agency's viewpoint, as well as failure of the contractor to deliver within a reasonable period of time specified. Please issue orders and process invoices promptly.

**CASH DISCOUNTS:** Cash discounts, if any, shall be given SPECIAL ATTENTION, but such cash discount shall not be taken unless payment is made within the discount period.

**PRICE BASIS:** Unless otherwise noted, prices include delivery and transportation charges fully prepaid f.o.b. agency. No extra charge is to be made for packing or packages.

### **Supplement # 3 updates Exhibit B Price Schedule for J.V.III Construction, Inc. Changes are highlighted in yellow**

All terms and conditions not otherwise affected by this supplement remain unchanged and in full force and effect.

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
(Original Signature on Document in Procurement Files)

Name: **GREG MOONEY**

Title: Contract Analyst

Date:

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
(Original Signature on Document in Procurement Files)

Name: **TINA COSTANZO**

Title: Contract Team Leader

Date:

CONTRACT SUPPLEMENT  
SP-37 - Rev. 4/28/14  
Prev. Rev. 3/12/14

Gregory Mooney  
Contract Analyst

860-713-5755  
Telephone Number

# STATE OF CONNECTICUT

DEPARTMENT OF ADMINISTRATIVE SERVICES

PROCUREMENT DIVISION  
165 Capitol Avenue, 5<sup>th</sup> Floor South

HARTFORD, CT 06106-1659

CONTRACT AWARD NO.:

15PSX0267

Contract Award Date:

1 February 2016

Bid Due Date:

4 January 2016

SUPPLEMENT DATE:

1 November 2016

## CONTRACT AWARD SUPPLEMENT #2

**IMPORTANT: THIS IS NOT A PURCHASE ORDER. DO NOT PRODUCE OR SHIP WITHOUT AN AGENCY PURCHASE ORDER.**

DESCRIPTION: **Rental of Roadway Equipment with Operators**

FOR: <b>Department of Transportation, All Using State Agencies, and Political Subdivisions</b>		TERM OF CONTRACT: <b>February 1, 2016 through February 1, 2018</b>	
		AGENCY REQUISITION NUMBER:	
CHANGE TO IN STATE (NON-SB) CONTRACT VALUE	CHANGE TO DAS-CERTIFIED SMALL BUSINESS CONTRACT VALUE	CHANGE TO OUT OF STATE CONTRACT VALUE	CHANGE TO TOTAL CONTRACT AWARD VALUE
			0

**NOTICE TO CONTRACTORS:** This notice is not an order to ship. Purchase Orders against contracts will be furnished by the using agency or agencies on whose behalf the contract is made. INVOICE SHALL BE RENDERED DIRECT TO THE ORDERING AGENCY.

**NOTE:** Dollar amounts listed next to each contractor are possible award amounts, however, they do not reflect any expected purchase amounts (actual or implied). They are for CHRO use only.

**NOTICE TO AGENCIES:** A complete explanatory report shall be furnished promptly to the Procurement Manager concerning items delivered and/or services rendered on orders placed against awards listed herein which are found not to comply with the specifications or which are otherwise unsatisfactory from the agency's viewpoint, as well as failure of the contractor to deliver within a reasonable period of time specified. Please issue orders and process invoices promptly.

**CASH DISCOUNTS:** Cash discounts, if any, shall be given SPECIAL ATTENTION, but such cash discount shall not be taken unless payment is made within the discount period.

**PRICE BASIS:** Unless otherwise noted, prices include delivery and transportation charges fully prepaid f.o.b. agency. No extra charge is to be made for packing or packages.

### PLEASE NOTE:

**Supplement #2 updates Exhibit B Price Schedule**

All terms and conditions not otherwise affected by this supplement remain unchanged and in full force and effect.

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
(Original Signature on Document in Procurement Files)

Name: **GREG MOONEY**

Title: Contract Analyst

Date:

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
(Original Signature on Document in Procurement Files)

Name: **TINA COSTANZO**

Title: Contract Team Leader

Date:

CONTRACT SUPPLEMENT  
 SP-37 - Rev. 4/28/14  
 Prev. Rev. 3/12/14

Gregory Mooney  
 CT Career Trainee - Contract  
 Analyst  
 860-713-5755  
 Telephone Number

# STATE OF CONNECTICUT

DEPARTMENT OF ADMINISTRATIVE SERVICES

PROCUREMENT DIVISION  
 165 Capitol Avenue, 5<sup>th</sup> Floor South

HARTFORD, CT 06106-1659

CONTRACT AWARD NO.: <b>15PSX0267</b>
Contract Award Date: 1 February 2016
Bid Due Date: 4 January 2016
SUPPLEMENT DATE: 7 March 2016

**CONTRACT AWARD SUPPLEMENT #1**  
**IMPORTANT: THIS IS NOT A PURCHASE ORDER. DO NOT PRODUCE OR SHIP WITHOUT AN AGENCY PURCHASE ORDER.**

DESCRIPTION: **Rental of Roadway Equipment with Operators**

FOR: <b>Department of Transportation, All Using State Agencies, and Political Subdivisions</b>		TERM OF CONTRACT: <b>February 1, 2016 through February 1, 2018</b>	
		AGENCY REQUISITION NUMBER:	
CHANGE TO IN STATE (NON-SB) CONTRACT VALUE	CHANGE TO DAS-CERTIFIED SMALL BUSINESS CONTRACT VALUE	CHANGE TO OUT OF STATE CONTRACT VALUE	CHANGE TO TOTAL CONTRACT AWARD VALUE

**NOTICE TO CONTRACTORS:** This notice is not an order to ship. Purchase Orders against contracts will be furnished by the using agency or agencies on whose behalf the contract is made. INVOICE SHALL BE RENDERED DIRECT TO THE ORDERING AGENCY.

**NOTE:** Dollar amounts listed next to each contractor are possible award amounts, however, they do not reflect any expected purchase amounts (actual or implied). They are for CHRO use only.

**NOTICE TO AGENCIES:** A complete explanatory report shall be furnished promptly to the Procurement Manager concerning items delivered and/or services rendered on orders placed against awards listed herein which are found not to comply with the specifications or which are otherwise unsatisfactory from the agency's viewpoint, as well as failure of the contractor to deliver within a reasonable period of time specified. Please issue orders and process invoices promptly.

**CASH DISCOUNTS:** Cash discounts, if any, shall be given SPECIAL ATTENTION, but such cash discount shall not be taken unless payment is made within the discount period.

**PRICE BASIS:** Unless otherwise noted, prices include delivery and transportation charges fully prepaid f.o.b. agency. No extra charge is to be made for packing or packages.

**Supplement #1 updates Exhibit B Price Schedule**

All terms and conditions not otherwise affected by this supplement remain unchanged and in full force and effect.

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
 (Original Signature on Document in Procurement Files)  
 Name: **GREG MOONEY**  
 Title: CCT Contract Analyst  
 Date:

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
 (Original Signature on Document in Procurement Files)  
 Name: **TINA COSTANZO**  
 Title: Contract Team Leader  
 Date:

CONTRACT AWARD  
SP-38 - Rev. 5/21/14  
Prev. Rev. 3/12/14

Gregory Mooney  
CT Career Trainee - Contract  
Analyst  
860-713-5755  
Telephone Number

# STATE OF CONNECTICUT

DEPARTMENT OF ADMINISTRATIVE SERVICES

PROCUREMENT DIVISION

165 Capitol Avenue, 5<sup>th</sup> Floor South, Hartford CT 06106-1659

CONTRACT AWARD NO.:

15PSX0267

Contract Award Date:

3 February 2016

Bid Due Date:

4 January 2016

## CONTRACT AWARD

IMPORTANT: THIS IS NOT A PURCHASE ORDER. DO NOT PRODUCE OR SHIP WITHOUT AN AGENCY PURCHASE ORDER.

DESCRIPTION:

**Rental of Roadway Equipment with Operators**

FOR:  
Department of Transportation, All Using State Agencies, and  
Political Subdivisions

TERM OF CONTRACT:  
February 3, 2016 through February 1, 2018

AGENCY REQUISITION NUMBER:

IN STATE (NON-SB) CONTRACT VALUE	DAS CERTIFIED SMALL BUSINESS CONTRACT VALUE	OUT OF STATE CONTRACT VALUE	TOTAL CONTRACT AWARD VALUE
Est. \$1,227,274	Est. \$1,272,726		Est. \$2,500,000.00

**NOTICE TO CONTRACTORS:** This notice is not an order to ship. Purchase Orders against contracts will be furnished by the using agency or agencies on whose behalf the contract is made. INVOICE SHALL BE RENDERED DIRECT TO THE ORDERING AGENCY.

**NOTE:** Dollar amounts listed next to each contractor are possible award amounts, however, they do not reflect any expected purchase amounts (actual or implied). They are for CHRO use only.

**NOTICE TO AGENCIES:** A complete explanatory report shall be furnished promptly to the Procurement Manager concerning items delivered and/or services rendered on orders placed against awards listed herein which are found not to comply with the specifications or which are otherwise unsatisfactory from the agency's viewpoint, as well as failure of the contractor to deliver within a reasonable period of time specified. Please issue orders and process invoices promptly.

**CASH DISCOUNTS:** Cash discounts, if any, shall be given SPECIAL ATTENTION, but such cash discount shall not be taken unless payment is made within the discount period.

**PRICE BASIS:** Unless otherwise noted, prices include delivery and transportation charges fully prepaid f.o.b. agency. No extra charge is to be made for packing or packages.

The signature below by the DAS Contract Team Leader is evidence that the Contractor's solicitation response has/have been accepted and that the Contractor(s) and DAS are bound by all of the terms and conditions of the Contract.

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
(Original Signature on Document in Procurement Files)

Name: **GREG MOONEY**

Title: CCT Contract Analyst

Date:

DEPARTMENT OF ADMINISTRATIVE SERVICES

By: \_\_\_\_\_  
(Original Signature on Document in Procurement Files)

Name: **DEVIN MARQUEZ**

Title: Assistant Director of Procurement

Date:

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Appleblossom Construction LLC**

Company Address: **18 Pratte Lane, Wolcott, CT, 06716**

Tel. No.: **203-879-8681**

Contract Value: **est. \$90,909**

Contact Person: **Scott Andrews**

Contact Person E-mail Address: **scott31873@netzero.net**

Company E-mail Address and/or Company Web Site: **www.appleblossomconstruction.com**

Certification Type (SBE, MBE or None): **None**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **BCI, Inc.**

Company Address: **848 Marshall Phelps Road, Windsor, CT 06095**

Tel. No.: **860-688-8024**

Fax No.: **860-298-8372**

Contract Value: **est. \$250,000**

Contact Person: **Thomas Butler**

Company E-mail Address and/or Company Web Site: **www.thebutlerco.com**

Certification Type (SBE, MBE or None): **None**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Berlin Industries, LLC**

Company Address: **56 Fourth St., New Britain, CT 06051**

Tel. No.: **(860) 819-9997**

Contract Value: **est. \$90,909**

Contact Person: **Jennie L. Scofield**

Contact Person Email Address: **jscofield@berlinindustriesct.com**

Company E-mail Address and/or Company Web Site: **www.berlinindustriesct.com**

Certification Type (SBE, MBE or None): **MBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Canton Village Construction Company, Inc.**

Company Address: **106 Power Mill Road, Canton, CT, 06019**

Tel. No.: **860-693-0122**

Fax No.: **860-693-8064**

Contract Value: **est. \$90,909**

Contact Person: **Daniel K. Bahre**

Contact Person Email Address: **cvctt@comcast.net**

Company E-mail Address and/or Company Web Site: **www.cvcct.com**

Certification Type (SBE, MBE or None): **SBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Costello Industries, Inc.**

Company Address: **123 Costello Road, Newington, CT 06111**

Tel. No.: **860-666-3311**

Fax No.: **860-666-2749**

Contract Value: **est. \$90,909**

Contact Person: **John Costello**

Contact Person Email Address: **jacostelloindustries.com**

Company E-mail Address and/or Company Web Site: **www.costelloindustries.com**

Certification Type (SBE, MBE or None): **None**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Donahue General Contractors, Inc.**

Company Address: **93 Windham Road, Hampton, CT 06247**

Tel. No.: **860-423-0618**

Fax No.: **860-455-9670**

Contract Value: **est. \$90,909**

Contact Person: **Deanne Donahue**

Company E-mail Address and/or Company Web Site: **donahueconstruction@snet.net**

Certification Type (SBE, MBE or None): **SBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **F.S.M. Services Inc.**

Company Address: **88 Mallory Road, Roxbury, CT 06783**

Tel. No.: **860-355-1595**

Fax No.: **860-355-7084**

Contract Value: **est. \$90,909**

Contact Person: **Frank J. Lasky**

Contact Person Email Address: **fmservices@aol.com**

Company E-mail Address and/or Company Web Site: **www.fmservicesct.com**

Certification Type (SBE, MBE or None): **SBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Galasso Materials, LLC**

Company Address: **60 South Main Street, East Granby, CT 06026**

Tel. No.: **860-653-2524**

Contract Value: **est. \$90,909**

Contact Person: **Craig Timpson**

Contact Email Person Address: **ctimpson@galassomaterials.com**

Certification Type (SBE, MBE or None): **None**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Garrity Asphalt Reclaiming Inc.**

Company Address: **22 Peters Road, Bloomfield, CT 06002**

Tel. No.: **860-243-2300**

Fax No.: **860-243-3100**

Contract Value: **est. \$90,909**

Contact Person: **Steven Garrity**

Contact Person Address: **steven.garrity@garrityasphalt.com**

Company E-mail Address and/or Company Web Site: **www.garrityasphalt.com**

Certification Type (SBE, MBE or None): **None**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Genovesi Construction LLC**

Company Address: **62 Tall Oad Drive, Coventry, CT, 06084**

Tel. No.: **860-604-1913**

Contract Value: **est. \$90,909**

Contact Person: **Laurie Genovesi**

Contact Person Email Address: **GC@genovesiconstructionLLC.com**

Certification Type (SBE, MBE or None): **MBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Guerrera Construction Company, Inc.**

Company Address: **154 Christian Street, Oxford, CT 06478**

Tel. No.: **203-888-5069**

Contract Value: **est. \$90,909**

Contact Person: **Joseph A. Guerrero, Jr.**

Contact Person Email Address: **debs@guerreraconstruction.com**

Certification Type (SBE, MBE or None): **SBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Hammonasset Construction LLC**

Company Address: **64 Groveway, P O Box 41, Clinton, CT 06413**

Tel. No.: **860-664-0404**

Contract Value: **est. \$90,909**

Contact Person: **Kimberly Simoncini**

Contact Person Email Address: **hammonasset@gmail.com**

Certification Type (SBE, MBE or None): **MBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**



**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **J.V. III Construction, Inc.**

Company Address: **103 Dividend Road, Rocky Hill, CT 06067**

Tel. No.: **860-721-0143**

Fax No.: **860-257-3490**

Contract Value: **est. \$250,000**

Contact Person: **John Vasel III**

Contact Person Email Address: **exkavator@aol.com**

Certification Type (SBE, MBE or None): **MBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **John J. Brennan Construction Co., Inc.**

Company Address: **70 Platt Rd., P.O. Box 788, Shelton, CT 06484**

Tel. No.: **203-929-6314**

Fax No.: **203-929-0144**

Contract Value: **est. \$90,909**

Contact Person: **Linda Scott**

Contact Person Email Address: **lindas@jbbrennan.com**

Company E-mail Address and/or Company Web Site: **www.jbbrennan.com**

Certification Type (SBE, MBE or None): **None**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Machnik Bros. Inc.**

Company Address: **125 Mile Creek Road, Old Lyme, CT 06371**

Tel. No.: **860-434-1330**

Fax No.: **860-434-9448**

Contract Value: **est. \$90,909**

Contact Person: **Todd J. Machnik**

Contact Email Person Address: **todd@machnikbros.com**

Company E-mail Address and/or Company Web Site: **machnikbros.com**

Certification Type (SBE, MBE or None): **SBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **McAllen Building & Remodeling, Inc.**

Company Address: **170 Scott Road, Suite I, Prospect, CT 06712**

Tel. No.: **203-758-3474**

Fax No.: **203-758-3083**

Contract Value: **est. \$90,909**

Contact Person: **Christine S. McAllen**

Delivery:

Contact Person Email Address: **camm95@comcast.net**

Company E-mail Address and/or Company Web Site: **www.mcallnebuilding.com**

Certification Type (SBE, MBE or None): **MBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Murphy Contractors**

Company Address: **18 West Mountain Road, West Simsbury, CT 06092**

Tel. No.: **860-324-9693**

Contract Value: **est. \$90,909**

Contact Person: **Mike Vincent**

Contact Person Email Address: **murphycontractors@yahoo.com**

Agrees to Supply Political SubDivisions: **Yes**

Certification Type (SBE, MBE or None): **SBE**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Rafferty Fine Grading Inc.**

Company Address: **57 South Rd. Enfield, CT 06082**

Tel. No.: **860-763-0100**

Fax No.: **860-763-2223**

Contract Value: **est. \$90,909**

Contact Person: **Rhonda Rafferty**

Contact Person Email Address: **rhonda@raffertyfinegrading.com**

Company E-mail Address and/or Company Web Site: **www.raffertyfinegrading.com**

Agrees to Supply Political SubDivisions: **Yes**

Certification Type (SBE, MBE or None): **MBE**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Reliable Excavating Company, Inc.**

Company Address: **15 Bates Place, Danbury, CT 06810**

Tel. No.: **203-743-4856**

Fax No.: **203-743-7316**

Contract Value: **est. \$90,909**

Contact Person: **Angelo W. Grossi Sr.**

Contact Person Email Address: **reliableco@sbcglobal.net**

Company E-mail Address and/or Company Web Site: **www.reliableexcavatingco.com**

Agrees to Supply Political SubDivisions: **Yes**

Certification Type (SBE, MBE or None): **None**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Resource Services LLC**

Company Address: **75 Edwin Street, Bridgeport, CT, 06607**

Tel. No.: **203-332-9189**

Contract Value: **est. \$90,909**

Contact Person: **Jimmy Ray Cooper**

Contact Person Email Address: **jr@resourcesvc.com**

Company E-mail Address and/or Company Web Site: **www.resourcesvc.com**

Agrees to Supply Political SubDivisions: **Yes**

Certification Type (SBE, MBE or None): **MBE**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **The Stone Construction Company, Inc.**

Company Address: **168 Main Street South, Southbury, CT 06488**

Tel. No.: **203-264-6501**

Fax No.: **203-264-3062**

Contract Value: **est. \$90,909**

Contact Person: **George H. Stone**

Contact Person Email Address: **stones88@snet.net**

Certification Type (SBE, MBE or None): **SBE**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 30**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Tilcon Connecticut Inc.**

Company Address: **642 Black Rock Avenue, New Britain, CT 06052**

Tel. No.:

Fax No.:

Contract Value: **est. \$90,909**

Contact Person: **Richard Birge**

Contact Person Email Address: **rbirge@tilcon-inc.com**

Company E-mail Address and/or Company Web Site: **www.tilconct.com**

Certification Type (SBE, MBE or None): **None**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

**CONTRACTOR INFORMATION:**

REFER TO THE CONTRACT ON THE DAS PROCUREMENT WEB PAGE FOR THE MOST CURRENT CONTRACTOR INFORMATION. (<http://das.ct.gov/mp1.aspx?page=8>)

---

Company Name: **Tri State Industrial Maintenance LLC**

Company Address: **50 Bala Ridge Road Oxford, CT 06478**

Tel. No.: **203-267-6780**

Fax No.: **203-262-1904**

Contract Value: **est. \$90,909**

Contact Person: **Heather Cassidy**

Contact Person Address: **hcassidy@tristateindustrialmaintenance.com**

Company E-mail Address and/or Company Web Site: **www.tristateindustrialmaintenance.com**

Certification Type (SBE, MBE or None): **None**

Agrees to Supply Political SubDivisions: **Yes**

Prompt Payment Terms: **0% 00 Net 45**

# **CONTRACT**

**15PSX0267**

Between

**THE STATE OF CONNECTICUT**

Acting by its

**DEPARTMENT OF ADMINISTRATIVE SERVICES**

**AND**

**Contractors listed on SP-38**

**RENTAL OF SERVICES AND/OR EQUIPMENT FOR ROADWAY CONSTRUCTION**

## Contract # 15PSX0267

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

### ***Contract Table of Contents***

1. Definitions
  2. Term of Contract; Contract Extension
  3. Description of Goods and Services
  4. Price Schedule, Payment Terms and Billing, and Price Adjustments
  5. Rejected Items; Abandonment
  6. Order and Delivery
  7. Contract Amendments
  8. Assignment
  9. Termination
  10. Cost Modifications
  11. Breach
  12. Waiver
  13. Open Market Purchases
  14. Purchase Orders
  15. Indemnification
  16. Forum and Choice of Law
  17. Contractor Guaranties
  18. Implied Warranties
  19. Goods, Standards and Appurtenances
  20. Delivery
  21. Goods Inspection
  22. Emergency Standby for Goods and/or Services
  23. Setoff
  24. Force Majeure
  25. Advertising
  26. Americans With Disabilities Act
  27. Representations and Warranties
  28. Representations and Warranties Concerning Motor Vehicles
  29. Disclosure of Contractor Parties Litigation
  30. Entirety of Contract
  31. Exhibits
  32. Executive Orders
  33. Non-Discrimination
  34. Tangible Personal Property
  35. Whistleblowing
  36. Notice
  37. Insurance
  38. Headings
  39. Number and Gender
  40. Parties
  41. Contractor Changes
  42. Further Assurances
  43. Audit and Inspection of Plants, Places of Business and Records
  44. Background Checks
  45. Continued Performance
  46. Working and Labor Synergies
  47. Contractor Responsibility
  48. Severability
  49. Confidential Information
  50. References to Statutes, Public Acts, Regulations, Codes and Executive Orders
  51. Cross-Default
  52. Disclosure of Records
  53. Summary of State Ethics Laws
  54. Sovereign Immunity
  55. Time of the Essence
  56. Certification as Small Contractor or Minority Business Enterprise
  57. Campaign Contribution Restriction
  58. Health Insurance Portability and Accountability Act
  59. Protection of Confidential Information
  60. Audit Requirements for Recipients of State Financial Assistance
- EXHIBIT A** - Description of Goods & Services and Additional Terms and Conditions
- EXHIBIT B** - Price Schedule
- EXHIBIT C** - Notice to Executive Branch State Contractors and Prospective State Contractors of Campaign Contribution and Solicitation Limitations

## Contract # 15PSX0267

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

This Contract (the "Contract") is made as of February 3, 2016 the ("Effective Date") shown on the contract award form, number SP-38 corresponding to the subject procurement and is by and between, the contractor identified on such Form SP-38 (the "Contractor,") which is attached and shall be considered a part of this Contract, with a principal place of business as indicated on the signature page form, number SP-26, acting by the duly authorized representative as indicated on the SP-26, and the State of Connecticut, Department of Administrative Services ("DAS"), with a principal place of business at 165 Capitol Ave, Hartford, Connecticut 06106-1659, acting by Tina Costanzo, its Contract Team Leader, in accordance with Sections 4a-2 and 4a-51 of the Connecticut General Statutes.

Now therefore, in consideration of these presents, and for other good and valuable consideration, the receipt and sufficiency of which the parties acknowledge, the Contractor and the State agree as follows:

1. Definitions. Unless otherwise indicated, the following terms shall have the following corresponding definitions:
  - (a) Bid: A submittal in response to an Invitation to Bid.
  - (b) Claims: All actions, suits, claims, demands, investigations and proceedings of any kind, open, pending or threatened, whether mature, unmatured, contingent, known or unknown, at law or in equity, in any forum.
  - (c) Client Agency: Any department, commission, board, bureau, agency, institution, public authority, office, council, association, instrumentality or political subdivision of the State of Connecticut, as applicable, who is authorized and chooses to make purchases under, and pursuant to the terms and conditions of, this Contract.
  - (d) Confidential Information: This shall mean any name, number or other information that may be used, alone or in conjunction with any other information, to identify a specific individual including, but not limited to, such individual's name, date of birth, mother's maiden name, motor vehicle operator's license number, Social Security number, employee identification number, employer or taxpayer identification number, alien registration number, government passport number, health insurance identification number, demand deposit account number, savings account number, credit card number, debit card number or unique biometric data such as fingerprint, voice print, retina or iris image, or other unique physical representation. Without limiting the foregoing, Confidential Information shall also include any information that the Client Agency or DAS classifies as "confidential" or "restricted." Confidential Information shall not include information that may be lawfully obtained from publicly available sources or from federal, state, or local government records which are lawfully made available to the general public.
  - (e) Confidential Information Breach: This shall mean, generally, an instance where an unauthorized person or entity accesses Confidential Information in any manner, including but not limited to the following occurrences: (1) any Confidential Information that is not encrypted or protected is misplaced, lost, stolen or in any way compromised; (2) one or more third parties have had access to or taken control or possession of any Confidential

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

Information that is not encrypted or protected without prior written authorization from the State; (3) the unauthorized acquisition of encrypted or protected Confidential Information together with the confidential process or key that is capable of compromising the integrity of the Confidential Information; or (4) if there is a substantial risk of identity theft or fraud to the Client Agency, the Contractor, DAS or State.

- (f) Contract: The agreement, as of its Effective Date, between the Contractor and the State for any or all Goods or Services at the Bid price.
- (g) Contractor: A person or entity who submits a Bid and who executes a Contract.
- (h) Contractor Parties: A Contractor's members, directors, officers, shareholders, partners, managers, principal officers, representatives, agents, servants, consultants, employees or any one of them or any other person or entity with whom the Contractor is in privity of oral or written contract and the Contractor intends for such other person or entity to Perform under the Contract in any capacity.
- (i) Day: All calendar days other than Saturdays, Sundays and days designated as national or State of Connecticut holidays upon which banks in Connecticut are closed.
- (j) Force Majeure: Events that materially affect the cost of the Goods or Services or the time schedule within which to Perform and are outside the control of the party asserting that such an event has occurred, including, but not limited to, labor troubles unrelated to the Contractor, failure of or inadequate permanent power, unavoidable casualties, fire not caused by the Contractor, extraordinary weather conditions, disasters, riots, acts of God, insurrection or war.
- (k) Goods: For purposes of the Contract, all things which are movable at the time that the Contract is effective and which include, without limiting this definition, supplies, materials and equipment, as specified in the Invitation to Bid and set forth in Exhibit A.
- (l) Goods or Services: Goods, Services or both, as specified in the Invitation to Bid and set forth in Exhibit A.
- (m) Invitation to Bid: A State request inviting bids for Goods or Services. This Contract shall be governed by the statutes, regulations and procedures of the State of Connecticut, Department of Administrative Services.
- (n) Records: All working papers and such other information and materials as may have been accumulated by the Contractor in performing the Contract, including but not limited to, documents, data, plans, books, computations, drawings, specifications, notes, reports, records, estimates, summaries and correspondence, kept or stored in any form.
- (o) Services: The performance of labor or work, as specified in the Invitation to Bid and set forth in Exhibit A.
- (p) State: The State of Connecticut, including DAS, the Client Agency and any office, department, board, council, commission, institution or other agency of the State.
- (q) Termination: An end to the Contract prior to the end of its term whether effected pursuant to a right which the Contract creates or for a breach.

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (r) Title: all ownership, title, licenses, rights and interest, including, but not limited to, perpetual use, of and to the Goods or Services.
2. Term of Contract; Contract Extension. The Contract will be in effect from the Effective Date through February 1, 2018.  
The parties, by mutual agreement, may extend this Contract for additional terms beyond the original term, prior to Termination or expiration, one or more times for a combined total period not to exceed the complete length of the original term, but only in accordance with the section in this Contract concerning Contract Amendments.
3. Description of Goods or Services and Additional Terms and Conditions. The Contractor shall perform as set forth in Exhibit A. For purposes of this Contract, to perform and the performance in Exhibit A is referred to as "Perform" and the "Performance."
4. Price Schedule, Payment Terms and Billing, and Price Adjustments.
- (a) Price Schedule: Price Schedule under this Contract is set forth in Exhibit B.
- (b) Payment Terms and Billing: Payment shall be made only after the Client Agency receives and accepts the Goods or Services and after it receives a properly completed invoice. Unless otherwise specified in the Contract, payment for all accepted Goods or Services shall be due within forty-five (45) days after acceptance of the Goods or Services, or thirty (30) days if the Contractor is a certified small contractor or minority business enterprise as defined in Conn. Gen. Stat. § 4a-60g. The Contractor shall submit an invoice to the Client Agency for the Performance. The invoice shall include detailed information for Goods or Services, delivered and Performed, as applicable, and accepted. Any late payment charges shall be calculated in accordance with the Connecticut General Statutes.
- (c) If Notwithstanding any language regarding Contractor price increases herein, the Price Schedule will be adjusted to reflect any increase in the minimum wage rate that may occur during the term of this Contract as mandated by State law and in accordance with the terms of this section. Contractor shall provide documentation, in the form of certified payroll or other documentation acceptable to the State, substantiating the amount of any increase in Contractor labor costs as a result of changes to the minimum wage rate within ninety (90) days of the statutorily identified effective date of any increase in the minimum wage. Upon receipt, and verification of Contractor documentation DAS shall adjust the Price Schedule accordingly through a supplement to this Contract.
- (d) The Contractor shall comply with all provisions of Section 31-57f of the Connecticut General Statutes concerning standard wages. Current standard wage rates are included in Exhibit D. Notwithstanding any language regarding Contractor price increases, the Price Schedule will be adjusted to reflect any increase in the standard wage rate that may occur, as mandated by State law. Exhibit D will not be adjusted to reflect new standard wage rates until the Contractor provides documentation, in the form of certified payroll or other documentation acceptable to the State, substantiating the increase in Contractor labor costs as a result of changes to the standard wage rate. The Contractor must provide this documentation to the State within ninety (90) days' of the effective date that the State Department of Labor establishes for the increase in the standard wage. Upon receipt and verification of Contractor documentation, DAS shall adjust the Price Schedule and update Exhibit D accordingly through a supplement to this Contract.



## Contract # 15PSX0267

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

### (e) Price Adjustments:

Prices for the Goods or Services listed in Exhibit B shall remain unchanged for twelve (12) months following the Effective Date of the Contract. The Contractor shall have the right to request a price adjustment only during the thirty (30) days immediately preceding the annual anniversary dates of the Effective Date of the Contract during the term of the Contract. During this thirty (30) day period, the Contractor may submit a request in writing to DAS for a price adjustment that is consistent with and relative to price changes originating with and compelled by manufacturer and/or market trends and which changes are outside of the Contractor's control. The Contractor must fully document its request, attaching to the request, without limitation, such manufacturer and market data, as support the requested adjustment. DAS may, in its sole discretion, approve or disapprove the requested adjustment, in whole or in part. Any approved adjustment shall be final and shall remain unchanged until the next annual anniversary date of the Effective Date of the Contract.

The Contractor shall submit all requests in accordance with Section #35. Notice. A request made to the Client Agency shall not be valid and the parties shall treat it as if the Contractor had not made the request at all. A request made to the Client Agency shall not be considered timely and shall not toll or extend the running of the thirty (30) days. The right of the Contractor to request a particular price adjustment shall lapse upon the expiration of the applicable thirty (30) days. If the Contractor fails to make a timely request, then the price shall remain unchanged from the previous year and shall continue through the next succeeding twelve (12) months and until the second annual anniversary of the Effective Date of the Contract, if approved, price adjustments shall become effective ten (10) days after the date of the approval. The Contractor shall honor any purchase orders issued prior to the effective date of the approval at the price in effect at the time of the issuance of the purchase order.

### 5. Rejected Items; Abandonment.

- (a) The Contractor may deliver, cause to be delivered, or, in any other way, bring or cause to be brought, to any State premises or other destination, Goods, as samples or otherwise, and other supplies, materials, equipment or other tangible personal property. The State may, by written notice and in accordance with the terms and conditions of the Contract, direct the Contractor to remove any or all such Goods ("the "Rejected Goods") and any or all other supplies, materials, equipment or other tangible personal property (collectively, the "Contractor Property") from and out of State premises and any other location which the State manages, leases or controls. The Contractor shall remove the Rejected Goods and the Contractor Property in accordance with the terms and conditions of the written notice. Failure to remove the Rejected Goods or the Contractor Property in accordance with the terms and conditions of the written notice shall mean, for itself and all Contractor Parties, that:

- (1) they have voluntarily, intentionally, unconditionally, unequivocally and absolutely abandoned and left unclaimed the Rejected Goods and Contractor Property and relinquished all ownership, title, licenses, rights, possession and interest of, in and to (collectively, "Title") the Rejected Goods and Contractor Property with the specific and express intent of (A) terminating all of their Title to the Rejected Goods and Contractor Property, (B) vesting Title to the Rejected Goods and Contractor Property in the State of Connecticut and (C) not ever reclaiming Title or any future rights of any type in and to the Rejected Goods and Contractor Property;

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (2) there is no ignorance, inadvertence or unawareness to mitigate against the intent to abandon the Rejected Goods or Contractor Property;
  - (3) they vest authority, without any further act required on their part or the State's part, in the Client Agency and the State to use or dispose of the Rejected Goods and Contractor Property, in the State's sole discretion, as if the Rejected Goods and Contractor Property were the State's own property and in accordance with law, without incurring any liability or obligation to the Contractor or any other party;
  - (4) if the State incurs any costs or expenses in connection with disposing of the Rejected Goods and Contractor Property, including, but not limited to, advertising, moving or storing the Rejected Goods and Contractor Property, auction and other activities, the State shall invoice the Contractor for all such cost and expenses and the Contractor shall reimburse the State no later than thirty (30) days after the date of invoice; and
  - (5) they do remise, release and forever discharge the State and its employees, departments, commissions, boards, bureaus, agencies, instrumentalities or political subdivisions and their respective successors, heirs, executors and assigns (collectively, the "State and Its Agents") of and from all Claims which they and their respective successors or assigns, jointly or severally, ever had, now have or will have against the State and Its Agents arising from the use or disposition of the Rejected Goods and Contractor Property.
- (b) The Contractor shall secure from each Contractor Party, such document or instrument as necessary or appropriate as will vest in the Contractor plenary authority to bind the Contractor Parties to the full extent necessary or appropriate to give full effect to all of the terms and conditions of this section. The Contractor shall provide, no later than fifteen (15) days after receiving a request from the State, such information as the State may require to evidence, in the State's sole determination, compliance with this section.
6. Order and Delivery. The Contract shall bind the Contractor to furnish and deliver the Goods or Services in accordance with Exhibit A and at the prices set forth in Exhibit B. Subject to the sections in this Contract concerning Force Majeure, Termination and Open Market Purchases, the Contract shall bind the Client Agency to order the Goods or Services from the Contractor, and to pay for the accepted Goods or Services in accordance with Exhibit B.
7. Contract Amendments. No amendment to or modification or other alteration of the Contract shall be valid or binding upon the parties unless made in writing, signed by the parties and, if applicable, approved by the Connecticut Attorney General.
8. Assignment. The Contractor shall not assign any of its rights or obligations under the Contract, voluntarily or otherwise, in any manner without the prior written consent of DAS. DAS may void any purported assignment in violation of this section and declare the Contractor in breach of Contract. Any Termination by DAS for a breach is without prejudice to DAS's or the State's rights or possible Claims.
9. Termination.
- (a) Notwithstanding any provisions in this Contract, DAS, through a duly authorized employee, may Terminate the Contract whenever DAS makes a written determination that such Termination is in the best interests of the State. DAS shall notify the Contractor in writing of

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

Termination pursuant to this section, which notice shall specify the effective date of Termination and the extent to which the Contractor must complete its Performance under the Contract prior to such date.

- (b) Notwithstanding any provisions in this Contract, DAS, through a duly authorized employee, may, after making a written determination that the Contractor has breached the Contract, Terminate the Contract in accordance with the provisions in the Breach section of this Contract.
- (c) DAS shall send the notice of Termination via certified mail, return receipt requested, to the Contractor at the most current address which the Contractor has furnished to DAS for purposes of correspondence, or by hand delivery. Upon receiving the notice from DAS, the Contractor shall immediately discontinue all services affected in accordance with the notice, undertake all commercially reasonable efforts to mitigate any losses or damages, and deliver to the Client Agency all Records. The Records are deemed to be the property of the Client Agency and the Contractor shall deliver them to the Client Agency no later than thirty (30) days after the Termination of the Contract or fifteen (15) days after the Contractor receives a written request from either DAS or the Client Agency for the Records. The Contractor shall deliver those Records that exist in electronic, magnetic or other intangible form in a non-proprietary format, such as, but not limited to, ASCII or .TXT.
- (d) Upon receipt of a written notice of Termination from DAS, the Contractor shall cease operations as DAS directs in the notice, and take all actions that are necessary or appropriate, or that DAS may reasonably direct, for the protection, and preservation of the Goods and any other property. Except for any work which DAS directs the Contractor to Perform in the notice prior to the effective date of Termination, and except as otherwise provided in the notice, the Contractor shall terminate or conclude all existing subcontracts and purchase orders and shall not enter into any further subcontracts, purchase orders or commitments.
- (e) The Client Agency shall, within forty-five (45) days of the effective date of Termination, reimburse the Contractor for its Performance rendered and accepted by the Client Agency in accordance with Exhibit A, in addition to all actual and reasonable costs incurred after Termination in completing those portions of the Performance which the notice required the Contractor to complete. However, the Contractor is not entitled to receive and the Client Agency is not obligated to tender to the Contractor any payments for anticipated or lost profits. Upon request by DAS or the Client Agency, as applicable, the Contractor shall assign to DAS or the Client Agency, or any replacement contractor which DAS or the Client Agency designates, all subcontracts, purchase orders and other commitments, deliver to DAS or the Client Agency all Records and other information pertaining to its Performance, and remove from State premises, whether leased or owned, all of Contractor's property, equipment, waste material and rubbish related to its Performance, all as DAS or the Client Agency may request.
- (f) For breach or violation of any of the provisions in the section concerning Representations and Warranties, DAS may Terminate the Contract in accordance with its terms and revoke any consents to assignments given as if the assignments had never been requested or consented to, without liability to the Contractor or Contractor Parties or any third party.
- (g) Upon Termination of the Contract, all rights and obligations shall be null and void, so that no party shall have any further rights or obligations to any other party, except with respect to the sections which survive Termination. All representations, warranties, agreements and

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

rights of the parties under the Contract shall survive such Termination to the extent not otherwise limited in the Contract and without each one of them having to be specifically mentioned in the Contract.

(h) Termination of the Contract pursuant to this section shall not be deemed to be a breach of contract by DAS.

10. Cost Modifications. The parties may agree to a reduction in the cost of the Contract at any time during which the Contract is in effect. Without intending to impose a limitation on the nature of the reduction, the reduction may be to hourly, staffing or unit costs, the total cost of the Contract or the reduction may take such other form as the State deems to be necessary or appropriate.

11. Breach. If either party breaches the Contract in any respect, the non-breaching party shall provide written notice of such breach to the breaching party and afford the breaching party an opportunity to cure the breach within ten (10) days from the date that the breaching party receives such notice. Any other time provided for in the notice shall trump such ten (10) days. Such right to cure period shall be extended if the non-breaching party is satisfied that the breaching party is making a good faith effort to cure but the nature of the breach is such that it cannot be cured within the right to cure period. The notice may include an effective Contract Termination date if the breach is not cured by the stated date and, unless otherwise modified by the non-breaching party in writing prior to the Termination date, no further action shall be required of any party to effect the Termination as of the stated date. If the notice does not set forth an effective Contract Termination date, then the non-breaching party may Terminate the Contract by giving the breaching party no less than twenty four (24) hours' prior written notice. If DAS believes that the Contractor has not performed according to the Contract, the Client Agency may withhold payment in whole or in part pending resolution of the Performance issue, provided that DAS notifies the Contractor in writing prior to the date that the payment would have been due in accordance with Exhibit B.

12. Waiver.

(a) No waiver of any breach of the Contract shall be interpreted or deemed to be a waiver of any other or subsequent breach. All remedies afforded in the Contract shall be taken and construed as cumulative, that is, in addition to every other remedy provided in the Contract or at law or in equity.

(b) A party's failure to insist on strict performance of any provision of the Contract shall only be deemed to be a waiver of rights and remedies concerning that specific instance of Performance and shall not be deemed to be a waiver of any subsequent rights, remedies or breach.

13. Open Market Purchases. Failure of the Contractor to Perform within the time specified in the Contract, or failure to replace rejected or substandard Goods or fulfill unperformed Services when so requested and as the Contract provides or allows, constitutes a breach of the Contract and as a remedy for such breach, such failure shall constitute authority for DAS, if it deems it to be necessary or appropriate in its sole discretion, to Terminate the Contract and/or to purchase on the open market, Goods or Services to replace those which have been rejected, not delivered, or not Performed. The Client Agency shall invoice the Contractor for all such purchases to the extent that they exceed the costs and expenses in Exhibit B and the Contractor shall pay the Client Agency's invoice immediately after

## Contract # 15PSX0267

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

receiving the invoice. If DAS does not Terminate the Contract, the Client Agency will deduct such open market purchases from the Contract quantities. However, if the Client Agency deems it to be in the best interest of the State, the Client Agency may accept and use the Goods or Services delivered which are substandard in quality, subject to an adjustment in price to be determined by the Client Agency.

### 14. Purchase Orders.

- (a) The Contract itself is not an authorization for the Contractor to ship Goods or begin Performance in any way. The Contractor may begin Performance only after it has received a duly issued purchase order against the Contract for Performance.
- (b) The Client Agency shall issue a purchase order against the Contract directly to the Contractor and to no other party.
- (c) All purchase orders shall be in written or electronic form, bear the Contract number (if any) and comply with all other State and Client Agency requirements, particularly the Client Agency's requirements concerning procurement. Purchase orders issued in compliance with such requirements shall be deemed to be duly issued.
- (d) A Contractor making delivery without a duly issued purchase order in accordance with this section does so at the Contractor's own risk.
- (e) The Client Agency may, in its sole discretion, deliver to the Contractor any or all duly issued purchase orders via electronic means only, such that the Client Agency shall not have any additional obligation to deliver to the Contractor a "hard copy" of the purchase order or a copy bearing any hand-written signature or other "original" marking.

### 15. Indemnification.

- (a) The Contractor shall indemnify, defend and hold harmless the State and its officers, representatives, agents, servants, employees, successors and assigns from and against any and all (1) Claims arising, directly or indirectly, in connection with the Contract, including the acts of commission or omission (collectively, the "Acts") of the Contractor or Contractor Parties; and (2) liabilities, damages, losses, costs and expenses, including but not limited to, attorneys' and other professionals' fees, arising, directly or indirectly, in connection with Claims, Acts or the Contract. The Contractor shall use counsel reasonably acceptable to the State in carrying out its obligations under this section. The Contractor's obligations under this section to indemnify, defend and hold harmless against Claims includes Claims concerning confidentiality of any part of or all of the Contractor's bid, proposal or any Records, any intellectual property rights, other proprietary rights of any person or entity, copyrighted or uncopyrighted compositions, secret processes, patented or unpatented inventions, articles or appliances furnished or used in the Performance.
- (b) The Contractor shall not be responsible for indemnifying or holding the State harmless from any liability arising due to the negligence of the State or any other person or entity acting under the direct control or supervision of the State.
- (c) The Contractor shall reimburse the State for any and all damages to the real or personal property of the State caused by the Acts of the Contractor or any Contractor Parties. The State shall give the Contractor reasonable notice of any such Claims.

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (d) The Contractor's duties under this section shall remain fully in effect and binding in accordance with the terms and conditions of the Contract, without being lessened or compromised in any way, even where the Contractor is alleged or is found to have merely contributed in part to the Acts giving rise to the Claims and/or where the State is alleged or is found to have contributed to the Acts giving rise to the Claims.
  - (e) The Contractor shall carry and maintain at all times during the term of the Contract, and during the time that any provisions survive the term of the Contract, sufficient general liability insurance to satisfy its obligations under this Contract. The Contractor shall cause the State to be named as an additional insured on the policy and shall provide (1) a certificate of insurance, (2) the declaration page and (3) the additional insured endorsement to the policy to the Client Agency prior to the Effective Date of the Contract evidencing that the State is an additional insured. The Contractor shall not begin Performance until the delivery of these 3 documents to the Client Agency. State shall be entitled to recover under the insurance policy even if a body of competent jurisdiction determines that State is contributorily negligent.
  - (f) This section shall survive the Termination of the Contract and shall not be limited by reason of any insurance coverage.
16. Forum and Choice of Law. The parties deem the Contract to have been made in the City of Hartford, State of Connecticut. Both parties agree that it is fair and reasonable for the validity and construction of the Contract to be, and it shall be, governed by the laws and court decisions of the State of Connecticut, without giving effect to its principles of conflicts of laws. To the extent that any immunities provided by Federal law or the laws of the State of Connecticut do not bar an action against the State, and to the extent that these courts are courts of competent jurisdiction, for the purpose of venue, the complaint shall be made returnable to the Judicial District of Hartford only or shall be brought in the United States District Court for the District of Connecticut only, and shall not be transferred to any other court, provided, however, that nothing here constitutes a waiver or compromise of the sovereign immunity of the State of Connecticut. The Contractor waives any objection which it may now have or will have to the laying of venue of any Claims in any forum and further irrevocably submits to such jurisdiction in any suit, action or proceeding.
17. Contractor Guaranties. Contractor shall:
- (a) Perform fully under the Contract;
  - (b) Guarantee the Goods or Services against defective material or workmanship and to repair any damage or marring occasioned in transit or, at the Client Agency's option, replace them;
  - (c) Furnish adequate protection from damage for all work and to repair damage of any kind, for which its workers are responsible, to the premises, Goods, the Contractor's work or that of Contractor Parties;
  - (d) With respect to the provision of Services, pay for all permits, licenses and fees and give all required or appropriate notices;
  - (e) Adhere to all Contractual provisions ensuring the confidentiality of Records that the Contractor has access to and are exempt from disclosure under the State's Freedom of Information Act or other applicable law; and

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (f) Neither disclaim, exclude nor modify the implied warranties of fitness for a particular purpose or of merchantability.
18. Implied Warranties. DAS does not disclaim, exclude or modify the implied warranty of fitness for a particular purpose or the warranty of merchantability.
19. Goods, Standards and Appurtenances. Any Goods delivered must be standard new Goods, latest model, except as otherwise specifically stated in the Contract. Remanufactured, refurbished or reconditioned equipment may be accepted but only to the extent allowed under the Contract. Where the Contract does not specifically list or describe any parts or nominal appurtenances of equipment for the Goods, it shall be understood that the Contractor shall deliver such equipment and appurtenances as are usually provided with the manufacturer's stock model.
20. Delivery.
- (a) Delivery shall be made as ordered and in accordance with the Contract. Unless otherwise specified in the Contract, delivery shall be to a loading dock or receiving platform. The Contractor or Contractor's shipping designee shall be responsible for removal of Goods from the carrier and placement on the Client Agency loading dock or receiving platform. The receiving personnel of the Client Agency are not required to assist in this process. The decision of DAS as to reasonable compliance with delivery terms shall be final and binding. The burden of proof of proper receipt of the order shall rest with the Contractor.
- (b) In order for the time of delivery to be extended, the Client Agency must first approve a request for extension from the time specified in the Contract, such extension applying only to the particular item or shipment.
- (c) Goods shall be securely and properly packed for shipment, according to accepted standard commercial practice, without extra charge for packing cases, baling or sacks. The containers shall remain the property of the Client Agency unless otherwise stated in the Contract.
- (d) All risk of loss and damage to the Goods transfers to the Client Agency upon Title vesting in the Client Agency.
21. Goods Inspection. The Client Agency shall determine the manner and prescribe the inspection of all Goods and the tests of all samples submitted to determine whether they comply with all of the specifications in the Contract. If any Goods fail in any way to meet the specifications in the Contract, the Client Agency may, in its sole discretion, either reject it and owe nothing or accept it and pay for it on an adjusted price basis, depending on the degree to which the Goods meet the specifications. Any decision pertaining to any such failure or rejection shall be final and binding.
22. Emergency Standby for Goods and/or Services. If any Federal or State official, having authority to do so, declares an emergency or the occurrence of a natural disaster within the State of Connecticut, DAS and the Client Agency may request the Goods and Services on an expedited and prioritized basis. Upon receipt of such a request the Contractor shall make all necessary and appropriate commercially reasonable efforts to reallocate its staffing and other resources in order to give primary preference to Performing this Contract ahead of or prior to fulfilling, in whole or in part, any other contractual obligations that the Contractor may have. The Contractor is not obligated to make those efforts to Perform on an expedited and prioritized basis in accordance with this paragraph if doing so will make the

## Contract # 15PSX0267

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

Contractor materially breach any other contractual obligations that the Contractor may have. Contractor shall acknowledge receipt of any request made pursuant to this paragraph within 2 hours from the time that the Contractor receives it via purchase order or through a request to make an expedited or prioritized purchase through the State of Connecticut Purchasing Card (MasterCard) Program (the "P-Card Program"). If the Contractor fails to acknowledge receipt within 2 hours, confirm its obligation to Perform or actually Perform, as set forth in the purchase order or through the P-Card Program, then DAS and the Client Agency may procure the Performance from another source without further notice to Contractor and without creating any right of recourse at law or in equity against DAS or Client Agency.

23. Setoff. In addition to all other remedies available hereunder, the State, in its sole discretion, may setoff (1) any costs or expenses that the State incurs resulting from the Contractor's unexcused nonperformance under the Contract and under any other agreement or arrangement that the Contractor has with the State and (2) any other amounts that are due or may become due from the State to the Contractor, against amounts otherwise due or that may become due to the Contractor under the Contract, or under any other agreement or arrangement that the Contractor has with the State. The State's right of setoff shall not be deemed to be the State's exclusive remedy for the Contractor's or Contractor Parties' breach of the Contract, all of which shall survive any setoffs by the State.
24. Force Majeure. The State and the Contractor shall not be excused from their obligation to Perform in accordance with the Contract except in the case of Force Majeure events and as otherwise provided for in the Contract. In the case of any such exception, the nonperforming party shall give immediate written notice to the other, explaining the cause and probable duration of any such nonperformance.
25. Advertising. The Contractor shall not refer to sales to the State for advertising or promotional purposes, including, but not limited to, posting any material or data on the Internet, without DAS's prior written approval.
26. Americans With Disabilities Act. The Contractor shall be and remain in compliance with the Americans with Disabilities Act of 1990 ("Act"), to the extent applicable, during the term of the Contract. DAS may Terminate the Contract if the Contractor fails to comply with the Act.
27. Representations and Warranties. The Contractor, represents and warrants to DAS for itself and Contractor Parties, that:
  - (a) if they are entities, they are duly and validly existing under the laws of their respective states of organization and authorized to conduct business in the State of Connecticut in the manner contemplated by the Contract. Further, as appropriate, they have taken all necessary action to authorize the execution, delivery and Performance of the Contract and have the power and authority to execute, deliver and Perform their obligations under the Contract;
  - (b) they will comply with all applicable State and Federal laws and municipal ordinances in satisfying their obligations to the State under and pursuant to the Contract, including, but not limited to (1) Connecticut General Statutes Title 1, Chapter 10, concerning the State's Codes of Ethics and (2) Title 4a concerning State purchasing, including, but not limited to Section 22a-194a concerning the use of polystyrene foam;



**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (c) the execution, delivery and Performance of the Contract will not violate, be in conflict with, result in a breach of or constitute (with or without due notice and/or lapse of time) a default under any of the following, as applicable: (1) any provision of law; (2) any order of any court or the State; or (3) any indenture, agreement, document or other instrument to which it is a party or by which it may be bound;
- (d) they are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any governmental entity;
- (e) as applicable, they have not, within the three years preceding the Contract, in any of their current or former jobs, been convicted of, or had a civil judgment rendered against them or against any person who would Perform under the Contract, for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a transaction or contract with any governmental entity. This includes, but is not limited to, violation of Federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (f) they are not presently indicted for or otherwise criminally or civilly charged by any governmental entity with commission of any of the offenses listed above;
- (g) they have not within the three years preceding the Contract had one or more contracts with any governmental entity Terminated;
- (h) they have not employed or retained any entity or person, other than a bona fide employee working solely for them, to solicit or secure the Contract and that they have not paid or agreed to pay any entity or person, other than a bona fide employee working solely for them, any fee, commission, percentage, brokerage fee, gifts, or any other consideration contingent upon or resulting from the award or making of the Contract or any assignments made in accordance with the terms of the Contract;
- (i) to the best of their knowledge, there are no Claims involving the Contractor or Contractor Parties that might reasonably be expected to materially adversely affect their businesses, operations, assets, properties, financial stability, business prospects or ability to Perform fully under the Contract;
- (j) they shall disclose, to the best of their knowledge, to DAS in writing any Claims involving them that might reasonably be expected to materially adversely affect their businesses, operations, assets, properties, financial stability, business prospects or ability to Perform fully under the Contract, no later than ten (10) Days after becoming aware or after they should have become aware of any such Claims. For purposes of the Contractor's obligation to disclose any Claims to DAS, the ten (10) Days in the section of this Contract concerning Disclosure of Contractor Parties Litigation shall run consecutively with the ten (10) Days provided for in this representation and warranty;
- (k) their participation in the Invitation to Bid process is not a conflict of interest or a breach of ethics under the provisions of Title 1, Chapter 10 of the Connecticut General Statutes concerning the State's Code of Ethics;
- (l) the Bid was not made in connection or concert with any other person or entity, including any affiliate (as defined in the Tangible Personal Property section of this Contract) of the

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

Contractor, submitting a bid for the same Goods or Services, and is in all respects fair and without collusion or fraud;

- (m) they are able to Perform under the Contract using their own resources or the resources of a party who is not a Contractor;
- (n) the Contractor shall obtain in a written contract all of the representations and warranties in this section from any Contractor Parties and to require that provision to be included in any contracts and purchase orders with Contractor Parties;
- (o) they have paid all applicable workers' compensation second injury fund assessments concerning all previous work done in Connecticut;
- (p) they have a record of compliance with Occupational Health and Safety Administration regulations without any unabated, willful or serious violations;
- (q) they owe no unemployment compensation contributions;
- (r) they are not delinquent in the payment of any taxes owed, or, that they have filed a sales tax security bond, and they have, if and as applicable, filed for motor carrier road tax stickers and have paid all outstanding road taxes;
- (s) all of their vehicles have current registrations and, unless such vehicles are no longer in service, they shall not allow any such registrations to lapse;
- (t) each Contractor Party has vested in the Contractor plenary authority to bind the Contractor Parties to the full extent necessary or appropriate to ensure full compliance with and Performance in accordance with all of the terms and conditions of the Contract and that all appropriate parties shall also provide to DAS, no later than fifteen (15) days after receiving a request from DAS, such information as DAS may require to evidence, in DAS's sole determination, compliance with this section;
- (u) except to the extent modified or abrogated in the Contract, all Title shall pass to the Client Agency upon complete installation, testing and acceptance of the Goods or Services and payment by the Client Agency;
- (v) if either party Terminates the Contract, for any reason, they shall relinquish to the Client Agency all Title to the Goods delivered, accepted and paid for (except to the extent any invoiced amount is disputed) by the Client Agency;
- (w) with regard to third party products provided with the Goods, they shall transfer all licenses which they are permitted to transfer in accordance with the applicable third party license;
- (x) they shall not copyright, register, distribute or claim any rights in or to the Goods after the Effective Date of the Contract without DAS's prior written consent;
- (y) they either own or have the authority to use all Title of and to the Goods, and that such Title is not the subject of any encumbrances, liens or claims of ownership by any third party;
- (z) the Goods do not infringe or misappropriate any patent, trade secret or other intellectual property right of a third party;

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (aa) the Client Agency's use of any Goods shall not infringe or misappropriate any patent, trade secret or other intellectual property right of a third party;
- (bb) if they procure any Goods, they shall sub-license such Goods and that the Client Agency shall be afforded the full benefits of any manufacturer or subcontractor licenses for the use of the Goods; and
- (cc) they shall assign or otherwise transfer to the Client Agency, or afford the Client Agency the full benefits of any manufacturer's warranty for the Goods, to the extent that such warranties are assignable or otherwise transferable to the Client Agency.

28. Representations and Warranties Concerning Motor Vehicles. If in the course of Performance or in any other way related to the Contract the Contractor at any time uses or operates "motor vehicles," as that term is defined by Conn. Gen. Stat. §14-1 (including, but not limited to such services as snow plowing, sanding, hauling or delivery of materials, freight or merchandise, or the transportation of passengers), the Contractor, represents and warrants for itself and the Contractor Parties, that:

- (a) It is the owner of record or lessee of record of each such motor vehicle used in the Performance of the Contract, and each such motor vehicle is duly registered with the Connecticut Department of Motor Vehicles ("ConnDMV") in accordance with the provisions of Chapter 246 of the Connecticut General Statutes. Each such registration shall be in valid status, and shall not be expired, suspended or revoked by ConnDMV, for any reason or cause. If such motor vehicle is not registered with ConnDMV, then it shall be duly registered with another state or commonwealth in accordance with such other state's or commonwealth's applicable statutes. Each such registration shall be in valid status, and shall not be expired, suspended or revoked by such other state or commonwealth for any reason or cause.
- (b) Each such motor vehicle shall be fully insured in accordance with the provisions of Sections 14-12b, 14-112 and 38a-371 of the Connecticut General Statutes, as amended, in the amounts required by the said sections or in such higher amounts as have been specified by ConnDMV as a condition for the award of the Contract, or in accordance with all substantially similar provisions imposed by the law of the jurisdiction where the motor vehicle is registered.
- (c) Each Contractor Party who uses or operates a motor vehicle at any time in the Performance of the Contract shall have and maintain a motor vehicle operator's license or commercial driver's license of the appropriate class for the motor vehicle being used or operated. Each such license shall bear the endorsement or endorsements required by the provisions of Section 14-36a of the Connecticut General Statutes, as amended, to operate such motor vehicle, or required by substantially similar provisions imposed by the law of another jurisdiction in which the operator is licensed to operate such motor vehicle. The license shall be in valid status, and shall not be expired, suspended or revoked by ConnDMV or such other jurisdiction for any reason or cause.
- (d) Each motor vehicle shall be in full compliance with all of the terms and conditions of all provisions of the Connecticut General Statutes and regulations, or those of the jurisdiction where the motor vehicle is registered, pertaining to the mechanical condition, equipment, marking and operation of motor vehicles of such type, class and weight, including, but not limited to, requirements for motor vehicles having a gross vehicle weight rating of 18,000 pounds or more or motor vehicles otherwise described by the provisions of Conn. Gen. Stat.

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

§ 14-163c(a) and all applicable provisions of the Federal Motor Carrier Safety Regulations, as set forth in Title 49, Parts 382 to 399, inclusive, of the Code of Federal Regulations.

29. Disclosure of Contractor Parties Litigation. The Contractor shall require that all Contractor Parties, as appropriate, disclose to the Contractor, to the best of their knowledge, any Claims involving the Contractor Parties that might reasonably be expected to materially adversely affect their businesses, operations, assets, properties, financial stability, business prospects or ability to Perform fully under the Contract, no later than ten (10) Days after becoming aware or after they should have become aware of any such Claims. Disclosure shall be in writing.
30. Entirety of Contract. The Contract is the entire agreement between the parties with respect to its subject matter, and supersedes all prior agreements, bids, offers, counteroffers and understandings of the parties, whether written or oral. The Contract has been entered into after full investigation, neither party relying upon any statement or representation by the other unless such statement or representation is specifically embodied in the Contract.
31. Exhibits. All exhibits referred to in and attached to this Contract are incorporated in this Contract by such reference and shall be deemed to be a part of it as if they had been fully set forth in it.
32. Executive Orders. This Contract is subject to the provisions of Executive Order No. Three of Governor Thomas J. Meskill, promulgated June 16, 1971, concerning labor employment practices, Executive Order No. Seventeen of Governor Thomas J. Meskill, promulgated February 15, 1973, concerning the listing of employment openings and Executive Order No. Sixteen of Governor John G. Rowland promulgated August 4, 1999, concerning violence in the workplace, all of which are incorporated into and are made a part of the Contract as if they had been fully set forth in it. The Contract may also be subject to Executive Order No. 14 of Governor M. Jodi Rell, promulgated April 17, 2006, concerning procurement of cleaning products and services and to Executive Order No. 49 of Governor Dannel P. Malloy, promulgated May 22, 2015, mandating disclosure of certain gifts to public employees and contributions to certain candidates for office. If Executive Order 14 and/or Executive Order 49 are applicable, they are deemed to be incorporated into and are made a part of the Contract as if they had been fully set forth in it. At the Contractor's request, the Client Agency or DAS shall provide a copy of these orders to the Contractor.
33. Non-discrimination.
- (a) For purposes of this Section, the following terms are defined as follows:
- (1) "Commission" means the Commission on Human Rights and Opportunities;
  - (2) "Contract" and "contract" include any extension or modification of the Contract or contract;
  - (3) "Contractor" and "contractor" include any successors or assigns of the Contractor or contractor;
  - (4) "Gender identity or expression" means a person's gender-related identity, appearance or behavior, whether or not that gender-related identity, appearance or

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

behavior is different from that traditionally associated with the person's physiology or assigned sex at birth, which gender-related identity can be shown by providing evidence including, but not limited to, medical history, care or treatment of the gender-related identity, consistent and uniform assertion of the gender-related identity or any other evidence that the gender-related identity is sincerely held, part of a person's core identity or not being asserted for an improper purpose.

(5) "good faith" means that degree of diligence which a reasonable person would exercise in the performance of legal duties and obligations;

(6) "good faith efforts" shall include, but not be limited to, those reasonable initial efforts necessary to comply with statutory or regulatory requirements and additional or substituted efforts when it is determined that such initial efforts will not be sufficient to comply with such requirements;

(7) "marital status" means being single, married as recognized by the state of Connecticut, widowed, separated or divorced;

(8) "mental disability" means one or more mental disorders, as defined in the most recent edition of the American Psychiatric Association's "Diagnostic and Statistical Manual of Mental Disorders", or a record of or regarding a person as having one or more such disorders;

(9) "minority business enterprise" means any small contractor or supplier of materials fifty-one percent or more of the capital stock, if any, or assets of which is owned by a person or persons: (1) who are active in the daily affairs of the enterprise, (2) who have the power to direct the management and policies of the enterprise, and (3) who are members of a minority, as such term is defined in subsection (a) of Connecticut General Statutes § 32-9n; and

(10) "public works contract" means any agreement between any individual, firm or corporation and the State or any political subdivision of the State other than a municipality for construction, rehabilitation, conversion, extension, demolition or repair of a public building, highway or other changes or improvements in real property, or which is financed in whole or in part by the State, including, but not limited to, matching expenditures, grants, loans, insurance or guarantees.

For purposes of this Section, the terms "Contract" and "contract" do not include a contract where each contractor is (1) a political subdivision of the state, including, but not limited to, a municipality, (2) a quasi-public agency, as defined in Conn. Gen. Stat. Section 1-120, (3) any other state, including but not limited to any federally recognized Indian tribal governments, as defined in Conn. Gen. Stat. Section 1-267, (4) the federal government, (5) a foreign

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

government, or (6) an agency of a subdivision, agency, state or government described in the immediately preceding enumerated items (1), (2), (3), (4) or (5).

(b)

(1) The Contractor agrees and warrants that in the performance of the Contract such Contractor will not discriminate or permit discrimination against any person or group of persons on the grounds of race, color, religious creed, age, marital status, national origin, ancestry, sex, gender identity or expression, intellectual disability, mental disability or physical disability, including, but not limited to, blindness, unless it is shown by such Contractor that such disability prevents performance of the work involved, in any manner prohibited by the laws of the United States or of the State of Connecticut; and the Contractor further agrees to take affirmative action to insure that applicants with job-related qualifications are employed and that employees are treated when employed without regard to their race, color, religious creed, age, marital status, national origin, ancestry, sex, gender identity or expression, intellectual disability, mental disability or physical disability, including, but not limited to, blindness, unless it is shown by the Contractor that such disability prevents performance of the work involved; (2) the Contractor agrees, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, to state that it is an "affirmative action-equal opportunity employer" in accordance with regulations adopted by the Commission; (3) the Contractor agrees to provide each labor union or representative of workers with which the Contractor has a collective bargaining agreement or other contract or understanding and each vendor with which the Contractor has a contract or understanding, a notice to be provided by the Commission, advising the labor union or workers' representative of the Contractor's commitments under this section and to post copies of the notice in conspicuous places available to employees and applicants for employment; (4) the Contractor agrees to comply with each provision of this Section and Connecticut General Statutes §§ 46a-68e and 46a-68f and with each regulation or relevant order issued by said Commission pursuant to Connecticut General Statutes §§ 46a-56, 46a-68e and 46a-68f; and (5) the Contractor agrees to provide the Commission on Human Rights and Opportunities with such information requested by the Commission, and permit access to pertinent books, records and accounts, concerning the employment practices and procedures of the Contractor as relate to the provisions of this Section and Connecticut General Statutes § 46a-56. If the contract is a public works contract, the Contractor agrees and warrants that he will make good faith efforts to employ minority business enterprises as subcontractors and suppliers of materials on such public works projects.

(c) Determination of the Contractor's good faith efforts shall include, but shall not be limited to, the following factors: The Contractor's employment and subcontracting policies, patterns and practices; affirmative advertising, recruitment and training; technical assistance activities and such other reasonable activities or efforts as the Commission may prescribe that are designed to ensure the participation of minority business enterprises in public works projects.

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (d) The Contractor shall develop and maintain adequate documentation, in a manner prescribed by the Commission, of its good faith efforts.
- (e) The Contractor shall include the provisions of subsection (b) of this Section in every subcontract or purchase order entered into in order to fulfill any obligation of a contract with the State and such provisions shall be binding on a subcontractor, vendor or manufacturer unless exempted by regulations or orders of the Commission. The Contractor shall take such action with respect to any such subcontract or purchase order as the Commission may direct as a means of enforcing such provisions including sanctions for noncompliance in accordance with Connecticut General Statutes §46a-56; provided if such Contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the Commission, the Contractor may request the State of Connecticut to enter into any such litigation or negotiation prior thereto to protect the interests of the State and the State may so enter.
- (f) The Contractor agrees to comply with the regulations referred to in this Section as they exist on the date of this Contract and as they may be adopted or amended from time to time during the term of this Contract and any amendments thereto.
- (g)
  - (1) The Contractor agrees and warrants that in the performance of the Contract such Contractor will not discriminate or permit discrimination against any person or group of persons on the grounds of sexual orientation, in any manner prohibited by the laws of the United States or the State of Connecticut, and that employees are treated when employed without regard to their sexual orientation; (2) the Contractor agrees to provide each labor union or representative of workers with which such Contractor has a collective bargaining agreement or other contract or understanding and each vendor with which such Contractor has a contract or understanding, a notice to be provided by the Commission on Human Rights and Opportunities advising the labor union or workers' representative of the Contractor's commitments under this section, and to post copies of the notice in conspicuous places available to employees and applicants for employment; (3) the Contractor agrees to comply with each provision of this section and with each regulation or relevant order issued by said Commission pursuant to Connecticut General Statutes § 46a-56; and (4) the Contractor agrees to provide the Commission on Human Rights and Opportunities with such information requested by the Commission, and permit access to pertinent books, records and accounts, concerning the employment practices and procedures of the Contractor which relate to the provisions of this Section and Connecticut General Statutes § 46a-56.
- (h) The Contractor shall include the provisions of the foregoing paragraph in every subcontract or purchase order entered into in order to fulfill any obligation of a contract with the State and such provisions shall be binding on a subcontractor, vendor or manufacturer unless

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

exempted by regulations or orders of the Commission. The Contractor shall take such action with respect to any such subcontract or purchase order as the Commission may direct as a means of enforcing such provisions including sanctions for noncompliance in accordance with Connecticut General Statutes § 46a-56; provided, if such Contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the Commission, the Contractor may request the State of Connecticut to enter into any such litigation or negotiation prior thereto to protect the interests of the State and the State may so enter.

**34. Tangible Personal Property.**

(a) The Contractor on its behalf and on behalf of its Affiliates, as defined below, shall comply with the provisions of Conn. Gen. Stat. §12-411b, as follows:

- (1) For the term of the Contract, the Contractor and its Affiliates shall collect and remit to the State of Connecticut, Department of Revenue Services, any Connecticut use tax due under the provisions of Chapter 219 of the Connecticut General Statutes for items of tangible personal property sold by the Contractor or by any of its Affiliates in the same manner as if the Contractor and such Affiliates were engaged in the business of selling tangible personal property for use in Connecticut and had sufficient nexus under the provisions of Chapter 219 to be required to collect Connecticut use tax;
- (2) A customer's payment of a use tax to the Contractor or its Affiliates relieves the customer of liability for the use tax;
- (3) The Contractor and its Affiliates shall remit all use taxes they collect from customers on or before the due date specified in the Contract, which may not be later than the last day of the month next succeeding the end of a calendar quarter or other tax collection period during which the tax was collected;
- (4) The Contractor and its Affiliates are not liable for use tax billed by them but not paid to them by a customer; and
- (5) Any Contractor or Affiliate who fails to remit use taxes collected on behalf of its customers by the due date specified in the Contract shall be subject to the interest and penalties provided for persons required to collect sales tax under chapter 219 of the general statutes.

(b) For purposes of this section of the Contract, the word "Affiliate" means any person, as defined in section 12-1 of the general statutes, that controls, is controlled by, or is under common control with another person. A person controls another person if the person owns, directly or indirectly, more than ten per cent of the voting securities of the other person. The word "voting security" means a security that confers upon the holder the right to vote for the election of members of the board of directors or similar governing body of the business, or that is convertible into, or entitles the holder to receive, upon its exercise, a security that confers such a right to vote. "Voting security" includes a general partnership interest.

(c) The Contractor represents and warrants that each of its Affiliates has vested in the Contractor plenary authority to so bind the Affiliates in any agreement with the State of Connecticut. The Contractor on its own behalf and on behalf of its Affiliates shall also provide, no later than 30 days after receiving a request by the State's contracting authority,



**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

such information as the State may require to ensure, in the State's sole determination, compliance with the provisions of Chapter 219 of the Connecticut General Statutes, including, but not limited to, §12-411b.

35. Whistleblowing. This Contract may be subject to the provisions of Section 4-61dd of the Connecticut General Statutes. In accordance with this statute, if an officer, employee or appointing authority of the Contractor takes or threatens to take any personnel action against any employee of the Contractor in retaliation for such employee's disclosure of information to any employee of the contracting state or quasi-public agency or the Auditors of Public Accounts or the Attorney General under the provisions of subsection (a) of such statute, the Contractor shall be liable for a civil penalty of not more than five thousand dollars for each offense, up to a maximum of twenty per cent of the value of this Contract. Each violation shall be a separate and distinct offense and in the case of a continuing violation, each calendar day's continuance of the violation shall be deemed to be a separate and distinct offense. The State may request that the Attorney General bring a civil action in the Superior Court for the Judicial District of Hartford to seek imposition and recovery of such civil penalty. In accordance with subsection (f) of such statute, each large state contractor, as defined in the statute, shall post a notice of the provisions of the statute relating to large state contractors in a conspicuous place which is readily available for viewing by the employees of the Contractor.

36. Notice. All notices, demands, requests, consents, approvals or other communications required or permitted to be given or which are given with respect to this Contract (for the purpose of this section collectively called "Notices") shall be deemed to have been effected at such time as the notice is placed in the U.S. mail, first class and postage pre-paid, return receipt requested or placed with a recognized, overnight express delivery service that provides for a return receipt. All such Notices shall be in writing and shall be addressed as follows:

If to DAS:

State of Connecticut Department of Administrative Services  
165 Capitol Ave, 5<sup>th</sup> Floor South  
Hartford, CT 06106-1659  
Attention: Marisol Rivera

If to the Contractor:

At the address set forth on Form SP-38.

37. Insurance. Before commencing Performance, the Contractor shall obtain and maintain at its own cost and expense for the duration of the Contract, the following insurance as described in (a) through (h) below. Contractor shall assume any and all deductibles in the described insurance policies. The Contractor's insurers shall have no right of recovery or subrogation against the State and the described Contractor's insurance shall be primary coverage. Any failure to comply with the claim reporting provisions of the policy shall not affect coverage provided to the State.

(a) Reserved

(b) Commercial General Liability: \$1,000,000 combined single limit per occurrence for bodily injury, personal injury and property damage. Coverage shall include, Premises and

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

Operations, Independent Contractors, Products and Completed Operations, Contractual Liability and Broad Form Property Damage coverage. If a general aggregate is used, the general aggregate limit shall apply separately to the project or the general aggregate limit shall be twice the occurrence limit.

- (c) Automobile Liability: \$1,000,000 combined single limit per accident for bodily injury. Coverage extends to owned, hired and non-owned automobiles. If the vendor/contractor does not own an automobile, but one is used in the execution of the contract, then only hired and non-owned coverage is required. If a vehicle is not used in the execution of the contract then automobile coverage is not required.
  - (d) Workers' Compensation and Employers Liability: Statutory coverage in compliance with the Compensation laws of the State of Connecticut. Coverage shall include Employer's Liability with minimum limits of \$100,000 each accident, \$500,000 Disease – Policy limit, \$100,000 each employee.
  - (e) Reserved
  - (f) Umbrella Liability: Excess/umbrella liability insurance may be included to meet minimum requirements. Umbrella coverage must indicate the existing underlying insurance coverage.
  - (g) Claims Made: Not acceptable with the exception of Professional Liability when specified.
  - (h) Reserved
38. Headings. The headings given to the sections in the Contract are inserted only for convenience and are in no way to be construed as part of the Contract or as a limitation of the scope of the particular section to which the heading refers.
39. Number and Gender. Whenever the context so requires, the plural or singular shall include each other and the use of any gender shall include all genders.
40. Parties. To the extent that any Contractor Party is to participate or Perform in any way, directly or indirectly in connection with the Contract, any reference in the Contract to "Contractor" shall also be deemed to include "Contractor Parties," as if such reference had originally specifically included "Contractor Parties" since it is the parties' intent for the terms "Contractor Parties" to be vested with the same respective rights and obligations as the term "Contractor."
41. Contractor Changes. The Contractor shall notify DAS in writing no later than ten (10) Days from the effective date of any change in:
- a. its certificate of incorporation or other organizational document;
  - b. more than a controlling interest in the ownership of the Contractor; or
  - c. the individual(s) in charge of the Performance.

This change shall not relieve the Contractor of any responsibility for the accuracy and completeness of the Performance. DAS, after receiving written notice by the Contractor of any such change, may require such agreements, releases and other instruments evidencing, to DAS's satisfaction, that any individuals retiring or otherwise separating from the

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

Contractor have been compensated in full or that provision has been made for compensation in full, for all work performed under terms of the Contract. The Contractor shall deliver such documents to DAS in accordance with the terms of DAS's written request. DAS may also require, and the Contractor shall deliver, a financial statement showing that solvency of the Contractor is maintained. The death of any Contractor Party, as applicable, shall not release the Contractor from the obligation to Perform under the Contract; the surviving Contractor Parties, as appropriate, must continue to Perform under the Contract until Performance is fully completed.

42. Further Assurances. The parties shall provide such information, execute and deliver any instruments and documents and take such other actions as may be necessary or reasonably requested by the other party which are not inconsistent with the provisions of this Contract and which do not involve the vesting of rights or assumption of obligations other than those provided for in the Contract, in order to give full effect to the Contract and to carry out the intent of the Contract.

43. Audit and Inspection of Plants, Places of Business and Records.

(a) The State and its agents, including, but not limited to, the Connecticut Auditors of Public Accounts, Attorney General and State's Attorney and their respective agents, may, at reasonable hours, inspect and examine all of the parts of the Contractor's and Contractor Parties' plants and places of business which, in any way, are related to, or involved in, the performance of this Contract.

(b) The Contractor shall maintain, and shall require each of the Contractor Parties to maintain, accurate and complete Records. The Contractor shall make all of its and the Contractor Parties' Records available at all reasonable hours for audit and inspection by the State and its agents.

(c) The State shall make all requests for any audit or inspection in writing and shall provide the Contractor with at least twenty-four (24) hours' notice prior to the requested audit and inspection date. If the State suspects fraud or other abuse, or in the event of an emergency, the State is not obligated to provide any prior notice.

(d) All audits and inspections shall be at the State's expense.

(e) The Contractor shall keep and preserve or cause to be kept and preserved all of its and Contractor Parties' Records until three (3) years after the latter of (i) final payment under this Contract, or (ii) the expiration or earlier termination of this Contract, as the same may be modified for any reason. The State may request an audit or inspection at any time during this period. If any Claim or audit is started before the expiration of this period, the Contractor shall retain or cause to be retained all Records until all Claims or audit findings have been resolved.

(f) The Contractor shall cooperate fully with the State and its agents in connection with an audit or inspection. Following any audit or inspection, the State may conduct and the Contractor shall cooperate with an exit conference.

(g) The Contractor shall incorporate this entire Section verbatim into any contract or other agreement that it enters into with any Contractor Party.

44. Background Checks. The State may require that the Contractor and Contractor Parties undergo criminal background checks as provided for in the State of Connecticut Department

## Contract # 15PSX0267

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

of Emergency Services and Public Protection Administration and Operations Manual or such other State document as governs procedures for background checks. The Contractor and Contractor Parties shall cooperate fully as necessary or reasonably requested with the State and its agents in connection with such background checks.

45. Continued Performance. The Contractor and Contractor Parties shall continue to Perform their obligations under the Contract while any dispute concerning the Contract is being resolved.
46. Working and Labor Synergies. The Contractor shall be responsible for maintaining a tranquil working relationship between the Contractor work force, the Contractor Parties and their work force, State employees, and any other contractors present at the work site. The Contractor shall quickly resolve all labor disputes which result from the Contractor's or Contractor Parties' presence at the work site, or other action under their control. Labor disputes shall not be deemed to be sufficient cause to allow the Contractor to make any claim for additional compensation for cost, expenses or any other loss or damage, nor shall those disputes be deemed to be sufficient reason to relieve the Contractor from any of its obligations under the Contract.
47. Contractor Responsibility.
- (a) The Contractor shall be responsible for the entire Performance under the Contract regardless of whether the Contractor itself performs. The Contractor shall be the sole point of contact concerning the management of the Contract, including Performance and payment issues. The Contractor is solely and completely responsible for adherence by the Contractor Parties to all applicable provisions of the Contract.
- (b) The Contractor shall exercise all reasonable care to avoid damage to the State's property or to property being made ready for the State's use, and to all property adjacent to any work site. The Contractor shall promptly report any damage, regardless of cause, to the State.
48. Severability. If any term or provision of the Contract or its application to any person, entity or circumstance shall, to any extent, be held to be invalid or unenforceable, the remainder of the Contract or the application of such term or provision shall not be affected as to persons, entities or circumstances other than those as to whom or to which it is held to be invalid or unenforceable. Each remaining term and provision of the Contract shall be valid and enforced to the fullest extent possible by law.
49. Confidential Information. The State will afford due regard to the Contractor's request for the protection of proprietary or confidential information which the State receives. However, all materials associated with the Bid and the Contract are subject to the terms of the Connecticut Freedom of Information Act ("FOIA") and all corresponding rules, regulations and interpretations. In making such a request, the Contractor may not merely state generally that the materials are proprietary or confidential in nature and not, therefore, subject to release to third parties. Those particular sentences, paragraphs, pages or sections that the Contractor believes are exempt from disclosure under the FOIA must be specifically identified as such. Convincing explanation and rationale sufficient to justify each exemption consistent with the FOIA must accompany the request. The rationale and explanation must be stated in terms of the prospective harm to the competitive position of the Contractor that would result if the identified material were to be released and the reasons why the materials are legally exempt from release pursuant to the FOIA. To the extent that any other provision or part of the Contract, especially including the Bid, the

## Contract # 15PSX0267

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

Records and the specifications, conflicts or is in any way inconsistent with this section, this section controls and shall apply and the conflicting provision or part shall not be given effect. If the Contractor indicates that certain documentation is submitted in confidence, by specifically and clearly marking said documentation as CONFIDENTIAL, DAS will endeavor to keep said information confidential to the extent permitted by law. DAS, however, has no obligation to initiate, prosecute or defend any legal proceeding or to seek a protective order or other similar relief to prevent disclosure of any information that is sought pursuant to a FOIA request. The Contractor shall have the burden of establishing the availability of any FOIA exemption in any proceeding where it is an issue. In no event shall DAS or the State have any liability for the disclosure of any documents or information in its possession which the State or DAS believes are required to be disclosed pursuant to the FOIA or other requirements of law.

### 50. References to Statutes, Public Acts, Regulations, Codes and Executive Orders.

All references in this Contract to any statute, public act, regulation, code or executive order shall mean such statute, public act, regulation, code or executive order, respectively, as it has been amended, replaced or superseded at any time. Notwithstanding any language in this Contract that relates to such statute, public act, regulation, code or executive order, and notwithstanding a lack of a formal amendment to this Contract, this Contract shall always be read and interpreted as if it contained the most current and applicable wording and requirements of such statute, public act, regulation, code or executive order as if their most current language had been used in and requirements incorporated into this Contract at the time of its execution.

### 51. Cross-Default.

- (a) If the Contractor or Contractor Parties breach, default or in any way fail to Perform satisfactorily under the Contract, then DAS may, in its sole discretion, without more and without any action whatsoever required of the State, treat any such event as a breach, default or failure to perform under any or all other agreements or arrangements ("Other Agreements") that the Contractor or Contractor Parties have with DAS. Accordingly, DAS may then exercise at its sole option any and all of its rights or remedies provided for in the Contract or Other Agreements, either selectively or collectively and without such election being deemed to prejudice any rights or remedies of DAS, as if the Contractor or Contractor Parties had suffered a breach, default or failure to perform under the Other Agreements.
- (b) If the Contractor or Contractor Parties breach, default or in any way fail to Perform satisfactorily under any or all Other Agreements with DAS or the State, then DAS may, in its sole discretion, without more and without any action whatsoever required of the State, treat any such event as a breach, default or failure to Perform under the Contract. Accordingly, the State may then exercise at its sole option any and all of its rights or remedies provided for in the Other Agreements or the Contract, either selectively or collectively and without such election being deemed to prejudice any rights or remedies of DAS or the State, as if the Contractor or Contractor Parties had suffered a breach, default or failure to Perform under the Contract.

- 52. Disclosure of Records. This Contract may be subject to the provisions of section 1-218 of the Connecticut General Statutes. In accordance with this statute, each contract in excess of two million five hundred thousand dollars between a public agency and a person for the performance of a governmental function shall (a) provide that the public agency is entitled to receive a copy of records and files related to the performance of the governmental

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

function, and (b) indicate that such records and files are subject to FOIA and may be disclosed by the public agency pursuant to FOIA. No request to inspect or copy such records or files shall be valid unless the request is made to the public agency in accordance with FOIA. Any complaint by a person who is denied the right to inspect or copy such records or files shall be brought to the Freedom of Information Commission in accordance with the provisions of sections 1-205 and 1-206 of the Connecticut General Statutes.

53. Summary of State Ethics Laws. Pursuant to the requirements of section 1-101qq of the Connecticut General Statutes, the summary of State ethics laws developed by the State Ethics Commission pursuant to section 1-81b of the Connecticut General Statutes is incorporated by reference into and made a part of the Contract as if the summary had been fully set forth in the Contract.
54. Sovereign Immunity. The parties acknowledge and agree that nothing in the Invitation to Bid or the Contract shall be construed as a modification, compromise or waiver by the State of any rights or defenses of any immunities provided by Federal law or the laws of the State of Connecticut to the State or any of its officers and employees, which they may have had, now have or will have with respect to all matters arising out of the Contract. To the extent that this section conflicts with any other section, this section shall govern.
55. Time of the Essence. Time is of the essence with respect to all provisions of this Contract that specify a time for performance; provided, however, that this provision shall not be construed to limit or deprive a party of the benefits of any grace or use period allowed in this Contract.
56. Certification as Small Contractor or Minority Business Enterprise.  
This paragraph was intentionally left blank.
57. Campaign Contribution Restriction. For all State contracts as defined in Conn. Gen. Stat. § 9-612(g)(1) having a value in a calendar year of \$50,000 or more or a combination or series of such agreements or contracts having a value of \$100,000 or more, the authorized signatory to this Contract expressly acknowledges receipt of the State Elections Enforcement Commission's notice advising state contractors of state campaign contribution and solicitation prohibitions, and will inform its principals of the contents of the notice, as set forth in "Notice to Executive Branch State Contractors and Prospective State Contractors of Campaign Contribution and Solicitation Limitations," attached as Exhibit C.
58. Health Insurance Portability and Accountability Act.  
  
This paragraph was intentionally left blank.
59. Protection of Confidential Information.
- (a) Contractor and Contractor Parties, at their own expense, have a duty to and shall protect from a Confidential Information Breach any and all Confidential Information which they come to possess or control, wherever and however stored or maintained, in a commercially reasonable manner in accordance with current industry standards.

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (b) Each Contractor or Contractor Party shall develop, implement and maintain a comprehensive data - security program for the protection of Confidential Information. The safeguards contained in such program shall be consistent with and comply with the safeguards for protection of Confidential Information, and information of a similar character, as set forth in all applicable federal and state law and written policy of DAS or State concerning the confidentiality of Confidential Information. Such data-security program shall include, but not be limited to, the following:
- (1) A security policy for employees related to the storage, access and transportation of data containing Confidential Information;
  - (2) Reasonable restrictions on access to records containing Confidential Information, including access to any locked storage where such records are kept;
  - (3) A process for reviewing policies and security measures at least annually;
  - (4) Creating secure access controls to Confidential Information, including but not limited to passwords; and
  - (5) Encrypting of Confidential Information that is stored on laptops, portable devices or being transmitted electronically.
- (c) The Contractor and Contractor Parties shall notify DAS, the Client Agency and the Connecticut Office of the Attorney General as soon as practical, but no later than twenty-four (24) hours, after they become aware of or suspect that any Confidential Information which Contractor or Contractor Parties have come to possess or control has been subject to a Confidential Information Breach. If a Confidential Information Breach has occurred, the Contractor shall, within three (3) business days after the notification, present a credit monitoring and protection plan to the Commissioner of Administrative Services, the Client Agency and the Connecticut Office of the Attorney General, for review and approval. Such credit monitoring or protection plan shall be made available by the Contractor at its own cost and expense to all individuals affected by the Confidential Information Breach. Such credit monitoring or protection plan shall include, but is not limited to reimbursement for the cost of placing and lifting one (1) security freeze per credit file pursuant to Connecticut General Statutes § 36a-701a. Such credit monitoring or protection plans shall be approved by the State in accordance with this Section and shall cover a length of time commensurate with the circumstances of the Confidential Information Breach. The Contractors' costs and expenses for the credit monitoring and protection plan shall not be recoverable from DAS, the Client Agency, any State of Connecticut entity or any affected individuals.
- (d) The Contractor shall incorporate the requirements of this Section in all subcontracts requiring each Contractor Party to safeguard Confidential Information in the same manner as provided for in this Section.

**Contract # 15PSX0267**

Contract Document

SP-50 Rev. 7/31/15

Prev. Rev. 5/28/15

- (e) Nothing in this Section shall supersede in any manner Contractor's or Contractor Party's obligations pursuant to HIPAA or the provisions of this Contract concerning the obligations of the Contractor as a Business Associate of Covered Entity.

**60. Audit Requirements for Recipients of State Financial Assistance.**

This paragraph was intentionally left blank.



Contract Usage Instructions for 15PSX0267.

When the Client Agency is selecting vendors for Contract 15PSX0267 the Client Agency shall refer to Exhibit A section C. "Client Agency Selection and/or Utilization of a Contractor."

**I. DESCRIPTION OF GOODS AND SERVICES:**

**A. Equipment Requirements**

1. Contractor shall provide equipment and operators for roadway construction to Client Agency on an as needed basis. Contractor shall support various geographic locations throughout the State as directed by Client Agency. Contractor may charge different prices for provision of services and/or equipment to different Client Agency districts as indicated in Exhibits B.1 and B.2. The geographical limits of each district are outlined on the map attached to this Contract and incorporated herein as Exhibit D.
2. Contractor shall own all equipment and employ operators for all equipment to be rented by the Client Agency.
3. Contractor shall provide all operator(s), tools, and labor necessary to Perform Client Agency required Services.
4. Contractor shall provide all fuel, maintenance and repair for any equipment rented by Client Agency.
5. Contractor shall provide for the delivery of equipment and personnel to and from work locations as directed by the Client Agency at no additional cost to the State above the rates included in Exhibit B.1 or B.2.

**B. Work Day**

Rental rates are based on the Client Agency's seven and one half (7 1/2) hour normal work day, consisting of work between 8:00 a.m. to 12:00 NOON; 12:30 p.m. to 4:00 p.m. or such other seven and one half (7 1/2) hour work day schedule as designated by the Client Agency in writing.

1. Should Client Agency operations require rental of equipment and operators in excess of seven and one half (7 1/2) hours in any one (1) day, Contractor will be paid for additional hours at the applicable hourly rate described in Exhibit B.1 or B.2 as applicable.

*Example:*

*Contractor's hourly rate is \$100.00 and works a full (7 1/2) hour work day. The Contractor shall be paid \$750.00. If Contractor works 8.25 hours at a \$100.00 hourly rate the Contractor will be paid \$825.00.*

2. Client Agency work day schedules may fluctuate by season.

**C. Client Agency Selection and/or Utilization of a Contractor**

Client Agency may select and/or utilize any Contractor listed on the Contract Award SP-26 after taking into consideration the lowest pricing available in conjunction with geographic location, equipment capabilities, capacities, and output with respect to a particular Client Agency project.

**D. Equipment Inspection**

1. Contractor shall maintain all equipment in good, safe operating condition at all times and shall make equipment available for inspection by Client Agency representatives at any time during Contractor Performance or prior to the issuance of any purchase order.
2. Client Agency may reject any Contractor whose equipment is unavailable for inspection or whose equipment is determined to be unable to perform the specified work by the Client Agency.

**E. Contacting a Contractor**

1. When selecting a Contractor the Client Agency shall follow the following procedure

Step One – Client Agency shall contact the Contractor it believes is most qualified to Perform the Services for a particular project. Contact may initially be via phone or in writing. If contact is made initially via phone, Client Agency will follow up with an offer to Perform in writing.

Step Two - Client Agency shall provide a period of two (2) consecutive business days from its first attempt to contact a Contractor for a response from such Contractor regarding Contractor's ability to provide Services as requested by Client Agency.

Step Three - Once the two day period has passed with no response, Client Agency will attempt to contact the next best qualified Contractor using the same timeline.

Step Three – The process will repeat until Client Agency has secured the services of a Contractor to provide the rental of Client Agency requested equipment and/or operators.

2. Upon acceptance of assignments, Contractor(s) shall be available to start work when requested by the Client Agency (normally within five (5) working days of acceptance).

**F. Safety Equipment**

Contractor shall maintain and utilize all safety equipment as required by any applicable law, regulation or best practice.

**II. ADDITIONAL TERMS AND CONDITIONS:**

**A. Pricing**

1. Contractor shall provide net hourly pricing covering equipment rental, operating costs, operator(s), tools and any other ancillary labor or costs which applies uniformly to all geographic locations.
2. Contractor shall not charge Client Agency for equipment/personnel travel time to and from the Client Agency job site, mobilization or demobilization expenses or the on-site set up or tear down of equipment necessary to begin or cease operations.

6. The pricing contained in Exhibit B.1 governs Client Agency purchase orders which will exceed one hundred thousand dollars (\$100,000.00).
7. The pricing contained in Exhibit B.2 governs Client Agency purchase orders which will not exceed one hundred thousand dollars (\$100,000.00)

**B. Purchase Orders**

1. When the Client Agency is the Connecticut Department of Transportation, (“ConnDOT”) purchase orders will be issued by the Client Agency’s Purchasing Processing Unit (the “Processing Unit”).
2. Questions concerning purchase orders for ConnDOT are to be directed to the Processing Unit at 860-594-2070.

**C. Invoices and Payments**

1. ConnDOT’s Accounts Payable Unit (“Accounts Payable”) will issue payments through the Comptroller Office.
2. ConnDOT payment and invoicing inquiries should be directed to Accounts Payable at 860-594-2305.
3. All invoices must include:
  - a. Contractor F.E.I.N. or Social Security number.
  - b. Complete Contractor name and billing address.
  - c. Project number, if applicable.
  - d. Invoice number and date.
  - e. Purchase order number.
  - f. Itemized description of services and/or material supplied.
  - g. Adjustments, if applicable.
  - h. Quantity, unit, unit price, and extended amount.
  - i. Ticket numbers corresponding to each invoice must be listed or attached to the company invoice as a separate sheet, if applicable.
  - j. Work periods and traffic control prices must be itemized, if applicable.
4. For prompt payment processing of ConnDOT invoices, please mail invoices to the following address:

State of Connecticut  
Department of Transportation  
Attn: Accounts Payable SW1A  
2800 Berlin Turnpike  
P.O. Box 317546  
Newington, CT 06131-7546

Payments may be delayed if the invoice form is not properly completed in accordance with the instructions noted above.

**D. Contractor Performance with Sub Standard Crews**

1. With the written consent of the Client Agency, Contractor may be allowed to Perform without a standard crew. Should Contractor be allowed to Perform with a non-standard operating crew Client Agency may set-off or otherwise adjust its payment to reflect the proportion of the actual crew size provided by Contractor. The Client Agency will determine the standard crew size.

*Example:*

*The required/standard crew is five (5) people. The Contractor supplies four (4) people and is subject to a 20% reduction of its hourly rate for each hour worked with the substandard crew.*

2. Client Agency may refuse to allow Contractor to Perform with a substandard crew if Client Agency determines that Contractor is not providing personnel adequate to complete Client Agency work.

**E. Extenuating Circumstances**

1. Client Agency is not responsible to pay for any time lost as a result of delays caused by equipment failure or failure of crews to Perform Services to the satisfaction of the Client Agency.
2. No payment will be made to the Contractor for any incomplete work.

- F.** No payment will be made by Client Agency when work cannot be Performed due to extenuating circumstances or adverse weather conditions as determined by Client Agency, provided that Contractor has been provided situationally driven reasonable notification of Client Agency work cancellations. Should the parties agree that adequate notice was not given by Client Agency to Contractor, or if work has already started by Contractor, and Client Agency cancels work for a particular day prior to noon, Contractor will be paid for four (4) hours at the applicable rate.

**G. OSHA Standards**

In addition to any other applicable requirements, Contractors shall comply with the then current Connecticut Occupational Safety and Health Standards (OSHA), Volume I, General Industry Standards, Volume II, Construction Safety and Health Regulations.

**H. Form 816**

Reference is made to FORM 816 ("FORM 816"), which is the State of Connecticut, Department of Transportation's "**Standard Specifications for Roads, Bridges and Incidental Construction**". Contractor is to Perform in accordance with FORM 816 including all supplements and other applicable standards. Copies of FORM 816 may be purchased from the Connecticut Department of Transportation, Manager of Contracts, P.O. Box 317546, 2800 Berlin Turnpike, Newington, CT. 06131-7546.

The price is twenty dollars (\$20.00) if the FORM 816 is mailed and sixteen dollars (\$16.00) if the FORM 816 is picked up. Checks are to be made out to: Treasurer – State of Connecticut.

OR

FORM 816 may be downloaded at: <http://www.ct.gov/dot/cwp/view.asp?a=1385&Q=319212>

**I. Motor Carrier Safety Review.**

If the performance of the Contract requires the use and operation of any commercial motor vehicle, as defined in section 14-1 of the CGS, or other motor vehicle with a gross vehicle weight rating (GVWR) of 18,000 pounds or more, each bidder will be the subject of an evaluation, conducted by the Connecticut Department of Motor Vehicles (CTDMV) of its motor carrier safety fitness. The primary factor in the evaluation is the current SAFESTAT score, calculated by the U.S. Federal Motor Carrier Safety Administration (FMCSA) in accordance with the provisions of Title 49, Section 385.1, et seq., of the Code of Federal Regulations.

To be deemed qualified, the bidder must have an overall SAFESTAT category rating of "D" or better, on the date of evaluation. In addition, the bidder's driver and vehicle out-of-service rates will be consulted. The rates are determined by the number of out-of-service violations cited to the motor carrier in the course of all official, reported vehicle and/or driver inspections conducted during the preceding thirty (30) months. To be deemed qualified, the bidder must not have either a vehicle or driver out-of-service rate, by percentage of out-of-service violations per the total number of inspections reported, that is more than twice the national average. In addition, the bidder must have a current federal safety management practices rating of "Satisfactory," as defined in 49 CFR section 385.3, as amended.

Further information concerning the motor carrier safety evaluation, to which a bidder is subject, may be obtained from CTDMV, at <http://www.ct.gov/dmv/cwp/view.asp?a=798&q=413206&dmvPNavCtr=#49068>. All official inspection and rating data that is used in the performance of each evaluation is available to any motor carrier through the federal SAFESTAT website, at <http://www.ai.volpe.dot.gov/>.

## EXHIBIT A

### DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS

---

#### **J. Contract Separately/Additional Savings Opportunities**

DAS reserves the right to either seek additional discounts from the Contractor or to contract separately for a single purchase, if in the judgment of DAS, the quantity required is sufficiently large, to enable the State to realize a cost savings, over and above the prices set forth in Exhibit B, whether or not such a savings actually occurs.

#### **K. Mandatory Extension to State Entities**

Contractor shall offer and extend the Contract (including pricing, terms and conditions) to political sub-divisions of the State (towns and municipalities), schools, and not-for-profit organizations.

#### **L. P-Card (Purchasing MasterCard Credit Card)**

Purchases made by the Client Agency from the Contractor that are less than \$1,000 may be made using the State of Connecticut Purchasing Card (MasterCard) in accordance with Memorandum No. 2011-11 issued by the Office of the State Comptroller.

Contractor shall be equipped to receive orders issued by the Client Agency using the MasterCard. The Contractor shall be responsible for the credit card user-handling fee associated with MasterCard purchases. The Contractor shall charge to the MasterCard only upon acceptance of Goods delivered to the Client Agency or the rendering of Services.

The Contractor shall capture and provide to its merchant bank, Level 3 reporting at the line item level for all orders placed by MasterCard.

Questions regarding the state of Connecticut MasterCard Program may be directed to Ms. Kerry DiMatteo, Procurement Card Program Administrator at 860-713-5072.

#### **M. Subcontractors**

Subcontracting is not allowed under this Contract.

#### **N. Prevailing Wages**

Some or all of the Performance may be subject to prevailing wages. Accordingly, the following provision is included in this Contract in accordance with the requirements of Conn. Gen. Stat. Sec. 31-53(a):

The wages paid on an hourly basis to any person performing the work of any mechanic, laborer or worker on the work herein contracted to be done and the amount of payment or contribution paid or payable on behalf of each such person to any employee welfare fund, as

## EXHIBIT A

### **DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS**

---

defined in subsection (i) of this section, shall be at a rate equal to the rate customary or prevailing for the same work in the same trade or occupation in the town in which such public works project is being constructed. Any Contractor who is not obligated by agreement to make payment or contribution on behalf of such persons to any such employee welfare fund shall pay to each mechanic, laborer or worker as part of such person's wages the amount of payment or contribution for such person's classification on each pay day.

#### **O. Standard Wages**

Contractors shall comply with all provisions of Connecticut General Statutes 31-57f, Standard Wage Rates for Certain Service Workers and shall pay wages in accordance with the current wage rates provided by the Department of Labor. Information regarding this Statute and how and when it applies can be obtained from DOL's web site at <http://www.ctdol.state.ct.us/wgwkstnd/standardwage.htm>. Questions concerning the provisions and implementation of this act should be referred to the Connecticut Department of Labor, Wage and Workplace Standards Division, 200 Folly Brook Blvd., Wethersfield, CT 06109-1114 (860) 263-6790 or his designated representative. A link to the Standard Wages is provided below.

Standard Wages

<http://www.ctdol.state.ct.us/wgwkstnd/prevaling-rates/service/rates-service.htm>

#### **P. Security and/or Property Entrance Policies and Procedures**

Contractor shall adhere to established security and/or property entrance policies and procedures for each requesting Client Agency. It is the responsibility of each Contractor to understand and adhere to those policies and procedures prior to any attempt to enter any Client Agency premises for the purpose of carrying out the scope of work described in this Contract.

#### **Q. Department of Correction Requirements for Contractors who Perform at a Correctional Facility**

##### **(1) Facility Admittance**

(A) Contractors shall not allow any of their employees to enter the grounds of or any structures in any Department of Correction ("DOC") facility ("Facility") or undertake any part of the Performance unless the employees shall have first been issued an individual, valid, security identification badge which they shall display properly at all times while at the Facility.

(B) Contractor employees who seek admittance to a DOC Facility must first undergo a background check to confirm their eligibility to be admitted into the DOC Facility. Accordingly, Contractors must obtain from the DOC a form for each such employee and complete and submit that form to DOC at least 10 business days prior to the date that the employee is scheduled to arrive at the DOC Facility for the Performance. Information on the form includes the following:



## EXHIBIT A

### **DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS**

---

1. Name
2. Date of Birth
3. Social Security Number
4. Driver's License Number
5. Physical Characteristics (such as age, height, weight, etc.)

#### (2) Official Working Rules

Contractors shall adhere to the following Official Working Rules of the DOC:

- (A) All Contractors shall report to the Facility's security front desk for sign-in, regardless of work location, immediately upon arrival at the Facility.
- (B) All Contractor personnel shall work under the observation of an assigned correctional officer or supervisor, who will provide escort for the duration of the work.
- (C) No verbal or personal contact with any inmates.
- (D) Equipment will be checked daily and, when not in use, locked in a secure place as the Facility officials may direct.
- (E) Hacksaws, blades and files will remain in the custody of the officer assigned, except when actually being used.
- (F) The correctional officials may refuse admittance to any Contractor personnel for any cause the correctional officials deem to be sufficient.
- (G) In the event of any emergency, all Contractor personnel will be escorted outside the Facility by correctional officials.
- (H) Contractors shall address all questions pertaining to interruptions of service or to safety of the Facility to the appropriate correctional official.
- (I) Work at the Facility shall be carried on during the time between 8:00 a.m. and 12:00 Noon and between 12:30 p.m. and 4:30 p.m., the maximum allowable working day being 8 hours. The Contractor shall not Perform any work at any Facility on any Saturday, Sunday or Holiday, unless DOC determines, in its sole discretion, that there is an emergency.
- (J) The Contractor shall ensure that when all equipment is not in use, it will be unusable or be supervised to prevent use by inmates.
- (K) The Contractor shall supply to DOC a copy of all material safety data sheets for all products used in the process of construction, construction materials, and products brought onto the Facility.
- (L) All Contractors shall sign out at the Facility's security front desk prior to departure following completion of any work.

#### (3) Rules Concerning Department of Correction Facilities

Contractors shall adhere to the Facilities rules ("Facilities Rules") described in this section. At the time that Contractors and Contractor Parties seek to enter a Facility, DOC staff will present to them a document setting forth the following Facilities Rules and extracts of the laws governing the introduction and control of contraband. Contractors and Contractors Parties must read, understand and sign that document as a condition precedent to entering the Facility and as evidence that they understand the consequences imposed for violating these Facilities Rules:

## EXHIBIT A

### **DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS**

---

(A) Restricted Areas

All persons except DOC personnel, upon entering the grounds are restricted to the immediate area of their work assignment. In order to go to other areas, Contractor personnel must first obtain written permission from the supervisory correctional official in charge. Only persons having official business will be admitted to construction sites.

(B) Inmates

There may be times when inmates may be working adjacent to or in the same area as construction personnel. All persons are prohibited from accepting or giving anything from and to an inmate. Inmates are accountable to DOC personnel only, no other person shall have any conversation or dealings with inmates without the approval of the DOC supervisory official in charge.

(C) Vehicle Control

Any Contractor personnel entering upon the Facility shall remove the ignition keys of their vehicle and lock the vehicle when they leave it for any reason. Contractors shall ensure that all equipment in, on or around the vehicles is secured and inaccessible to anyone else while in the Facility.

(D) Contraband

Contractors shall not bring clothing or contraband into or onto the Facility's grounds or leave clothing or contraband in a vehicle located on the grounds of the Facility outside of an area designated by DOC personnel. Contraband is defined below and all persons are subject to these DOC Facilities Rules concerning contraband when on the Facility's grounds.

Contractor shall not introduce into or upon, take or send to or from, or attempt the same to or from, the grounds of the Facility anything whatsoever without the knowledge of the Facility supervisor.

“Contraband” means any tangible or intangible article whatsoever which DOC has not previously authorized and may include letters, stamps, tools, weapons, papers, floor implements, writing materials, messages (written and verbal), instruments and the like. Contractors shall discuss any questions regarding such matters with the Facility supervisor immediately upon those questions arising.

Cigarettes and Cell Phones are “contraband.” Accordingly, Contractors shall leave them secured inside their locked vehicles in an area designated by DOC personnel.

Failure to comply with these Facilities Rules, in the sole determination of DOC, will result in the Contractor being removed from the Facility.

(4) State Laws Governing Unauthorized Conveyance, Possession or Use of Items, Weapons and Certain Devices

(A) Unauthorized conveyance of certain items brought into the Facility is governed by Conn. Gen. Stat. Sec. 53a-174, which provides as follows:

## EXHIBIT A

### **DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS**

---

1. Any person not authorized by law who conveys or passes or causes to be conveyed or passed, into any correctional or humane institution or the grounds or buildings thereof, or to any inmate of such an institution who is outside the premises thereof and known to the person so conveying or passing or causing such convey or passing to be such an inmate, any controlled drug, as defined in section 21a-240, any intoxicating liquors, any firearm, weapon, dangerous instruments or explosives of any kind, any United States currency, or any rope, ladder or other instrument or device for use in making, attempting or aiding an escape, shall be guilty of a class D felony. [Penalty for a Class "D" felony per Sec. 53a-35 subsection a, b, c, d is a term not to exceed five (5) years.]The unauthorized conveying, passing, or possessing of any rope or ladder or other instrument or device, adapted for use in making or aiding an escape, into any such institution or the grounds or building thereof, shall be presumptive evidence that it was so conveyed, passed or possessed for such use.
  2. Any person not authorized by law who conveys into any such institution any letter or other missive which is intended for any person confined therein, or who conveys from within the enclosure to the outside of such institution any letter or other missive written or given by any person confined therein, shall be guilty of a class A misdemeanor. [Penalty for a Class "A" misdemeanor per Sec. 53a-36 subsection 1, the term is not to exceed one (1) year.]
  3. Any person or visitor who enters or attempts to enter a correctional institution or Facility by using a misleading or false name or title shall be guilty of a class A misdemeanor.
- (B) Possession of weapons or dangerous instruments in the Facility is governed by Conn. Gen. Stat. Sec.53a-174a, which provides as follows:
1. A person is guilty of possession of a weapon or dangerous instrument in a correctional institution when, being an inmate of such institution, he knowingly makes, conveys from place to place or has in his possession or under his control any firearm, weapon dangerous instrument, explosive, or any other substance or thing designed to kill, injure or disable.
  2. Possession of a weapon or dangerous instrument in a correctional institution is a class B felony. [Penalty for a Class "B" felony per Sec. 53a-35 subsection a, b, c, d is a term not to exceed twenty (20) years.]
- (C) Conveyance or use of electronic or wireless communication devices in the Facility is governed by Conn. Gen. Stat. Sec. 53a-174b, which provides as follows:
1. A person is guilty of conveyance or use of an electronic wireless communication device in a correctional institution when such person, without authorization by the Commissioner of Correction or the commissioner's designee, (1) conveys or possesses with intent to convey an electronic wireless communication device to any inmate of a correctional institution while such inmate is in such institution, or (2) uses an electronic wireless communication device to take a photographic or digital image in a correctional institution.

## EXHIBIT A

### **DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS**

---

2. Conveyance or use of an electronic wireless communication device in a correctional institution is a Class A misdemeanor.

#### **R. Badging Requirements for the Connecticut Airport Authority, Bradley International Airport (the Airport)**

- (1) All Contractor employees must pass all standard security requirements (based on activity and location) and pass prescribed driver training before entering Bradley International Airport or engaging in any part of the Performance.
- (2) Contractors shall not allow any of their employees to enter the Airport or undertake any part of the Performance unless the employees shall have first been issued an individual, valid, security identification badge which they shall display properly at all times while at the Airport. The security badge will be issued upon the successful completion of a ten year (10) criminal history records check, and Transportation Security Administration Security Threat Assessment and a training/testing program – all administered by Airport personnel. The cost per person is \$50. This charge is subject to change during the term of the Contract. Persons with felony convictions will be evaluated on an individual basis. The Client Agency may, at any time during the term of the Contract and in its sole discretion, modify the criminal history records check, training, testing program, security and badge requirements. The Contractor shall comply with all such modifications.
- (3) The Contractor shall assign at least one individual, but no more than 3 individuals, to act as an Authorized Supervisor for the airport. Prior to starting Performance, Contractors shall direct the Authorized Supervisors to comply with all of the applicable terms and conditions of this Contract, including doing any and all things which the Authorized Supervisors deem to be necessary or appropriate to ensure full Performance.
- (4) Client Agency shall deliver to the Contractors a copy of the applicable requirements of all federal and state regulations governing aviation security activities prior to Contractors starting Performance. Contractors shall comply fully with all of those requirements and regulations and shall ensure the same for all of their employees who will perform in any way.
- (5) The duties of the Authorized Supervisor are to:
  - (A) read, understand and follow fully all of the requirements of all federal and state regulations governing aviation security activities;
  - (B) notify the security badging office or BDL Airport Operations **immediately** of all employee terminations and transfers in writing, which may include via e-mail.
  - (C) return to the security badging office or BDL Airport Operations a termination form with the terminated or transferred employee's security badge along with all other security-related items that had been issued to the employee, including, but not limited to, keys, gate cards

## EXHIBIT A

### **DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS**

---

- and ramp stickers, no later than twenty-four (24) hours after the effective date of the termination or transfer. If the Authorized Supervisor fails to return timely the badge or other security related-item, the Authorized Supervisor shall submit a termination form no later than one (1) week after the effective date of the termination or transfer, along with a written explanation detailing the course of action that has been taken towards retrieving the outstanding item(s);
- (D) limit the distribution of security related information only to persons with valid, Bradley International Airport security badges and as requested by the Airport Security Coordinator (ASC) or designated representative ;
- (E) not presign badging applications and complete the entire Authorized Supervisor section of the badging application for all Contractors employees who will Perform under this Contract;
- (F) report lost or stolen badges in writing immediately to the security badging office and/or Airport Operations on the standard lost/stolen security badge report.
- (6) Contractors shall ensure that the Authorized Supervisors read, understand and follow all of their prescribed such regulations and requirements. Accordingly, prior to starting Performance, and as a condition precedent to any of Contractors' employees being allowed to enter the Airport to Perform, Contractors shall deliver to the Client Agency a document signed by the Authorized Supervisors in the following form:

#### **BRADLEY INTERNATIONAL AIRPORT AUTHORIZED SUPERVISOR'S ACKNOWLEDGMENT AND ACCEPTANCE OF DUTIES**

I, \_\_\_\_\_, the undersigned, with regard to \_\_\_\_\_ activities at Bradley International Airport (BDL), accept the assignment as an Authorized Supervisor under a certain Contract between \_\_\_\_\_ and the State of Connecticut. I acknowledge and accept that as Authorized Supervisor under that Contract that my duties are to and I shall:

1. read, understand and follow fully all of the requirements of all federal and state regulations governing aviation security activities;
2. notify the security badging office or BDL Airport Operations **immediately** of all employee terminations and transfers in writing, which may include via e-mail.
3. return to the security badging office or BDL Airport Operations a termination form with the terminated or transferred employee's security badge along with all other security-related items that had been issued to the employee, including, but not limited to, keys, gate cards and ramp stickers, no later than twenty-four (24) hours after the effective date of the termination or transfer. If the Authorized Supervisor fails to return timely the badge or other security related-item, the Authorized Supervisor shall submit a termination form no later than one (1) week after the effective date of the termination or transfer, along with a written explanation detailing the course of action that has been taken towards retrieving the outstanding item(s) ;

**EXHIBIT A**

**DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS**

---

4. limit the distribution of security related information only to persons with valid, Bradley International Airport security badges and as requested by the Airport Security Coordinator (ASC) or designated representative ;
5. not presign badging applications and complete the entire Authorized Supervisor section of the badging application for all Contractors employees who will Perform under this Contract; and
6. report lost or stolen badges in writing immediately to the security badging office and/or Airport Operations on the standard lost/stolen security badge report.

With my signature below I am verifying that I have received a copy of, and fully understand these requirements and my obligations and that I shall comply fully.

---

Company Name	Signature of Authorized Supervisor	Initials
--------------	------------------------------------	----------

---

Company Mailing Address	Print Full Name
-------------------------	-----------------

---

City, State, Zip	Title
------------------	-------

---

Phone Number(s)	Fax No.	E-Mail Address
-----------------	---------	----------------

- (7) Contractors shall pay the Client Agency a fee of \$100 per unreturned badges for any terminated or transferred employee and reimburse the Client Agency, no later than thirty (30) days after receiving an invoice from the Client Agency, for any applicable federal or state amounts, penalties or both for which the Client Agency may be held responsible resulting from the Contractors' failure to follow fully all of the applicable federal and State regulations and other requirements concerning aviation security activities, including, by way of example, but not by way of limitation, \$100 per unreturned badges for any terminated or transferred employee and up to \$11,000 per occurrence for an individual employee's failure to comply with security regulations (including, by way of example, but not by way of limitation, failure to properly display security badge or failure to control access through a controlled access door with a proximity card reader). If Contractors fail to pay the fee or reimburse the Client Agency timely, the Client Agency may, in its sole discretion, demand, and the Contractors shall, return all of the security badges for all of the Contractors' employees. Consequently, DAS shall, at the Client Agency's request, terminate the Contract as to those Contractors. DAS and the Client Agency will take into account such Termination as an indication of Contractors' not being responsible in future leasing and contracting opportunities.
- (8) The Client Agency may suspend or terminate security privileges of individual employees pending investigation of any individual who is alleged to have violated any security regulations. Security

**EXHIBIT A**

**DESCRIPTION OF GOODS & SERVICES AND ADDITIONAL TERMS & CONDITIONS**

---

privileges for the Contractor as an entity may also be suspended or terminated for failure to comply with all security regulations.

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
1	<b>AUGER</b> Truck Mounted Earth Boring Machine Operated by Contractor	BCI, INC.	MFG: JD MODEL: 410/710 DIAMETER: 12"-48"	\$ 249.00	\$ 249.00	\$ 249.00	\$ 249.00
1	<b>AUGER</b> Truck Mounted Earth Boring Machine Operated by Contractor	J.V. III	MFG: John Deere MODEL: 595 DIAMETER: 12" – 48"	\$ 399.50	\$ 399.50	\$ 399.50	\$ 399.50
1	<b>AUGER</b> Truck Mounted Earth Boring Machine Operated by Contractor	John J Brennan	MFG: Telcon MODEL: 720 DIAMETER: 8" – 16"			\$ 250.00	\$ 250.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Appleblossom Construction LLC	MFG: CAT MODEL: E70B SERIES: RATED CAP: ½ CYD WIDTH: 12"-28" MAX DIG DEPTH: 14'	\$145.00	\$160.00	\$145.00	\$140.00
2-A	<b>HAMMER ATTACHMENT</b>	Appleblossom Construction LLC	CAT E70B	\$100.00	\$100.00	\$100.00	\$100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: John Deere MODEL: 450 SERIES: RATED CAP: 2.5 cu yd. WIDTH: 4 MAX DIG DEPTH: 25.6	\$ 289.00	\$ 289.00	\$ 298.00	\$ 298.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: John Deere MODEL: 80 SERIES: D RATED CAP: 0.5 cu yd. WIDTH: 22" MAX DIG DEPTH: 25.6	\$ 179.00	\$ 179.00	\$ 179.00	\$ 179.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 311/313 SERIES: RATED CAP: 0.5 cu yd. WIDTH: 22" MAX DIG DEPTH: 12"	\$ 179.00	\$ 179.00	\$ 179.00	\$ 179.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG : CAT MODEL: 321 SERIES: CU RATED CAP: 0.75 cu yd. WIDTH: 22-40" MAX DIG DEPTH: 25'	<u>\$ 198.00</u>	<u>\$ 198.00</u>	<u>\$ 198.00</u>	<u>\$ 198.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 320 SERIES: CL RATED CAP: 0.75 cu yd. WIDTH: 22-40" MAX DIG DEPTH: 25'	<u>\$ 198.00</u>	<u>\$ 198.00</u>	<u>\$ 198.00</u>	<u>\$ 198.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: HITACHI MODEL: 470 SERIES: IV RATED CAP: 2.5 cu yd. WIDTH: 48" MAX DIG DEPTH:	<u>\$289.00</u>	<u>\$289.00</u>	<u>\$299.00</u>	<u>\$289.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: John Deere MODEL: 200 SERIES: RATED CAP: 0.75 cu yd. WIDTH: 24-40"	<u>\$ 198.00</u>	<u>\$ 198.00</u>	<u>\$ 198.00</u>	<u>\$ 198.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MAX DIG DEPTH: 25'				
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 330 SERIES: CL RATED CAP: 1+ cu yd. WIDTH: 18-40" MAX DIG DEPTH: 27"	<u>\$ 199.00</u>	<u>\$ 199.00</u>	<u>\$ 199.00</u>	<u>\$ 199.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 345 SERIES: CL RATED CAP: 2.5 cu yd. WIDTH: 24-48" MAX DIG DEPTH: 36'	<u>\$ 289.00</u>	<u>\$ 289.00</u>	<u>\$ 299.00</u>	<u>\$ 289.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Yanmar MODEL: VIO35 SERIES: RATED CAP: 0.33 cu yd. WIDTH: 12-24" MAX DIG DEPTH: 10'	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 158.00</u>	<u>\$ 148.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Bobcat MODEL: 341 SERIES: D RATED CAP: 0.33 cu yd. WIDTH: 12-24" MAX DIG DEPTH: 12'	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to	BCI, INC.	MFG: Terex MODEL: TC16 SERIES:	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 158.00</u>	<u>\$ 148.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	and from job site on flatbed.		RATED CAP: 0.74-3.2 cu ft. WIDTH: 12-18" MAX DIG DEPTH: 7'3"				
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Terex MODEL: TC29 SERIES: 4 RATED CAP: 1.34-3.88 cu ft. WIDTH: 12-24" MAX DIG DEPTH: 9'2"	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 158.00</u>	<u>\$ 148.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Terex MODEL: TC37 SERIES: 4 RATED CAP: 1.91 – 6.75 cu ft. WIDTH: 12-24" MAX DIG DEPTH: 10'6"	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 158.00</u>	<u>\$ 148.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Terex MODEL: TC50 SERIES: 4 RATED CAP: 2.4-8.2 cu ft. WIDTH: 12-24" MAX DIG DEPTH: 12'2"	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 169.00</u>	<u>\$ 159.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 336E SERIES: L RATED CAP: 1 cu yd. WIDTH: 24'-48' MAX DIG DEPTH: 27'	<u>\$ 224.00</u>	<u>\$ 224.00</u>	<u>\$ 234.00</u>	<u>\$ 224.00</u>
2-A	<b>HAMMER ATTACHMENT</b>	BCI, INC.	KENT 4F BOBCAT 341	<u>\$ 75.00</u>	<u>\$ 75.00</u>	<u>\$ 75.00</u>	<u>\$ 75.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			TEREX TC 27/50				
2-A	HAMMER ATTACHMENT	BCI, INC.	NPK/MA VERRICK/RAMMER CAT 320 JD200	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2-A	HAMMER ATTACHMENT	BCI, INC.	NPK CAT330	\$ 165.00	\$ 165.00	\$ 165.00	\$ 165.00
2-A	HAMMER ATTACHMENT	BCI, INC.	NPK JD450	\$ 245.00	\$ 245.00	\$ 245.00	\$ 245.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Berlin Industries, LLC	MFG: John Deere MODEL: 80 SERIES: RATED CAP: 0.5 cu yd. WIDTH: 22" MAX DIG DEPTH: 19'	\$ 190.00	\$ 190.00	\$ 190.00	\$ 190.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village Construction Company, Inc.	MFG: CAT MODEL: 345BL SERIES: RATED CAP: 3 CYD WIDTH: 36"-60" MAX DIG DEPTH: 29'	<u>\$ 259.50</u>			<u>\$ 259.50</u>
2-A	HAMMER ATTACHMENT	Canton Village Construction Company, Inc.		<u>\$ 140.00</u>			<u>\$ 140.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village Construction Company, Inc.	MFG: CAT MODEL: 330 SERIES: BL RATED CAP: 2.5 CYD WIDTH: 42"-54" MAX DIG DEPTH: 27'	<u>\$ 219.50</u>			<u>\$ 219.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village Construction Company, Inc.	MFG: CAT MODEL: 321 SERIES: D LCR w/Hyd. Thumb RATED CAP: 1.75 CYD WIDTH: 24"-48" MAX DIG DEPTH: 23'	\$ 209.50	\$	\$	\$ 209.50
2-A	<b>HAMMER ATTACHMENT</b>	Canton Village Construction Company, Inc.		\$ 120.00			\$ 120.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village Construction Company, Inc.	MFG: CAT MODEL: 315 SERIES: D LCR w/Hyd. Thumb RATED CAP: 1.25 CYD WIDTH: 24"-42" MAX DIG DEPTH: 20'	\$ 199.50			\$ 199.50
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village Construction Company, Inc.	MFG: CAT MODEL: 308 SERIES: E CRSB w/Hyd. Thumb RATED CAP: .5 CYD WIDTH: 18"-48" MAX DIG DEPTH: 16'	\$ 159.50			\$ 159.50
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village Construction Company, Inc.	MFG: BOBCAT MODEL: E50 SERIES: w/Hyd. Thumb RATED CAP: .5 CYD WIDTH: 18"-42" MAX DIG DEPTH: 13'	\$ 139.50			\$ 139.50
2-A	<b>HAMMER ATTACHMENT</b>	Canton Village Construction		\$ 65.00			\$ 65.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
		Company, Inc.					
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Donahue General Contractors, Inc.	MFG: Hitachi MODEL: 2x200 SERIES: 5 RATED CAP: 1.25 WIDTH: 42" MAX DIG DEPTH: 25'		\$ 180.00		
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Donahue General Contractors, Inc.	MFG: Hitachi MODEL: Ex160 SERIES: 5 RATED CAP: 0.875 WIDTH: 36" MAX DIG DEPTH: 21'		\$ 180.00		
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Donahue General Contractors, Inc.	MFG: John Deere MODEL: Ex50D SERIES: II RATED CAP: 3/8 yd WIDTH: 24" MAX DIG DEPTH: 12'		\$ 155.00		
2-A	<b>HAMMER ATTACHMENT</b>	Donahue General Contractors, Inc.			\$ 60.00		
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M. SERVICES, INC.	MFG: New Holland MODEL: 70 SERIES: RATED CAP: 5 ycd WIDTH: 12-36 MAX DIG DEPTH: 14'	\$ 160.00	\$ 160.00	\$ 140.00	\$ 140.00
2-A	<b>HAMMER ATTACHMENT</b>	F.S.M. SERVICES, INC.	Atlas Copco	\$ 120.00	\$ 120.00	\$ 120.00	\$ 120.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M. SERVICES, INC.	MFG: Kobelco MODEL: 115 D2 SR SERIES: SR RATED CAP: 1/2 ycd WIDTH: 18-48" MAX DIG DEPTH: 18'	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 140.00</u>	<u>\$ 140.00</u>
2-A	<b>HAMMER ATTACHMENT</b>	F.S.M. SERVICES, INC.	Gorilla	<u>\$ 130.00</u>	<u>\$ 130.00</u>	<u>\$ 130.00</u>	<u>\$ 130.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M. SERVICES, INC.	MFG: Kobelco MODEL: 115 D2 SERIES: SR RATED CAP: 7.50 ycd WIDTH: 30" MAX DIG DEPTH: 18'	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 140.00</u>	<u>\$ 140.00</u>
2-A	<b>HAMMER ATTACHMENT</b>	F.S.M. SERVICES, INC.	Gorilla	<u>\$ 130.00</u>	<u>\$ 130.00</u>	<u>\$ 130.00</u>	<u>\$ 130.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M. SERVICES, INC.	MFG: Kobelco MODEL: 115 D2 SERIES: SR RATED CAP: 60 WIDTH: 18-48" MAX DIG DEPTH: 18'	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 140.00</u>	<u>\$ 140.00</u>
2-A	<b>HAMMER ATTACHMENT</b>	F.S.M. SERVICES, INC.	Gorilla	<u>\$ 130.00</u>	<u>\$ 130.00</u>	<u>\$ 130.00</u>	<u>\$ 130.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M. SERVICES, INC.	MFG: Kobelco MODEL: sk 160 SERIES: SR RATED CAP: .75 WIDTH: 36" MAX DIG DEPTH: 21"6"	<u>\$ 160.00</u>	<u>\$ 160.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2-A	HAMMER ATTACHMENT	F.S.M. SERVICES, INC.	Gorilla	\$ 130.00	\$ 130.00	\$ 130.00	\$ 130.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Genovesi Construction LLC	MFG: John Deere 310E MODEL: SERIES: 5/8 CY RATED CAP: 3 ft WIDTH: 16ft MAX DIG DEPTH:	\$ 200.00	\$ 200.00		
2-A	HAMMER ATTACHMENT	Genovesi Construction LLC		\$ 100.00	\$ 100.00		
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Genovesi Construction LLC	MFG: MODEL: CAT 305CR SERIES: .5 CY RATED CAP: WIDTH: 14 ft MAX DIG DEPTH:	\$ 200.00	\$ 200.00	\$	\$
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Genovesi Construction LLC	MFG: Komatsu 160 PC8 MODEL: SERIES: 1.2 CY RATED CAP: 19'6" WIDTH: 36" MAX DIG DEPTH:	\$ 200.00	\$ 200.00	\$	\$
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Guerra	MFG: Komatsu MODEL: PC400 SERIES: RATED CAP: 2.5 Cu Yd WIDTH: MAX DIG DEPTH:			\$460.00	
2-A	HAMMER ATTACHMENT	Guerra				\$120.00	

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: John Deere MODEL: 80 SERIES: E RATED CAP: .50 WIDTH: 7' MAX DIG DEPTH: 18'	\$ 159.00	\$ 129.00	\$ 129.00	\$ 129.00
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: John Deere MODEL: 490 SERIES: E RATED CAP: 1 Cu Yd WIDTH: 8'6" MAX DIG DEPTH: 18'	\$ 169.00	\$ 169.00	\$ 169.00	\$ 169.00
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III		\$100.00	\$100.00	\$100.00	\$100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: Volvo MODEL: EC300 SERIES: RATED CAP: 2 WIDTH: 10'5" MAX DIG DEPTH: 22'-29'	\$ 249.00	\$ 249.00	\$ 249.00	\$ 249.00
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III		\$ 175.00	\$ 175.00	\$ 175.00	\$ 175.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: Akerman MODEL: 14 SERIES: BLC RATED CAP: 1.5 WIDTH: 10'6" MAX DIG DEPTH: 22'-29'	\$ 189.00	\$ 189.00	\$ 189.00	\$ 189.00
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III		\$ 150.00	\$ 150.00	\$ 150.00	\$ 150.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: Bobcat MODEL: 341 SERIES: RATED CAP: 1/2 WIDTH: 7' MAX DIG DEPTH: 12'	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: JCB MODEL: 801.3 SERIES: RATED CAP: .1/2 WIDTH: 7' MAX DIG DEPTH: 12'	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: John Deere MODEL: 595 SERIES: RATED CAP: .1.25 WIDTH: 8'6"	\$ 179.00	\$ 179.00	\$ 179.00	\$ 179.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MAX DIG DEPTH: 18'				
2-A	HAMMER ATTACHMENT	J.V. III		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: John Deere MODEL: 270 SERIES: RATED CAP: .1 WIDTH: 10'6" MAX DIG DEPTH: 60'	\$ 529.00	\$ 529.00	\$ 529.00	\$ 529.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III	MFG: Hitachi MODEL: 370 SERIES: RATED CAP: 3.5 WIDTH: 12' MAX DIG DEPTH: 35'	\$ 429.00	\$ 429.00	\$ 429.00	\$ 429.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Komatsu MODEL: PC78 SERIES: US-6 RATED CAP: 1/2 WIDTH: 12' MAX DIG DEPTH: 35'			\$ 170.00	\$ 170.00
2-A	HAMMER ATTACHMENT	John J. Bennan	NPK GH 1250lbs			\$75.00	\$80.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL:V88 SERIES: C RATED CAP: 5/8 WIDTH: 30"			\$ 200.00	\$ 200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MAX DIG DEPTH: 16'				
2-A	HAMMER ATTACHMENT	John J. Bennan	Rammer S25 950LBS			\$70.00	\$75.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: 140 SERIES: C RATED CAP: 3/4 WIDTH: 30" MAX DIG DEPTH: 18'			\$ 210.00	\$ 210.00
2-A	HAMMER ATTACHMENT	John J. Bennan	Rammer S25 950LBS			\$80.00	\$85.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Komatsu MODEL: PC240 SERIES: LC RATED CAP: 1 WIDTH: 36" MAX DIG DEPTH: 23'			\$ 220.00	\$ 220.00
2-A	HAMMER ATTACHMENT	John J. Bennan	NPK GH10 4000			\$100.00	100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: 210 SERIES: CL RATED CAP: 1 WIDTH: 36" MAX DIG DEPTH: 21.4'			\$ 215.00	\$ 215.00
2-A	HAMMER ATTACHMENT	John J. Bennan	E68 35000			\$90.00	\$90.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT</b>	John J. Brennan	MFG: Komatsu			\$ 230.00	\$ 230.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.		MODEL: PC290 SERIES: LC-10 RATED CAP: 1 WIDTH: 36" MAX DIG DEPTH: 23'				
2-A	<b>HAMMER ATTACHMENT</b>	John J. Bennan	NPK GH10 4000			\$100.00	\$100.00
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: 340 SERIES: DL RATED CAP: 3.2 WIDTH: 40 MAX DIG DEPTH: 24'			\$ 260.00	\$ 260.00
2-A	<b>HAMMER ATTACHMENT</b>	John J. Bennan	Rammer G90 7500lbs			\$140.00	\$140.00
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: EC330 SERIES: BLC RATED CAP: 3.2 WIDTH: 40 MAX DIG DEPTH: 24'			\$ 240.00	\$ 240.00
2-A	<b>HAMMER ATTACHMENT</b>	John J. Brennan	Rammer G90 7500lbs			\$140.00	\$140.00
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: EC460 SERIES: BLC RATED CAP: 4.7 WIDTH: 48" MAX DIG DEPTH: 27'			\$ 320.00	\$ 320.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2-A	HAMMER ATTACHMENT	John J. Bennan	Alliec BR 4099 7500lbs			\$140.00	\$140.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	McAllen Building	MFG: Samsung MODEL: 130LC SERIES: RATED CAP: 1 WIDTH: 36" MAX DIG DEPTH: 16'	\$ 195.00	\$ 195.00	\$ 195.00	\$ 195.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Murphy	MFG: Ackerman MODEL: H-14 SERIES: B RATED CAP: 2.5 WIDTH: 4' MAX DIG DEPTH: 26'	\$ 175.00	\$ 175.00	\$ 175.00	\$ 175.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Rafferty	MFG: Volvo MODEL: 160 SERIES: C RATED CAP:1 CY WIDTH: 36" MAX DIG DEPTH: 20'	\$ 198.00	\$ 240.00	\$ 248.00	\$ 198.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Reliable	MFG: Komatsu MODEL: PC78 SERIES: Mark 4 RATED CAP: ½ CY WIDTH: 30" MAX DIG DEPTH: 16'			\$ 120.00	\$ 120.00
2-A	HAMMER ATTACHMENT	Reliable	NPK 1,000 lb			\$65.00	\$65.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Reliable	MFG: Komatsu MODEL: PC138 SERIES: Mark 4 RATED CAP: 7/8 C.Y. WIDTH: 36" MAX DIG DEPTH: 18'			\$ 125.00	\$ 125.00
2-A	<b>HAMMER ATTACHMENT</b>	Reliable	NPK 2,000 LB			\$75.00	\$75.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Reliable	MFG: Kobelco MODEL: PC200 SERIES: Mark 4 RATED CAP: 1.25 CY WIDTH: 42" MAX DIG DEPTH: 20'			\$ 135.00	\$ 135.00
2-A	<b>HAMMER ATTACHMENT</b>	Reliable	NPK 3,500 lb			\$85.00	\$85.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Reliable	MFG: Kobelco MODEL: PC300 SERIES: Mark 4 RATED CAP: 2.25 CY WIDTH: 48" MAX DIG DEPTH: 24'			\$ 185.00	\$ 185.00
2-A	<b>HAMMER ATTACHMENT</b>	Reliable	NPK 5,000 LB			\$135.00	\$135.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Resource	MFG: MODEL: SERIES: RATED CAP: WIDTH:	\$ 200.00	\$ 200.00	\$ 200.00	\$ 200.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MAX DIG DEPTH:				
2-A	HAMMER ATTACHMENT	Resource		\$250.00	\$250.00	\$250.00	\$250.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: JD MODEL: 75 SERIES: D RATED CAP: ¾ CY WIDTH: 18"-36" MAX DIG DEPTH: 18'	\$ 170.00		\$ 170.00	\$ 160.00
2-A	HAMMER ATTACHMENT	Stone		\$80.00		\$80.00	\$80.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: CAT MODEL: 314 SERIES: CCR RATED CAP: ¾ WIDTH: 18"-40" MAX DIG DEPTH: 20'	\$ 170.00		\$ 170.00	\$ 160.00
2-A	HAMMER ATTACHMENT	Stone		\$100.00		\$100.00	\$80.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: Volvo MODEL: 330 SERIES: LC RATED CAP: 2.5 CY WIDTH: 42" MAX DIG DEPTH: 28'	\$ 240.00		\$ 240.00	\$ 215.00
2-A	HAMMER ATTACHMENT	Stone		\$120.00		\$120.00	\$120.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT</b>	Stone	MFG: John Deere	\$ 165.00		\$ 165.00	\$ 160.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.		MODEL: 225 SERIES: D RATED CAP: 1.5 CY WIDTH: 30"-42" MAX DIG DEPTH: 24'				
2-A	<b>HAMMER ATTACHMENT</b>	Stone	Tramac	\$100.00		\$100.00	\$80.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: JD MODEL: 350 SERIES: RATED CAP: 3 CY WIDTH: 48" MAX DIG DEPTH: 30'	\$ 265.00		\$ 265.00	\$ 250.00
2-A	<b>HAMMER ATTACHMENT</b>	Stone	N.P.K.	\$120.00		\$120.00	\$120.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Tilcon	MFG: CAT MODEL: 330 SERIES: C RATED CAP: 1.5 CY WIDTH: 42" MAX DIG DEPTH: 22'	\$ 210.00	\$ 216.00	\$ 210.00	\$ 216.00

--	--	--	--	--	--	--	--

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12” – 36” Widths; Loader 2,000 – 7,000 lbs.	Appleblossom Construction LLC	MFG: John Deere MODEL: 310 4X4 SERIES: D  Backhoe: Rated Cap: ½ c.y Width: 24” Max Dig Depth: 14’  Loader: Rated Cap: 1.3 yd Width: 8’	<u>\$ 115.00</u>	<u>\$ 140.00</u>	<u>\$ 120.00</u>	<u>\$ 120.00</u>
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12” – 36” Widths; Loader 2,000 – 7,000 lbs.	BCI, INC.	MFG: John Deere MODEL: 710 4x4 SERIES: Extendahoe  Backhoe: D/G Rated Cap: 0.5 cu yd. Width: 12-24” Max Dig Depth: 18’  Loader: Rated Cap: 1.5 cu yd. Width: 8’	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12” – 36” Widths; Loader 2,000 – 7,000 lbs.	BCI, INC.	MFG: John Deere MODEL: 410 4x4 SERIES: Extendahoe  Backhoe: D/G Rated Cap: 0.5 cu yd. Width: 12-24” Max Dig Depth: 17’	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Cap: 1.5 cu yd. Width: 8'				
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	BCI, INC.	MFG: Terex MODEL: TLB840R SERIES: Extendahoe  Backhoe: 4-2016 Model Rated Cap: 0.5 cu yd. Width: 12-24" Max Dig Depth: 22'  Loader: Rated Cap: 1 cu yd. Width: 7'5"	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>
3-A	<b>HAMMER ATTACHMENT</b>	BCI, INC.	Tramac/Okada	<u>\$ 75.00</u>	<u>\$ 75.00</u>	<u>\$ 75.00</u>	<u>\$ 75.00</u>
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Berlin Ind.	MFG: John Deere MODEL: 410 SERIES: K Extendahoe  Backhoe: Rated Cap: .5 cu yd. Width: 24" Max Dig Depth: 17'  Loader: Rated Cap: 1.5 cu yd. Width: 8'	<u>\$ 250.00</u>	<u>\$ 250.00</u>	<u>\$ 250.00</u>	<u>\$ 270.00</u>
3-A	<b>HAMMER ATTACHMENT</b>	Berlin Ind.	Tramac 140 1100 Ft/lbs	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b>	Canton Village Construction Company, Inc.	MFG: John Deere MODEL: 410 SERIES: E Extend a Hoe	<u>\$ 144.50</u>			<u>\$ 144.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Backhoe: Rated Cap: .5 CYD. Width: 12"30" Max Dig Depth: 17'  Loader: Rated Cap: 1.25 CYD Width: 8'				
<b>3</b>	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Canton Village Construction Company, Inc.	MFG: John Deere MODEL: 410 SERIES: J Extend a Hoe  Backhoe: Rated Cap: .5 CYD. Width: 12"30" Max Dig Depth: 17'  Loader: Rated Cap: 1.4 CYD Width: 8'	<u>\$ 144.50</u>			<u>\$ 144.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	F.S.M. SERVICES, INC.	MFG: New Holland MODEL: LB75B SERIES: LB75B  Backhoe: Rated Cap: 0.5 yd Width: 12-36" Max Dig Depth: 14"  Loader: Rated Cap: 1.5 yd Width: 8'	\$ 130.00	\$13 0.00	\$ 120.00	\$ 120.00
3-A	<b>HAMMER ATTACHMENT</b>	F.S.M. SERVICES, INC.	Atlas Copco	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	F.S.M. SERVICES, INC.	MFG: Volvo MODEL: BL 70 SERIES: BL  Backhoe: Rated Cap: 0.5 yd Width: 12-36" Max Dig Depth: 18"  Loader: Rated Cap: 1.5 yd Width: 8'	\$ 135.00	\$135.00	\$ 125.00	\$ 125.00
3-A	<b>HAMMER ATTACHMENT</b>	F.S.M. SERVICES, INC.	Atlas Copco	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Galasso	MFG: John Deere MODEL: 410 4x4 SERIES:  Backhoe:	\$ 155.00			\$ 155.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Cap: ½ cy Width: 24" Max Dig Depth: 12"  Loader: Rated Cap: 1 cy Width: 8'				
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Genovesi Construction LLC	MFG: John Deere MODEL: 310 SERIES: E  Backhoe: Rated Cap: 1 ¼ cy Width: 7 ft Max Dig Depth: 16 ft  Loader: Rated Cap: 1.7 cy Width: 7 ft	\$ 160.00	\$ 160.00		
3-A	<b>HAMMER ATTACHMENT</b>	Genovesi Construction LLC		\$ 100.00	\$ 100.00		
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Guerra	MFG: CAT MODEL:430 SERIES:  Backhoe: Rated Cap: 6 CF Width: 24" Max Dig Depth:19'  Loader: Rated Cap: 1.4 CY Width: 8'			\$ 250.00	

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
3-A	HAMMER ATTACHMENT	Guerra				\$ 90.00	
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	J.V. III	MFG: JCB MODEL:215 SERIES: 3  Backhoe: Rated Cap: 3/8 Width: 12"-48" Max Dig Depth:18'  Loader: Rated Cap: 1.25 Width: 92"	\$164.00	\$164.00	\$164.00	\$164.00
3-A	HAMMER ATTACHMENT	J.V. III		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	J.V. III	MFG: John Deere MODEL:410 SERIES: G  Backhoe: Rated Cap: 0.50 Width: 12"-48" Max Dig Depth:18'  Loader: Rated Cap: 1.3 CY Width: 96"	\$ 184.00	\$ 184.00	\$ 184.00	\$ 184.00
3-A	HAMMER ATTACHMENT	J.V. III		\$100.00	\$100.00	\$100.00	\$100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by	J.V. III	MFG: John Deere MODEL:510 SERIES: D	\$184.00	\$184.00	\$184.00	\$184.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Backhoe: Rated Cap: .50 Width: 12"-48" Max Dig Depth:19'  Loader: Rated Cap: 1.5 CY Width: 96"				
3-A	<b>HAMMER ATTACHMENT</b>	J.V. III		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	J.V. III	MFG: JCB MODEL:212S SERIES:  Backhoe: Rated Cap: 1/4 CF Width: 18" Max Dig Depth:10'  Loader: Rated Cap: 1 CY Width: 78"	\$149.00	\$149.00	\$149.00	\$149.00
3-A	<b>HAMMER ATTACHMENT</b>	J.V. III		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	J.V. III	MFG: John Deere MODEL: 710 SERIES: D  Backhoe: Rated Cap: .5 Width: 24"-72" Max Dig Depth:12'  Loader:	\$224.00	\$224.00	\$224.00	\$224.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Cap: Width: 102"				
3-A	HAMMER ATTACHMENT	J.V. III		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	John J. Brennan	MFG: CAT MODEL: 322 SERIES: D  Backhoe: Rated Cap: 7/8 Width: 18"-36" Max Dig Depth:22'  Loader: Rated Cap: Width:			\$240.00	\$240.00
3-A	HAMMER ATTACHMENT	John. J. Brennan	CAT H120CS 3000			\$ 95.00	\$95.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	John J. Brennan	MFG: John Deere MODEL: 310 SERIES: E Extenahoe  Backhoe: Rated Cap: 3/8 Width: 12"-24" Max Dig Depth:12'  Loader: Rated Cap: 3/4 Width: 5'			\$130.00	\$130.00
3-A	HAMMER ATTACHMENT	John. J. Brennan	Indeco MES 650			\$ 50.00	\$50.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT</b>	John J. Brennan	MFG: John Deere MODEL: 410			\$139.00	\$139.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		SERIES: G Extenahoe  Backhoe: Rated Cap: ½ to 5/8 Width: 18"-36" Max Dig Depth:16'  Loader: Rated Cap: 1 CY Width: 6'				
<b>3-A</b>	<b>HAMMER ATTACHMENT</b>	John. J. Brennan	Indeco MES 650			\$ 65.00	\$65.00
<b>3</b>	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Machnick Bros	MFG: John Deere MODEL: 310 SERIES: K  Backhoe: Rated Cap: 6.5 LF Width: 24" Max Dig Depth:17'10"  Loader: Rated Cap: 1 CY Width: 7.16'	\$140.00	\$140.00	\$140.00	\$140.00
<b>3</b>	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Machnick Bros	MFG: John Deere MODEL: 410 SERIES: E  Backhoe: Rated Cap: 5/8 Width: 24" Max Dig Depth:16"	\$140.00	\$140.00	\$140.00	\$140.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Cap: 1.5 CY Width: 8'				
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	McAllen Building	MFG: John Deere MODEL: 310 SERIES: Extend  Backhoe: Rated Cap: 3/8 Width: 12"-24" Max Dig Depth:12'  Loader: Rated Cap: 1.3 CY Width: 8'	\$135.00	\$135.00	\$135.00	\$135.00
3	<b>HAMMER ATTACHMENT</b>			\$30.00	\$30.00	\$30.00	\$30.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Rafferty	MFG: John Deere MODEL: 410 SERIES: G  Backhoe: Rated Cap: 3/8 cy Width: 30" Max Dig Depth:11'  Loader: Rated Cap: 1.75 CY Width: 7'	\$139.00	\$159.00	\$159.00	\$149.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by	Rafferty	MFG: John Deere MODEL: 410 SERIES: E	\$139.00	\$159.00	\$159.00	\$149.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Backhoe: Rated Cap: 3/8 cy Width: 24" Max Dig Depth:12'  Loader: Rated Cap: 1.75 CY Width: 7'				
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Rafferty	MFG: Volvo MODEL: 70 SERIES: BL  Backhoe: Rated Cap: 3/8 cy Width: 30" Max Dig Depth:12'  Loader: Rated Cap: 1.75 CY Width: 7'	\$139.00	\$159.00	\$159.00	\$149.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Reliable	MFG: John Deere MODEL: 410 SERIES: D Exten  Backhoe: Rated Cap: ½ Width: 12"-24" Max Dig Depth:18'  Loader: Rated Cap: 1.5 CY Width: 8'			\$97.00	\$97.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
3-A	HAMMER ATTACHMENT	Reliable	Indeco 1000			\$ 70.00	\$70.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Reliable	MFG: John Deere MODEL: 510 SERIES: D Exten  Backhoe: Rated Cap: 1 CY Width: 24" Max Dig Depth:16'  Loader: Rated Cap: 1.5 CY Width: 8'			\$118.00	\$118.00
3-A	HAMMER ATTACHMENT	Reliable	Indeco 1000 lb			\$ 70.00	\$70.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Resource	MFG: MODEL: SERIES  Backhoe: Rated Cap: Width: Max Dig Depth:  Loader: Rated Cap: Width:	\$150.00	\$150.00	\$150.00	\$150.00
3-A	HAMMER ATTACHMENT	Resource		\$ 200.00	\$ 200.00	\$ 200.00	\$200.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by	Stone	MFG: CAT MODEL: 426 SERIES B	\$150.00		\$150.00	\$140.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Backhoe: Rated Cap: 1/2 Width: 1/2 Max Dig Depth: 15'  Loader: Rated Cap: 2 CY Width: 8'				
<b>3-A</b>	<b>HAMMER ATTACHMENT</b>	Stone		\$ 80.00		\$ 80.00	\$70.00
<b>3</b>	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Tilcon	MFG: John Deere MODEL: 710 SERIES: B  Backhoe: Rated Cap: 7,000 LBS Width: 24" Max Dig Depth: 17' 10"  Loader: Rated Cap: 6,900 LBS Width: 92"	\$ <u>190.00</u>	\$ <u>205.00</u>	\$ <u>190.00</u>	\$ <u>205.00</u>

<b>4</b>	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	BCI, INC.	MFG: CAT MODEL: M320 SERIES: B  Bucket:	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
----------	---	-----------	---	-----------	-----------	-----------	-----------

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Cap: 0.5-2.5 cu yd. Width: 24-60" Max Dig Depth: 25"				
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	BCI, INC.	MFG: CAT MODEL: M318 SERIES: B  Bucket: Rated Cap: 0.5-2.05 cu yd. Width: 24-60" Max Dig Depth: 25"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	BCI, INC.	MFG: CAT MODEL: M322 SERIES: C  Bucket: Rated Cap: 0.5-2.05 cu yd. Width: 24-48" Max Dig Depth: 25"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	BCI, INC.	MFG: TEREX MODEL: 1905 SERIES: M  Bucket: Rated Cap: 0.5-1.0 cu yd. Width: 28"-42" Max Dig Depth: 18'	\$ 169.00	\$ 169.00	\$ 169.00	\$ 169.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Galasso	MFG: Caterpillar MODEL: M-316 SERIES:  Bucket:	\$ 155.00			\$ 155.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Cap: 1 cy Width: 24-60" Max Dig Depth: 19'				
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III	MFG: Gradall MODEL: G 3R 4X4 SERIES:  Bucket: Rated Cap: 1/4 – 1.5 Width: 24"-72" Max Dig Depth: 18'	\$ 168.00	\$ 168.00	\$ 168.00	\$ 168.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III	MFG: Gradall MODEL: XL 4100 6X4 SERIES:  Bucket: Rated Cap: ¼ - 1.5 Width: 24"-72" Max Dig Depth:27'	\$ 179.00	\$ 179.00	\$ 179.00	\$ 179.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III	MFG: Gradall MODEL: XL 4100 6X6 SERIES:  Bucket: Rated Cap: ¼ - 1.5 Width: 24:-72" Max Dig Depth: 28'	\$189.00	\$189.00	\$189.00	\$189.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III	MFG: Gradall MODEL: XL 4100 6X6 SERIES:  Bucket:	\$199.00	\$199.00	\$199.00	\$199.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Cap: ¼ - 1.5 Width: 24"-72" Max Dig Depth: 35'				
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III	MFG: Gradall MODEL: XL 5200 SERIES:  Bucket: Rated Cap: ¼ - 1.5 Width: 24"-72" Max Dig Depth:28'	\$249.00	\$249.00	\$249.00	\$249.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	John J. Brennan	MFG: CAT MODEL: 322 SERIES: D  Bucket: Rated Cap: 7/8 Width: 2-5" Max Dig Depth:22'			\$240.00	\$240.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Murphy	MFG: Gradall MODEL: 660 SERIES: E  Bucket: 60" Rated Cap: 1 1/4 Width: 60" Max Dig Depth:22'	\$139.50	\$139.50	\$139.50	\$139.50
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Rafferty	MFG: Gradall MODEL: 4100 SERIES: XL  Bucket:	\$240.00	\$275.00	\$275.00	\$240.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Cap: ½ CY Width: 24"-60" Max Dig Depth:10'				
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Reliable	MFG: Gradall MODEL: 660G SERIES: G  Bucket: Rated Cap: 1 CY Width: 24"-60" Max Dig Depth:20'			\$150.00	\$150.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Stone	MFG: Gradall MODEL: 660 SERIES: G  Bucket: 2'-3' Rated Cap: 1 YD Width: 2-4' Max Dig Depth:25'5"	\$170.00		\$170.00	\$165.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Stone	MFG: Gradall MODEL: 4100 SERIES: XL  Bucket: Rated Cap: Width: 24"-60" Max Dig Depth:25'5"	\$170.00		\$170.00	\$170.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b> Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor	Hammonasset Construction LLC	MFG: Vactor MODEL: 2115 UNITS AVAIL:4  Pipe Cleaner: Min PSI: 2500 Tank Capacity: 1500  Catch Basin/Manhole: Rated Cap: 16 CY Pump Capabilities: 100	\$ 165.00	\$ 165.00	\$ 165.00	\$ 165.00
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b> Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor	J.V. III	MFG: Vactor MODEL: 2100 UNITS AVAIL:3  Pipe Cleaner: Min PSI: 2500 Tank Capacity: 1000  Catch Basin/Manhole: Rated Cap: 12 CY Pump Capabilities: 100	\$ 175.00	\$ 175.00	\$ 175.00	\$ 175.00
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b>	John J. Brennan	MFG: Meyers/Presvac MODEL: 3250			\$395.00	\$ 395.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor		UNITS AVAIL:1  Pipe Cleaner: Min PSI: 2000 Tank Capacity: 2000  Catch Basin/Manhole: Rated Cap: 15 CY Pump Capabilities: 250				
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b> Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor	Reliable	MFG: Vactor MODEL: 2115 UNITS AVAIL:1  Pipe Cleaner: Min PSI: 2500 Tank Capacity: 1500  Catch Basin/Manhole: Rated Cap: 12 CY Pump Capabilities: 100			\$ 200.00	\$ 200.00
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b> Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum	Tri-State	MFG: Vactor MODEL: 2115 UNITS AVAIL:1  Pipe Cleaner: Min PSI: 2500	\$ 183.00	\$ 183.00	\$ 183.00	\$ 183.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor		Tank Capacity: 1500  Catch Basin/Manhole: Rated Cap: 12 CY Pump Capabilities: 100				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	Hamonasset	<b>5-10 C.Y. CAPACITY:</b> MFG: Vacall MODEL: RATED CAP: 5-10 CY	\$ 165.00	\$ 165.00	\$ 165.00	\$ 165.00
			<b>11-15 C.Y. CAPACITY</b> MFG: Vacall MODEL: RATED CAP: 11-15	\$ 170.00	\$ 170.00	\$ 170.00	\$ 170.00
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	J.V. III	<b>5-10 C.Y. CAPACITY:</b> MFG: Vac-con MODEL: 2100 RATED CAP: 5-10 CY	\$ 175.00	\$ 175.00	\$ 175.00	\$ 175.00
			<b>11-15 C.Y. CAPACITY</b> MFG: Vactor MODEL: 2100 RATED CAP: 10-15	\$ 175.00	\$ 175.00	\$ 175.00	\$ 175.00
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	John J. Brennan	<b>5-10 C.Y. CAPACITY:</b> MFG: MODEL: RATED CAP:				
			<b>11-15 C.Y. CAPACITY</b> MFG: Pressvac MODEL: 3215 RATED CAP: 15 cyd			\$ 235.00	\$ 235.00
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	Reliable	<b>5-10 C.Y. CAPACITY:</b> MFG: Vactor MODEL: 850 RATED CAP: 10 CY			\$ 170.00	\$ 170.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			<b>11-15 C.Y. CAPACITY</b> MFG: Vactor MODEL: 2100 RATED CAP: 12-14 CY			\$ 190.00	\$ 190.00
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	Tri-State	<b>5-10 C.Y. CAPACITY:</b> MFG: MODEL: RATED CAP:  <b>11-15 C.Y. CAPACITY</b> MFG: Vac-All MODEL: E-16 RATED CAP: 16 yd	\$ 167.00	\$ 167.00	\$ 167.00	\$ 167.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	BCI, INC.	MFG: Athey MODEL: 3WP HOPPER CAP: 4.5 cu yd.  Unloading: Hi Dump Front: YES Side: NO  Gutter Brooms: Right: YES Left: YES	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	BCI, INC.	MFG: Mobil MODEL: M9 HOPPER CAP: 4.5 cu yd.  Unloading: Hi Dump Front: NO Side: YES  Gutter Brooms: Right: YES Left: YES	<u>\$ 165.00</u>	<u>\$ 165.00</u>	<u>\$ 165.00</u>	<u>\$ 165.00</u>
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping</i>	BCI, INC.	MFG: Athey MODEL: Mobil 3WS HOPPER CAP: 4.5 cu yd.  Unloading: Hi Dump Front: YES Side: NO	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<i>alone is not subject to prevailing wage.</i>		Gutter Brooms: Right: YES Left: YES				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	BCI, INC.	MFG: Elgin MODEL: Pelican Hyd. HOPPER CAP: 4.5 cu yd.  Unloading: YES Front: YES Side: NO  Gutter Brooms: Right: YES Left: YES	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Guerra	MFG: Athey MODEL: M-9D HOPPER CAP: 2-3 Cu Yd  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x			\$220.00	
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction</i>	Hammonasset Construction LLC	MFG: Athey MODEL: M9 HOPPER CAP: 4-5 Cu Yd  Unloading: Front: Side:x	\$115.00	\$ 115.00	\$ 115.00	\$ 115.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<i>with a construction project. Sweeping alone is not subject to prevailing wage.</i>		Gutter Brooms: Right: x Left: x				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	J.V. III	MFG: Freightliner MODEL: Broombear HOPPER CAP5 Cu Yd  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x	\$189.00	\$ 189.00	\$ 199.00	\$ 199.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	J.V. III	MFG: Elgin MODEL: Mobil Top Gun HOPPER CAP: 5 Cu Yd  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x	\$164.00	\$164.00	\$ 184.00	\$ 184.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction</i>	John J. Brennan	MFG: Mobile MODEL: Mobil Top Gun HOPPER CAP: 5 Cu Yd  Unloading: Front: X Side:			\$150.00	\$150.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<i>with a construction project. Sweeping alone is not subject to prevailing wage.</i>		Gutter Brooms: Right: Left: x				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	John J. Brennan	MFG: Mobile MODEL: Mobil Top Gun HOPPER CAP: 5 Cu Yd  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x			\$150.00	\$150.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Rafferty	MFG: Athey MODEL: M9D HOPPER CAP: 4.3CY  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x	138.00	\$158.00	\$158.00	\$138.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction</i>	Rafferty	MFG: Athey MODEL: M9B HOPPER CAP4.3 CY  Unloading: Front: Side:x	138.00	\$158.00	\$158.00	\$138.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<i>with a construction project. Sweeping alone is not subject to prevailing wage.</i>		Gutter Brooms: Right: x Left: x				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Reliable	MFG: Athey MODEL: M9 HOPPER CAP 5 CY  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x			\$125.00	\$125.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Tilcon	MFG: Elgin MODEL: Eagle HOPPER CAP: 3 CY  Unload:  Front: Side: X  Gutter Brooms: Right: X Left: X	\$ <u>245.00</u>	\$ <u>245.00</u>	\$ <u>245.00</u>	\$ <u>245.00</u>
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor	Tri-State	MFG: Athey/Mobil MODEL: M9 Topgun HOPPER CAP: 4.3 CY  Unload:	\$ 139.00	\$ 174.45	\$ 139.00	\$ 139.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>		Front: Side: X  Gutter Brooms: Right: X Left: X				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Tri-State	MFG: Athey/Mobil MODEL: M9 Topgun HOPPER CAP: 4.3 CY  Unload:  Front: Side: X  Gutter Brooms: Right: X Left: X	\$ 139.00	\$ 174.45	\$ 139.00	\$ 139.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Tri-State	MFG: Athey/Mobil MODEL: M9 Topgun HOPPER CAP: 4.3 CY  Unload:  Front: Side: X  Gutter Brooms: Right: X Left: X	\$ 139.00	\$ 174.45	\$ 139.00	\$ 139.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.  <b>MULTIPLE UNITS AVAILABLE</b>	MFG: John Deere MODEL: 650H SERIES: LT NET ENGINE: 90 BLADE DIMENENSIONS: 8'9"	<u>\$ 188.00</u>	<u>\$ 188.00</u>	<u>\$ 188.00</u>	<u>\$ 188.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: John Deere MODEL: 650H SERIES: LGP NET ENGINE: 90 BLADE DIMENENSIONS: 10'1"	<u>\$ 188.00</u>	<u>\$ 188.00</u>	<u>\$ 188.00</u>	<u>\$ 188.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.  <b>MULTIPLE UNITS AVAILABLE</b>	MFG: John Deere MODEL: 650J SERIES: XLT NET ENGINE: 90 BLADE DIMENENSIONS: 8'9"	<u>\$ 188.00</u>	<u>\$ 188.00</u>	<u>\$ 188.00</u>	<u>\$ 188.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: John Deere MODEL: 700H SERIES: LGP NET ENGINE: 123 BLADE DIMENENSIONS: 11'	<u>\$ 198.00</u>	<u>\$ 198.00</u>	<u>\$ 198.00</u>	<u>\$ 198.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: CAT MODEL: D6H SERIES: LGP NET ENGINE: 140 BLADE DIMENENSIONS: 10'5"	<u>\$ 218.00</u>	<u>\$ 218.00</u>	<u>\$ 218.00</u>	<u>\$ 218.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: CAT MODEL: D7H SERIES: LGP NET ENGINE: 230 BLADE DIMENENSIONS: 12'10"	<u>\$ 208.00</u>	<u>\$ 208.00</u>	<u>\$ 208.00</u>	<u>\$ 208.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.  <b>TWO UNITS AVAILABLE</b>	MFG: CAT MODEL: D8 SERIES: L NET ENGINE: 335 BLADE DIMENENSIONS: 13'8"	\$ 285.00	\$ 285.00	\$ 285.00	\$ 285.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: John Deere MODEL: 850J SERIES: LGP NET ENGINE: 205 BLADE DIMENENSIONS: 12'8"	\$ 269.00	\$ 269.00	\$ 269.00	\$ 269.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Berlin Ind.	MFG: John Deere MODEL: 450 SERIES: A NET ENGINE: 70 BLADE DIMENENSIONS: 8'5"	\$ 200.00	\$ 200.00	\$ 200.00	\$ 220.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Canton Village Construction Company, Inc.	MFG: CAT MODEL: SERIES: D8L NET ENGINE: 335 BLADE DIMENENSIONS: 13'8"	\$ 279.50			\$ 279.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Canton Village Construction Company, Inc.	MFG: CAT MODEL: SERIES: D6M LGP NET ENGINE: 153 BLADE DIMENENSIONS: 13'5"	\$ 219.50			\$ 219.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Canton Village Construction Company, Inc.	MFG: CAT MODEL: SERIES: D5N NET ENGINE: 115 BLADE DIMENENSIONS: 10'2"	\$ 164.50			\$ 164.50
8	<b>BULLDOZER:</b>	Canton Village Construction	MFG: CAT	\$ 159.50			\$ 159.50



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Company, Inc.	MODEL: SERIES: D4H NET ENGINE: 94 BLADE DIMENENSIONS: 8'6"				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Canton Village Construction Company, Inc.	MFG: John Deere MODEL: SERIES: 450H NET ENGINE: 73 BLADE DIMENENSIONS: 8'6"	<u>\$ 149.50</u>			<u>\$ 149.50</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Donahue General Contractors, Inc.	MFG: John Deere MODEL: 450 SERIES: J NET ENGINE: 80hp BLADE DIMENENSIONS: 8'5"		\$ 145.00		
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Donahue General Contractors, Inc.	MFG: DRESSER MODEL: TD15 SERIES: E NET ENGINE: 165hp BLADE DIMENENSIONS: 11'		\$ 170.00		
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	F.S.M. SERVICES, INC.	MFG: New Holland MODEL: DC 75 LT SERIES: DC NET ENGINE: 85 LP BLADE DIMENENSIONS: 86'	<u>\$ 145.00</u>	<u>\$ 145.00</u>	<u>\$ 135.00</u>	<u>\$ 135.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Galasso	MFG: Caterpillar MODEL: d-5 SERIES: NET ENGINE: 105 BLADE DIMENENSIONS: 9'5"	<u>\$ 180.00</u>			<u>\$ 180.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Genovesi Construction LLC	MFG: CAT D3 MODEL: XL SERIES:	<u>\$ 200.00</u>	<u>\$ 200.00</u>		

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			NET ENGINE: 80 HP BLADE DIMENENSIONS: 104.2				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Guerra	MFG: Komatsu MODEL: D51PX SERIES: NET ENGINE: 140HP BLADE DIMENENSIONS: 11'			\$ 300.00	
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: John Deere MODEL: 550 SERIES: A NET ENGINE: 80 BLADE DIMENENSIONS: 8'	\$149.50	\$149.50	\$149.50	\$149.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: John Deere MODEL: 750 SERIES: NET ENGINE: 120 BLADE DIMENENSIONS: 10'	\$ 199.50	\$ 199.50	\$ 199.50	\$ 199.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: CAT MODEL: D4 SERIES: H NET ENGINE: 125HP BLADE DIMENENSIONS: 9'	\$ 199.50	\$ 199.50	\$ 199.50	\$ 199.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: CAT MODEL: D8 SERIES: NET ENGINE: 200 BLADE DIMENENSIONS: 10'	\$249.50	\$249.50	\$249.50	\$249.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: John Deere MODEL: 755 SERIES: NET ENGINE: 120 BLADE DIMENENSIONS: 3 CY	\$199.50	\$199.50	\$199.50	\$199.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: CAT MODEL: D6 SERIES: NET ENGINE: 200 BLADE DIMENENSIONS: 10'	\$249.50	\$249.50	\$249.50	\$249.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: Bobcat MODEL: T190 SERIES: NET ENGINE: 80 BLADE DIMENENSIONS: 7'	\$149.50	\$149.50	\$149.50	\$149.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: Bobcat MODEL: T300 SERIES: NET ENGINE: 100 BLADE DIMENENSIONS: 8'	\$169.50	\$169.50	\$169.50	\$169.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III	MFG: Polaris MODEL: PC30 SERIES: NET ENGINE: 50 BLADE DIMENENSIONS: 4'	\$ 149.50	\$ 149.50	\$ 149.50	\$ 149.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	John J Brennan.	MFG: CAT MODEL: D5 SERIES: MXL NET ENGINE: 121 BLADE DIMENENSIONS: 8			\$ 190.00	\$ 190.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	John J Brennan.	MFG: Komatsu MODEL: D85 SERIES: C NET ENGINE: 200 BLADE DIMENENSIONS: 9'			\$225.00	\$225.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	John J Brennan.	MFG: CAT MODEL: D6			\$ 200.00	\$ 200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: NET ENGINE: 50 BLADE DIMENENSIONS: 4'				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	John J Brennan.	MFG: CAT MODEL: D3 SERIES: KXL NET ENGINE: 50 BLADE DIMENENSIONS: 4			\$ 150.00	\$ 150.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Machnik Bros	MFG: CAT MODEL: D7 SERIES: G NET ENGINE: 300 HP BLADE DIMENENSIONS: 12 FT	\$ 190.00	\$ 190.00	\$ 190.00	\$ 190.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Machnik Bros	MFG: John Deere MODEL: 450 SERIES: G NET ENGINE: 70 BLADE DIMENENSIONS: 8FT	\$ 140.00	\$ 140.00	\$ 140.00	\$ 140.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Machnik Bros	MFG: John Deere MODEL: 350 SERIES: NET ENGINE: 50 BLADE DIMENENSIONS: 6 ft	\$135.00	\$135.00	\$135.00	\$135.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Murphy	MFG: Euclid MODEL: 82 SERIES: NET ENGINE: 300 BLADE DIMENENSIONS: 12 ft	\$195.00	\$195.00	\$195.00	\$195.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Rafferty	MFG: John Deere MODEL: 550 SERIES: C NET ENGINE: 70	\$179.00	219.00	\$219.00	\$179.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			BLADE DIMENENSIONS: 7 ft				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Rafferty	MFG: John Deere MODEL: 650 SERIES: C NET ENGINE: 70HP BLADE DIMENENSIONS: 7 ft	\$189.00	\$229.00	\$229.00	\$189.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Reliable	MFG: CAT MODEL: D3 SERIES: C NET ENGINE: 80HP BLADE DIMENENSIONS: 8 ft			\$120.00	\$120.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Reliable	MFG: CAT MODEL: D4 SERIES: C NET ENGINE: 110HP BLADE DIMENENSIONS: 9 ft			\$125.00	\$125.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Reliable	MFG: CAT MODEL: D6 SERIES: D NET ENGINE: 150HP BLADE DIMENENSIONS: 10 ft			\$150.00	\$150.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Reliable	MFG: CAT MODEL: D8 SERIES: K NET ENGINE: 250HP BLADE DIMENENSIONS: 13'6"			\$240.00	\$240.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Resource	MFG: MODEL: SERIES: NET ENGINE: BLADE DIMENENSIONS:	\$150.00	\$150.00	\$150.00	\$150.00
8	<b>BULLDOZER:</b>	Stone	MFG: CAT	\$150.00		\$150.00	\$140.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP		MODEL: D-5 SERIES: NET ENGINE:135 BLADE DIMENENSIONS:8'-6"				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Stone	MFG: JD MODEL: 650 SERIES: NET ENGINE: 125 BLADE DIMENENSIONS: 9'	\$170.00		\$170.00	\$165.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Stone	MFG: CAT MODEL: D-8 SERIES: R NET ENGINE: 200 BLADE DIMENENSIONS: 13'-5"	\$265.00		\$265.00	\$240.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Stone	MFG: CAT MODEL: D-8 SERIES: R NET ENGINE: 200 BLADE DIMENENSIONS: 13'-5"	\$240.00		\$240.00	\$240.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Stone	MFG: CAT MODEL: D-4 SERIES: G NET ENGINE: 125 BLADE DIMENENSIONS: 8'	\$140.00		\$140.00	\$125.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Tilcon	MFG: John Deere MODEL: 650 SERIES: J XLT NET ENGINE: 70 HP BLADE DIMENENSIONS: 8'	\$ 180.00	\$ 180.00	\$ 180.00	\$ 180.00
9	<b>CRANE: TRACK/CRAWLER MOUNTED OR PNEUMATIC TIRED:</b>	Machnik Bros	MFG: Link Belt MODEL: HC 108 B	\$260.00	\$260.00	\$260.00	\$260.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Telescoping or Non-Telescoping Boom 30'-100 ft; Operated by Contractor; Track Mounted Unit must be brought to work site on flatbed trailer		BOOM TYPE: lattice BOOM LENGTH: 110ft LIFT CAPACITY/FCSA CLASS: TRACKED:4-5 TIERED :X				
9-A	UNIT WITH ATTACHMENT: 3/8 C.Y. CLAMSHELL			\$60.00	\$60.00	\$60.00	\$60.00
9-B	UNIT WITH ATTACHMENT: 1/2 C.Y. CLAMSHELL			\$60.00	\$60.00	\$60.00	\$60.00
9-C	UNIT WITH ATTACHMENT: 3/4 C.Y. CLAMSHELL			\$60.00	\$60.00	\$60.00	\$60.00
9-D	UNIT WITH ATTACHMENT: BALL			\$60.00	\$60.00	\$60.00	\$60.00
9-E	UNIT WITH ATTACHMENT: DRAGLINE BUCKET (PERFORATED)			\$ _____	\$ _____	\$ _____	\$ _____
9	CRANE: TRACK/CRAWLER MOUNTED OR PNEUMATIC TIRED: Telescoping or Non-Telescoping Boom 30'-100 ft; Operated by Contractor; Track Mounted Unit must be brought to work site on flatbed trailer	Reliable	MFG: P H MODEL: 650 BOOM TYPE: lattice BOOM LENGTH: 100ft LIFT CAPACITY/FCSA CLASS: TRACKED:45 TIERED :X		\$	\$500.00	\$500.00
9-A	UNIT WITH ATTACHMENT: 3/8 C.Y. CLAMSHELL	Reliable				\$25.00	\$25.00
9-B	UNIT WITH ATTACHMENT: 1/2 C.Y. CLAMSHELL					\$25.00	\$25.00
9-C	UNIT WITH ATTACHMENT: 3/4 C.Y. CLAMSHELL					\$25.00	\$25.00
9-D	UNIT WITH ATTACHMENT: BALL					\$25.00	\$25.00
9-E	UNIT WITH ATTACHMENT: DRAGLINE BUCKET (PERFORATED)					\$75.00	\$75.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Komatsu MODEL: 380 SERIES: L  Loader: Rated Capacity C.Y.: 4  Bucket: Side Dump Width: 9'6"	<u>\$ 194.00</u>	<u>\$ 194.00</u>	<u>\$ 194.00</u>	<u>\$ 194.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Volvo MODEL: L120 SERIES:  Loader: Rated Capacity C.Y.: 4.0  Bucket: Side Dump Width: 9'4"	<u>\$ 189.00</u>	<u>\$ 189.00</u>	<u>\$ 189.00</u>	<u>\$ 189.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Volvo MODEL: L70 SERIES: C  Loader: Rated Capacity C.Y.: 3.0  Bucket: Side Dump Width: 8'6"	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Komatsu MODEL: 320 SERIES: 3MC	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 3  Bucket: Side Dump Width: 9'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 544 SERIES: H/J  Loader: Rated Capacity C.Y.: 3.0-3.5  Bucket: Side Dump Width: 8'4"	<u>\$ 179.00</u>	<u>\$ 179.00</u>	<u>\$ 179.00</u>	<u>\$ 179.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 744 SERIES: H/E  Loader: Rated Capacity C.Y.: 5.5  Bucket: Side Dump Width: 10'	<u>\$ 209.00</u>	<u>\$ 209.00</u>	<u>\$ 209.00</u>	<u>\$ 209.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 624 SERIES: J/H  Loader: Rated Capacity C.Y.: 3.5  Bucket: Width: 8'5"	<u>\$ 189.00</u>	<u>\$ 189.00</u>	<u>\$ 189.00</u>	<u>\$ 189.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 644 SERIES: J/H  Loader: Rated Capacity C.Y.: 4  Bucket: Width: 9'4"	<u>\$ 194.00</u>	<u>\$ 194.00</u>	<u>\$ 194.00</u>	<u>\$ 194.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Komatsu MODEL: 450 SERIES: 2  Loader: Rated Capacity C.Y.: 6.0  Bucket: Width: 10'5"	<u>\$ 219.00</u>	<u>\$ 219.00</u>	<u>\$ 219.00</u>	<u>\$ 219.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Samsung MODEL: 180 SERIES: SL  Loader: Rated Capacity C.Y.: 4  Bucket: Width: 9'5"	<u>\$ 199.00</u>	<u>\$ 199.00</u>	<u>\$ 199.00</u>	<u>\$ 199.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: T-110 SERIES: Track  Loader: Rated Capacity C.Y.: 0.33/5	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 50"/60"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: T-250 SERIES: Track  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-72"	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: T-300 SERIES: Track  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-84"	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: S-185 SERIES:  Loader: Rated Capacity C.Y.: 0.5  Bucket: Width: 60-84"	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by		MFG: Bobcat	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MODEL: S-250 SERIES: Skid  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-84"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: S-300 SERIES: Skid  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-84"	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: S-650 SERIES: Skid  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-72"	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>	<u>\$ 148.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 844K SERIES:  Loader: Rated Capacity C.Y.: 6.3-8.1	<u>\$ 265.00</u>	<u>\$ 265.00</u>	<u>\$ 265.00</u>	<u>\$ 265.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 11'4"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 844J SERIES:  Loader: Rated Capacity C.Y.: 6.0-7.75  Bucket: Width: 11'4"	<u>\$ 265.00</u>	<u>\$ 265.00</u>	<u>\$ 265.00</u>	<u>\$ 265.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: TL65 SERIES: CWL 4  Loader: Rated Capacity C.Y.: 1.3  Bucket: Width: 5'6"	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: CAT MODEL: 966 SERIES: H  Loader: Rated Capacity C.Y.: 5.5  Bucket: Width: 10'6"	<u>\$ 265.00</u>	<u>\$ 265.00</u>	<u>\$ 265.00</u>	<u>\$ 265.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: TL80 SERIES: CWL 4	<u>\$ 164.00</u>	<u>\$ 164.00</u>	<u>\$ 164.00</u>	<u>\$ 164.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 1.05-1.57  Bucket: Width: 6'1"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: TL100 SERIES: CWL 4  Loader: Rated Capacity C.Y.: 1.05-1.57  Bucket: Width: 6'5"	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: TL120 SERIES: CWL 4  Loader: Rated Capacity C.Y.: 1.37- 2.35  Bucket: Width: 6'11"	<u>\$ 174.00</u>	<u>\$ 174.00</u>	<u>\$ 174.00</u>	<u>\$ 174.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: RO70T SERIES: 4  Loader: Rated Capacity C.Y.: 0.5  Bucket: Width: 48"	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2012 MODEL: PT70 SERIES: Track Loader  Loader: Rated Capacity C.Y.: 1  Bucket: Width: 6'	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex MODEL: R190T SERIES: Track Loader  Loader: Rated Capacity C.Y.: 1  Bucket: Width: 6'	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex MODEL: PT75 SERIES: Track Loader  Loader: Rated Capacity C.Y.: 1.25  Bucket: 6' Width:	<u>\$ 164.00</u>	<u>\$ 164.00</u>	<u>\$ 164.00</u>	<u>\$ 164.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex MODEL: PT100 Forestry SERIES: Track Forestry Loader  Loader: Rated Capacity C.Y.: 1.5	<u>\$ 225.00</u>	<u>\$ 225.00</u>	<u>\$ 225.00</u>	<u>\$ 225.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 6'3"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: R260S SERIES: Skid Steer Loader  Loader: Rated Capacity C.Y.: 1.25  Bucket: Width: 6'	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: R185S SERIES: Skid Steer Loader  Loader: Rated Capacity C.Y.: 1  Bucket: Width: 6'	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Berlin Ind.	MFG: Cat MODEL: 938 SERIES: F  Loader: Rated Capacity C.Y.: 2-4  Bucket: Width: 8'6"	\$ 119.00	\$ 119.00	\$ 119.00	\$ 144.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Berlin Ind.	MFG: New Holland MODEL: LS 170	\$ 155.00	\$ 155.00	\$ 155.00	\$ 155.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES:  Loader: Rated Capacity C.Y.: 1 Cu yd  Bucket: Width: 74"-84"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village Construction Company, Inc.	MFG: CAT MODEL: SERIES: 966H  Loader: Rated Capacity C.Y.: 6  Bucket: Width: 10'	<u>\$ 265.00</u>	\$	\$	<u>\$ 265.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village Construction Company, Inc.	MFG: CAT MODEL: SERIES: 980H  Loader: Rated Capacity C.Y.: 7.5  Bucket: Width: 11"-6"	<u>\$ 299.00</u>	\$	\$	<u>\$ 299.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village Construction Company, Inc.	MFG: CAT MODEL: SERIES: 950F  Loader: Rated Capacity C.Y.: 4 Side Dump  Bucket:	<u>\$ 245.00</u>	\$	\$	<u>\$ 245.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village Construction Company, Inc.	Width: 9"-6" MFG: CAT MODEL: SERIES: 936  Loader: Rated Capacity C.Y.: 3.5 Side Dump  Bucket: Width: 9'	\$ 225.00	\$	\$	\$ 225.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village Construction Company, Inc.	MFG: CAT MODEL: SERIES: 299D XHP  Loader: Rated Capacity C.Y.: 5-1  Bucket: Width: 78"	\$ 149.50	\$	\$	\$ 149.50
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Donahue General Contractors, Inc.	MFG: DRESSER MODEL: 540 SERIES: I  Loader: Rated Capacity C.Y.: 4  Bucket: Width: 10.5'	\$	\$ 170.00	\$	\$
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Donahue General Contractors, Inc.	MFG: Kubota MODEL: SLV90 SERIES: I	\$	\$ 145.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 1  Bucket: Width: 80"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M. SERVICES, INC.	MFG: Kumatsu MODEL: WA 150-5 SERIES:  Loader: Rated Capacity C.Y.: 2  Bucket: Width: 8'6"	<u>\$ 185.00</u>	<u>\$ 185.00</u>	<u>\$ 175.00</u>	<u>\$ 175.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M. SERVICES, INC.	MFG: Case MODEL: 621 OXT SERIES: 0  Loader: Rated Capacity C.Y.: 2 1/2  Bucket: Width: 8'6"	<u>\$ 185.00</u>	<u>\$ 185.00</u>	<u>\$ 175.00</u>	<u>\$ 175.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M. SERVICES, INC.	MFG: New Holland MODEL: LB 75 B SERIES: B  Loader: Rated Capacity C.Y.: 1 1/2  Bucket: Width: 8'	<u>\$ 135.00</u>	<u>\$ 135.00</u>	<u>\$ 120.00</u>	<u>\$ 120.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M. SERVICES, INC.	MFG: volvo MODEL: BL 70 SERIES: Bo  Loader: Rated Capacity C.Y.: 2  Bucket: Width: 8'	<u>\$ 140.00</u>	<u>\$ 140.00</u>	<u>\$ 125.00</u>	<u>\$ 125.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M. SERVICES, INC.	MFG: New Holand MODEL: LS 170 SERIES:  Loader: Rated Capacity C.Y.: ½ cy  Bucket: Width: 6'	<u>\$ 120.00</u>	<u>\$ 120.00</u>	<u>\$ 110.00</u>	<u>\$ 110.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M. SERVICES, INC.	MFG: Asu MODEL: RC 60 SERIES: RC  Loader: Rated Capacity C.Y.: ½  Bucket: Width: 6'	<u>\$ 125.00</u>	<u>\$ 120.00</u>	<u>\$ 115.00</u>	<u>\$ 115.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Galasso	MFG: Bobcat MODEL: t-650 SERIES: Track  Loader: Rated Capacity C.Y.: 1cy	<u>\$ 135.00</u>			<u>\$ 135.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: GP Width: 80"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Genovesi Construction LLC	MFG: CAT 910 MODEL: SERIES:  Loader: Rated Capacity C.Y.: 3 CY  Bucket: Width: 6 wide	\$ 190.00	\$ 190.00		
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Guerra	MFG: Komatsu MODEL: WA380 SERIES:  Loader: Rated Capacity C.Y.: 4 CY  Bucket: Width:			\$ 305.00	
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: JCB MODEL: 215 SERIES:3  Loader: Rated Capacity C.Y.: 1.25  Bucket: Width: 7',5"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less		MFG: JCB MODEL: 212S	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
		J.V. III	SERIES:3  Loader: Rated Capacity C.Y.: 1  Bucket: Width: 7',5"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: JD MODEL: 410 SERIES:G  Loader: Rated Capacity C.Y.: 1.3  Bucket: Width: 7',5"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: JD MODEL: 510 SERIES: D  Loader: Rated Capacity C.Y.: 1.5  Bucket: Width: 7',5"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: JD MODEL: 624 SERIES:H  Loader: Rated Capacity C.Y.: 2  Bucket:	\$ 199.00	\$ 199.00	\$ 199.00	\$ 199.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Width: 4 in 1				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: JD MODEL: 444 SERIES:H  Loader: Rated Capacity C.Y.: 2  Bucket:4 in 1 Width:	\$ 189.00	\$189.00	\$189.00	\$189.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: JD MODEL: 544 SERIES: G  Loader: Rated Capacity C.Y.: 3  Bucket: 4IN1 Width: 8'6"	\$ 189.00	\$ 189.00	\$ 189.00	\$ 189.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: JD MODEL: 644 SERIES: G  Loader: Rated Capacity C.Y.: 4  Bucket: COMBO Width: 9'6"	\$ 269.00	\$ 269.00	\$ 269.00	\$ 269.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: MICHIGAN MODEL: 125 SERIES: B	\$ 199.00	\$ 199.00	\$ 199.00	\$ 199.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 4  Bucket: GP Width: 10'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: MICHIGAN MODEL: L190 SERIES:  Loader: Rated Capacity C.Y.: 7  Bucket: GP Width: 10'6"	\$ 289.00	\$ 289.00	\$ 289.00	\$ 289.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: MICHIGAN MODEL: 175 SERIES: C  Loader: Rated Capacity C.Y.: 5  Bucket: GP Width: 10'	\$ 239.00	\$ 239.00	\$ 239.00	\$ 239.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: VOLVO MODEL: L70 SERIES: D  Loader: Rated Capacity C.Y.: 3	\$ 189.00	\$ 189.00	\$ 189.00	\$ 189.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: 4 IN 1 Width: 8'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: CAT MODEL: 920 SERIES:  Loader: Rated Capacity C.Y.: 2  Bucket: GP Width: 7.5'	\$ 189.00	\$ 189.00	V	\$ 189.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: CAT MODEL: 930 SERIES:  Loader: Rated Capacity C.Y.: 3  Bucket: GP Width: 7.5'	\$ 189.00	\$ 189.00	\$ 189.00	\$ 189.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: CAT MODEL: 980 SERIES:  Loader: Rated Capacity C.Y.: 6  Bucket: GP Width: 10'	\$ 289.00	\$ 289.00	\$ 289.00	\$ 289.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: CAT MODEL: 936 SERIES:  Loader: Rated Capacity C.Y.: 3 Bucket: GP Width: 8.5'	\$ 189.00	\$ 189.00	\$ 189.00	\$ 189.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: CAT MODEL: 966 SERIES:  Loader: Rated Capacity C.Y.: 5  Bucket: GP Width: 9'6"	\$ 239.00	\$ 239.00	\$ 239.00	\$ 239.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: BOBCAT MODEL: 453 SERIES:  Loader: Rated Capacity C.Y.: .25  Bucket: GP Width: 3'	\$ 139.00	\$ 139.00	\$ 139.00	\$ 139.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: BOBCAT MODEL: S300 SERIES:  Loader:	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Capacity C.Y.: 1 Bucket: 4 IN 1 Width: 84"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: BOBCAT MODEL: S250 SERIES:  Loader: Rated Capacity C.Y.: .75  Bucket: 4 IN 1 Width: 74"	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: BOBCAT MODEL: S175 SERIES:  Loader: Rated Capacity C.Y.: .50  Bucket: 4 IN 1 Width: 60"	\$ 139.00	\$ 139.00	\$ 139.00	\$ 139.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III	MFG: DRESSER MODEL: 550 SERIES:  Loader: Rated Capacity C.Y.: .7  Bucket: GP Width: 10'6"	\$ 289.00	\$ 289.00	\$ 289.00	\$ 289.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by		MFG: John Deere	\$ _____	\$ _____	\$ 175.00	\$ 175.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MODEL: 544 SERIESJ:  Loader: Rated Capacity C.Y.: 4 CY  Bucket: Width: 6 side dump				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: John Deere MODEL: 624 SERIES: H  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 9'	\$ _____	\$ _____	\$ 185.00	\$185.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: John Deere MODEL: 524 SERIES: K  Loader: Rated Capacity C.Y.: 2.5  Bucket: Width: 8'	\$ _____	\$ _____	\$ 170.00	\$170.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: Komatsu MODEL: WA200 SERIES: G  Loader: Rated Capacity C.Y.: 2.5 CY	\$ _____	\$ _____	\$ 170.00	\$ 170.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 8'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: CAT MODEL: 924 SERIES: K  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 9'	\$ _____	\$ _____	\$ 170.00	\$170.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: Bobcat MODEL: T250 SERIES:  Loader: Rated Capacity C.Y.: 1/3  Bucket: Width: 4'	\$ _____	\$ _____	\$ 140.00	\$ 140.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: Kubota MODEL: SVL90-2 SERIES:  Loader: Rated Capacity C.Y.: 1/3  Bucket: Width: 4'	\$ _____	\$ _____	\$ 145.00	\$145.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Machnick	MFG: CAT MODEL: 920 SERIES:	\$ 130.00	\$ 130.00	\$ 130.00	\$ 130.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 1 ½ CY  Bucket: Width: 8 FT				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Machnick	MFG: CAT MODEL: 930 SERIES:  Loader: Rated Capacity C.Y.: 2 1/4  Bucket: Width: 8 FT	\$ 135.00	\$ 135.00	\$ 135.00	\$135.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Machnick	MFG: CAT MODEL: 936 SERIES: D  Loader: Rated Capacity C.Y.: 3 cy  Bucket: Width: 8ft 6 inch.	\$ 140.00	\$ 140.00	\$ 140.00	\$140.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	McAllen Building	MFG: John Deere MODEL: 544 SERIES: H  Loader: Rated Capacity C.Y.: 3 cy  Bucket: Width: 9'	\$ 140.00	\$ 140.00	\$ 140.00	\$140.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Murphy Contractors LLC	MFG: CAT MODEL: IT 28 SERIES: B  Loader: Rated Capacity C.Y.: 2.5  Bucket: Width: 8'	\$ 167.00	\$ 167.00	\$ 167.00	\$167.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Rafferty	MFG: Volvo MODEL: 90 SERIES: L  Loader: Rated Capacity C.Y.: 4  Bucket: Width: 8'	\$ 170.00	\$ 190.00	\$ 190.00	\$170.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Raffery	MFG: Volvo MODEL: 70 SERIES: L  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 8'	\$ 150.00	\$ 175.00	\$ 175.00	\$150.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Reliable	MFG: Volvo MODEL: 70 SERIES: L  Loader: Rated Capacity C.Y.: 3			\$ 105.00	\$105.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 8'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Reliable	MFG: Volvo MODEL: 70 SERIES: L  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 8'			\$ 115.00	\$115.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Reliable	MFG: Volvo MODEL: 70 SERIES: L  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 8'			\$ 160.00	\$160.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Reliable	MFG: Volvo MODEL: 70 SERIES: L  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 8'			\$ 175.00	\$175.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 292	\$150.00		150.00	\$140.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: II  Loader: Rated Capacity C.Y.: 3/4  Bucket: Width: 7'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 420 SERIES: F  Loader: Rated Capacity C.Y.: 2  Bucket: Width: 8'	\$140.00		\$ 140.00	\$135.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 950 SERIES: D  Loader: Rated Capacity C.Y.: 4.5  Bucket: Width: 9'	\$165.00		\$165.00	\$165.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 966 SERIES: G  Loader: Rated Capacity C.Y.: 5  Bucket:	\$ 205.00		\$ 205.00	\$190.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Width: 10'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 426 SERIES: B  Loader: Rated Capacity C.Y.: 2  Bucket: Width: 8'	\$140.00		\$ 140.00	\$135.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 908 SERIES: III  Loader: Rated Capacity C.Y.: 1.8  Bucket: Width: 8'	\$ 160.00		\$ 160.00	\$140.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 242 SERIES: L  Loader: Rated Capacity C.Y.: 3/4  Bucket: Width: 7'	\$140.00		\$ 140.00	\$125.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Tilcon	MFG: John Deere MODEL: 644 SERIES: J	\$ <u>204.00</u>	\$ <u>210.00</u>	\$ <u>210.00</u>	\$ <u>210.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 4 CY  Bucket: Width: 8'				
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter	Appleblossom Construction LLC	Backhoe/Loader: MFG: John Deere MODEL: 310 4x4 SERIES: D  Backhoe: RATED CAP: ½ c.y. WIDTH: 24" MAX DIG DEPTH:14'  Loader: RATED CAP: 1.3 yd BUCKET WIDTH: 8'  Truck: MFG: Freightliner MODEL: MZ106 C.Y. CAP: 5 -8  Mixer: MFG: Roebuck MODEL: 73 C.Y. CAP: 5 c.f.	\$ 550.00	\$ 700.00	\$ 550.00	\$ 500.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>Air Compressor: MFG: Multiquip MODEL: MQ185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Appleblossom Construction LLC	<p>MFG: Freightliner MODEL: MZ106 C.Y.: 5-8 yd</p>	<u>\$ 125.00</u>	<u>\$ 145.00</u>	<u>\$ 125.00</u>	<u>\$ 125.00</u>
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air	BCI, INC.	<p>Backhoe/Loader: MFG: John Deere MODEL: 410 4x4 SERIES: G Extendahoe</p> <p>Backhoe: RATED CAP: 0.5 cu yd. WIDTH: 24" MAX DIG DEPTH:17'</p> <p>Loader: RATED CAP: 1cu yd. BUCKET WIDTH: 8'</p> <p>Truck: MFG: Ford MODEL: F-800</p>	<u>\$ 494.00</u>	<u>\$ 494.00</u>	<u>\$ 539.00</u>	<u>\$ 494.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>				
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver;</p>	BCI, INC.	<p>Backhoe/Loader: MFG: John Deere MODEL: 710 4x4 SERIES: G Extendahoe</p> <p>Backhoe: RATED CAP: 0.5 cu yd. WIDTH: 18"-36" MAX DIG DEPTH:18'</p> <p>Loader: RATED CAP: 1.5 cu yd. BUCKET WIDTH: 8'</p> <p>Truck: MFG: Ford</p>	<u>\$ 541.00</u>	<u>\$ 541.00</u>	<u>\$ 591.00</u>	<u>\$ 541.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	BCI, INC.	MFG: Mack MODEL: CH16 C.Y.: 8	<u>\$ 114.00</u>	<u>\$ 114.00</u>	<u>\$ 114.00</u>	<u>\$ 114.00</u>
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	BCI, INC.	MFG: Target MODEL: Portacut IV HP: 390cc BLADE DIA: 14"-18"	<u>\$ 135.00</u>	<u>\$ 135.00</u>	<u>\$ 135.00</u>	<u>\$ 135.00</u>
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated	Berlin Ind.	Backhoe/Loader: MFG: John Deere MODEL: 410 SERIES: K  Backhoe: RATED CAP: 0.5 cu yd.	<u>\$ 780.00</u>	<u>\$ 780.00</u>	<u>\$ 780.00</u>	<u>\$ 780.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>WIDTH: 24" MAX DIG DEPTH:17'</p> <p>Loader: RATED CAP: 2 cu yd. BUCKET WIDTH: 8'</p> <p>Truck: MFG: Ford MODEL: L8000 C.Y. CAP: 5-8 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: .25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Berlin Ind.	MFG: International MODEL: 4900 C.Y.:5- 8 cu yd	<u>\$ 170.00</u>	<u>\$ 170.00</u>	<u>\$ 170.00</u>	<u>\$ 200.00</u>
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION</b>	Canton Village Construction	Backhoe/Loader: MFG: John Deere	<u>\$ 544.50</u>	\$	\$	<u>\$ 544.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
11-A	<p><b>BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>	Company, Inc.	<p>MODEL: SERIES: 410J Ext a Hoe</p> <p>Backhoe: RATED CAP: .25-.5 CYD WIDTH: 12"-30" MAX DIG DEPTH:17'</p> <p>Loader: RATED CAP: 1.4 BUCKET WIDTH: 8'</p> <p>Truck: MFG: MACK MODEL: RD690P C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: C.Y. CAP: .25 CYD</p> <p>Air Compressor: MFG: Ingersol Rand MODEL: CFM: 185 CFM</p>	\$ 99.00	\$	\$	\$ 99.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>DUMP TRUCK WITH WORKING DRIVER</b>	Company, Inc.	MODEL: C.Y.:				
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes</p>	Donahue General Contractors, Inc.	<p>Backhoe/Loader: MFG: John Deere MODEL: 410 SERIES: G</p> <p>Backhoe: RATED CAP: ½ cy WIDTH: 30" MAX DIG DEPTH:11'</p> <p>Loader: RATED CAP: 1.75 cy BUCKET WIDTH: 7'</p> <p>Truck: MFG: Freightliner MODEL: FL70 C.Y. CAP: 6</p> <p>Mixer: MFG: Stone MODEL: 465 C.Y. CAP: 4CF</p> <p>Air Compressor: MFG: Ingersol Rand MODEL: 185 CFM: 185</p>	\$	\$ 525.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.						
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Donahue General Contractors, Inc.	MFG: MACK MODEL: RD600 C.Y.: 8	\$	\$ 110.00	\$	\$
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Donahue General Contractors, Inc.	MFG: Target MODEL: 2016 HP: 35 BLADE DIA: 18"	\$	\$ 115.00	\$	\$
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4)	F.S.M. SERVICES, INC.	Backhoe/Loader: MFG: New holland MODEL: LB75B SERIES: B  Backhoe: RATED CAP: 5 cy WIDTH: 12-36 MAX DIG DEPTH:14'  Loader: RATED CAP: 1.5 BUCKET WIDTH: 8'  Truck: MFG: peterbuilt MODEL: 330 C.Y. CAP: 8  Mixer: MFG: multi quip	\$ 445.00	\$ 445.00	\$ 435.00	\$ 435.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MODEL: mc94 C.Y. CAP: 9cf</p> <p>Air Compressor: MFG: IR MODEL: CFM:</p>				
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter,</p>	F.S.M. SERVICES, INC.	<p>Backhoe/Loader: MFG: volvo MODEL: b170 SERIES: B</p> <p>Backhoe: RATED CAP: .5 cy WIDTH: 12-36 MAX DIG DEPTH:18'</p> <p>Loader: RATED CAP: 1.5 BUCKET WIDTH: 8'</p> <p>Truck: MFG: peterbuilt MODEL: 330 C.Y. CAP: 8</p> <p>Mixer:</p>	<u>\$ 449.00</u>	<u>\$ 449.00</u>	<u>\$ 440.00</u>	<u>\$ 440.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MFG: multi quip MODEL: 330 C.Y. CAP: 8</p> <p>Air Compressor: MFG: IR MODEL: P185C CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	F.S.M	<p>MFG: peterbuilt MODEL: 330 C.Y.: 8</p>	<u>\$ 100.00</u>	<u>\$ 100.00</u>	<u>\$ 95.00</u>	<u>\$ 95.00</u>
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver;	Genovesi Construction LLC	<p>Backhoe/Loader: John Deere 310 E MFG: MODEL: SERIES:</p> <p>Backhoe: RATED CAP: ½ CY WIDTH: 30 MAX DIG DEPTH: 16 ft</p> <p>Loader: RATED CAP: 3 BUCKET WIDTH: 6</p> <p>Truck:</p>	<u>\$ 500.00</u>	<u>\$ 500.00</u>	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MFG: peterbuilt MODEL: 337 C.Y. CAP: 9 CY</p> <p>Mixer: MFG: Multiquip MODEL: MC94 PH8 C.Y. CAP: 1/3 CY</p> <p>Air Compressor: MFG: Ingersoll Rand MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Genovesi Construction LLC	MFG: peterbuilt 337 MODEL: 9 CY C.Y.:	<u>\$ 125.00</u>	<u>\$ 125.00</u>		
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Genovesi Construction LLC	MFG: Husquarna MODEL: HP: 36 Inch BLADE DIA: 18 inch	<u>\$ 140.00</u>	<u>\$ 140.00</u>		
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Genovesi Construction LLC	MFG: international MODEL: 4300 C.Y.: 6 CY	<u>\$ 100.00</u>	<u>\$ 100.00</u>		
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the		Backhoe/Loader: MFG: CAT MODEL: 430 SERIES:			\$ 750.00	

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>	Guerra	<p>Backhoe: RATED CAP: 6CF WIDTH: 24" MAX DIG DEPTH: 19'</p> <p>Loader: RATED CAP: 1.4 C.Y. BUCKET WIDTH: 8'</p> <p>Truck: MFG: MODEL: C.Y. CAP: 16 C.Y.</p> <p>Mixer: MFG: Multi Quip MODEL: MC5445H C.Y. CAP: 4C F</p> <p>Air Compressor: MFG: Ingersoll-Rand MODEL: IR375 CFM: 375</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Guerra	MFG: MODEL: C.Y.:			\$ 160.00	

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Guerra	MFG: MODEL: HP: BLADE DIA:			\$ 230.00	
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins  EXCAVATION BOXES: Contractor shall furnish and utilize trench,	J.V. III	Backhoe/Loader: MFG: JD MODEL: 410 SERIES: G  Backhoe: RATED CAP: 3/8 WIDTH: 2' MAX DIG DEPTH: 18'  Loader: RATED CAP: 1 1/4 BUCKET WIDTH: 92"  Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 6  Mixer: MFG: WHITMAN MODEL: CF9 C.Y. CAP: 1/3  Air Compressor: MFG: JOY MODEL: 185 CFM: 185	\$ 429.00	\$ 429.00	\$ 429.00	\$ 429.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.						
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R400 C.Y.: 8	\$ 85.00	\$ 85.00	\$ 85.00	\$ 85.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO35 HP: 35 BLADE DIA:	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4)	J.V.III	Backhoe/Loader: MFG: JD MODEL: 710 SERIES: D  Backhoe: RATED CAP: 3/8 WIDTH: 30" MAX DIG DEPTH: 20'  Loader: RATED CAP: 1.5 BUCKET WIDTH: 96"  Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 8  Mixer: MFG: WHITMAN	\$ 509.00	\$ 509.00	\$ 509.00	\$ 509.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.		MODEL: CF9 C.Y. CAP: 1/3  Air Compressor: MFG: JOY MODEL: 185 CFM: 185				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R400 C.Y.: 8	\$ 85.00	\$ 85.00	\$ 85.00	\$ 85.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO35 HP: 35 BLADE DIA:	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.	John J. Brennan	Backhoe/Loader: MFG: JD MODEL: 410 SERIES: D  Backhoe: RATED CAP: 3/8 WIDTH: 18'-24' MAX DIG DEPTH: 17'  Loader: RATED CAP: 1-1/4 BUCKET WIDTH: 8			\$ 620.00	\$ 620.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>Truck: MFG: Kenworth MODEL: 400 C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: 311 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: JOY MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	John J. Brennan	MFG: Kenworth MODEL: 400 C.Y.: 8			\$ 110.00	\$ 110.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	John J. Brennan	MFG: TARGET MODEL: PRO65-3 HP: 65 BLADE DIA: 24"-36"			\$ 175.00	\$ 175.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the	Machnick	Backhoe/Loader: MFG: JD MODEL: 410 SERIES: E	\$ 515.00	\$ 515.00	\$ 515.00	\$515.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>Backhoe: RATED CAP: 5/8 WIDTH: 24" MAX DIG DEPTH: 16'</p> <p>Loader: RATED CAP: 1-1/2 BUCKET WIDTH: 8</p> <p>Truck: MFG: International MODEL: 5600 C.Y. CAP: 8</p> <p>Mixer: MFG: Stowe MODEL: 65 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: Ingersoll-Rand MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	John J. Brennan	MFG: Kenworth MODEL: T300 C.Y.: 8	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
11-B	<b>CONCRETE SAW:</b>		MFG: TARGET	\$125.00	\$125.00	\$125.00	\$125.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	John J. Brennan	MODEL: PRO65 HP: 65 BLADE DIA: 24"				
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes</p>	McAllen	<p>Backhoe/Loader: MFG: MODEL: SERIES:</p> <p>Backhoe: RATED CAP: WIDTH: MAX DIG DEPTH:</p> <p>Loader: RATED CAP: BUCKET WIDTH:</p> <p>Truck: MFG: MODEL: C.Y. CAP:</p> <p>Mixer: MFG: MODEL: C.Y. CAP:</p> <p>Air Compressor: MFG: MODEL: CFM:</p>	\$ 425.00	\$ 425.00	\$ 425.00	\$ 425.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.						
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	McAllen	MFG: Kenworth MODEL: C.Y.: 8	\$ 105.00	\$ 105.00	\$ 105.00	\$ 105.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	McAllen	MFG: TARGET MODEL: HP: 30 BLADE DIA: 30"	\$95.00	\$95.00	\$95.00	\$95.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline	Rafferty	Backhoe/Loader: MFG: John Deere MODEL: 410 SERIES: G  Backhoe: RATED CAP:3/8 WIDTH: 24" MAX DIG DEPTH:11'  Loader: RATED CAP:1.75 BUCKET WIDTH: 7'  Truck: MFG: Ford MODEL: F650 C.Y. CAP: 1/3 CY  Mixer: MFG: Ford MODEL: F650	\$562.00	\$722.00	\$722.00	\$622.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.		C.Y. CAP: 6CY  Air Compressor: MFG: Doosan MODEL: 185 CFM: 185				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Mack MODEL: CL 700 <b>C.Y.: 20</b>	\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Rafferty	MFG: Husqvarna MODEL: H30 HP: 30 BLADE DIA: 14"	\$164.00	\$184.00	\$184.00	\$164.00
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Western Star MODEL: 4900 <b>C.Y.: 20</b>	\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Kenworth MODEL: T800 <b>C.Y.: 20</b>	\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Ford MODEL: F650 <b>C.Y.: 6</b>	\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Rafferty	MFG: Husqvarna MODEL: H30 HP: 30 BLADE DIA: 14"	\$164.00	\$184.00	\$184.00	\$164.00
11	<b>DRAINAGE INSTALLATION UNIT</b>		Backhoe/Loader:			\$350.00	\$350.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p><b>TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>	Reliable	<p>MFG: John Deere MODEL: 410 SERIES: D</p> <p>Backhoe: RATED CAP:1/2 CY WIDTH: 12"-24" MAX DIG DEPTH:18'</p> <p>Loader: RATED CAP:1.25 BUCKET WIDTH: 8'</p> <p>Truck: MFG: International MODEL: 4500 C.Y. CAP: 8 CY</p> <p>Mixer: MFG: Stow MODEL: CM C.Y. CAP: ½ CY</p> <p>Air Compressor: MFG: M/Q MODEL: 185 CFM: 185</p>				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the</p>	Reliable	<p>Backhoe/Loader: MFG: John Deere MODEL: 510 SERIES: D</p> <p>Backhoe: RATED CAP:1/2 CY WIDTH:12-24" MAX DIG DEPTH:18'</p> <p>Loader: RATED CAP:1.5 CY BUCKET WIDTH: 8'</p> <p>Truck: MFG: Mack MODEL: R600 C.Y. CAP: 8 CY</p> <p>Mixer: MFG: Ford MODEL: F650 C.Y. CAP: ½ CY</p> <p>Air Compressor: MFG: M/Q MODEL: 185 CFM: 185</p>			\$375.00	\$375.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	boxes as required.						
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Reliable	MFG: Mack MODEL: R600 C.Y.: 8			\$ 85.00	\$ 85.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Reliable	MFG: Target MODEL: Pro 65 HP: 65 BLADE DIA: 24"			\$70.00	\$70.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of	Resource	Backhoe/Loader: MFG: MODEL: SERIES:  Backhoe: RATED CAP: WIDTH: MAX DIG DEPTH:  Loader: RATED CAP:1 BUCKET WIDTH:  Truck: MFG: MODEL: C.Y. CAP:  Mixer: MFG: Ford MODEL: C.Y. CAP:  Air Compressor:	\$1500.00	\$1500.00	\$1500.00	\$1500.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		MFG: MODEL: 1 CFM: 185				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Resource	MFG: MODEL: C.Y.:	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Resource	MFG: MODEL: HP: BLADE DIA:	\$85.00	\$85.00	\$85.00	\$85.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity	Stone	<p>Backhoe/Loader: MFG: CAT MODEL: 420 SERIES: C</p> <p>Backhoe: RATED CAP: ½ WIDTH: 18"-24" MAX DIG DEPTH: 16'</p> <p>Loader: RATED CAP:2 BUCKET WIDTH: 8'</p> <p>Truck: MFG: Mack MODEL: R-600</p>	\$815.00		\$815.00	\$715.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>C.Y. CAP: 7</p> <p>Mixer: MFG: Stowe MODEL: 3" C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: IR MODEL: P-185 CFM: 170</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Stone	MFG: Mack MODEL: R-600 C.Y.: 7	\$ 130.00		\$ 130.00	\$ 120.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.	Tilcon	<p>Backhoe/Loader: MFG: John Deere MODEL: 710 SERIES: B</p> <p>Backhoe: RATED CAP: 7,000 LBS WIDTH: 24" MAX DIG DEPTH: 17' 10"</p> <p>Loader: RATED CAP: 6,900 LBS</p>	\$ <u>630.00</u>	\$ <u>660.00</u>	\$ <u>660.00</u>	\$ <u>660.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>BUCKET WIDTH: 92"</p> <p>Truck: MFG: Kenworth MODEL: 450 C.Y. CAP: 16 CY</p> <p>Mixer: MFG: Stone MODEL: Mortar C.Y. CAP: 0.3 CY</p> <p>Air Compressor: MFG: Ingersoll Rand MODEL: P185CWJD CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>		MFG: Mack MODEL: Dump C.Y.: 19 CY	\$ 165.00	\$ 165.00	\$ 165.00	\$ 165.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.		MFG: Target MODEL: Pro HP: 65 BLADE DIA: 24"	\$ 125.00	\$ 125.00	\$ 125.00	\$ 125.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48” RCP or 72” ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3” chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as</p>	Appleblossom Construction LLC	<p>Backhoe: MFG: CAT MODEL: E70B SERIES: RATED CAP: ½ cyd WIDTH: 12"-28" MAX DIG DEPTH: 14'</p> <p>Truck: MFG: Freightliner MODEL: MZ106 C.Y. CAP: 5-8 yd</p> <p>Mixer: MFG: Roebuck MODEL: 73 C.Y. CAP: 5 c.f.</p> <p>Air Compressor: MFG: Multiquip MODEL: MQ185 CFM: 185</p>	\$565.00	\$850.00	\$565.00	\$565.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Appleblossom Construction LLC	MFG: Freightliner MODEL: MZ106 C.Y. CAP: 5-8 yd	\$125.00	\$145.00	\$125.00	\$125.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes	BCI, INC.	Backhoe: MFG: CAT MODEL: 321 SERIES: RATED CAP: 0.75 cu yd. WIDTH: 22"-40" MAX DIG DEPTH: 25'  Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.  Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.  Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185	\$598.00	\$598.00	\$598.00	\$598.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds.</p>	BCI, INC.	<p>Backhoe: MFG: John Deere MODEL: 200 SERIES: RATED CAP: 0.75 cu yd. WIDTH: 22"-40" MAX DIG DEPTH: 26'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	\$598.00	\$598.00	\$598.00	\$598.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to</p>	BCI, INC.	<p>Backhoe: MFG: CAT MODEL: 320 SERIES: RATED CAP: 0.75 cu yd. WIDTH: 22"-40" MAX DIG DEPTH: 25'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	\$598.00	\$598.00	\$598.00	\$598.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	safely lift, lower or relocate the boxes as required.						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as</p>	BCI, INC.	<p>Backhoe: MFG: CAT MODEL: 330 SERIES: RATED CAP: 1 cu yd. WIDTH: 18"-40" MAX DIG DEPTH: 27'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	\$724.00	\$724.00	\$724.00	\$724.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12	<p>required.</p> <p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>	BCI, INC.	<p>Backhoe: MFG: CAT MODEL: 336E SERIES: L RATED CAP: 1 cu yd. WIDTH: 14"-48" MAX DIG DEPTH: 27'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	\$749.00	\$749.00	\$749.00	\$749.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	BCI, INC.	MFG: Freightliner MODEL: MZ106 C.Y. CAP: 5-8 yd	<u>\$ 114.00</u>	<u>\$ 114.00</u>	<u>\$ 114.00</u>	<u>\$ 114.00</u>
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	BCI, INC.	MFG: Target MODEL: ProGS HP: 65 BLADE DIA: 18"	<u>\$ 135.00</u>	<u>\$ 135.00</u>	<u>\$ 135.00</u>	<u>\$ 135.00</u>
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand	Berlin Ind.	Backhoe: MFG: John Deere MODEL: 220 SERIES: DW RATED CAP: 7,000 lbs WIDTH: 24" MAX DIG DEPTH: 17' 10"  Truck: MFG: Ford MODEL: L8000 C.Y. CAP: 5-8 cu yd.  Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.  Air Compressor: MFG: Sullivan MODEL: 185	<u>\$1,180.00</u>	<u>\$1,180.00</u>	<u>\$1,180.00</u>	<u>\$1,180.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		CFM: 185				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Berlin Ind.	MFG: International MODEL: 4900 C.Y. CAP: 5-8 cu yd	<u>\$ 200.00</u>	<u>\$ 200.00</u>	<u>\$ 200.00</u>	<u>\$ 250.00</u>
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with</p>	Canton Village Construction Company, Inc.	<p>Backhoe: MFG: CAT MODEL: SERIES: 315D L w/Hyd. Thumb RATED CAP: 1.25 CYD WIDTH: 24"-42" MAX DIG DEPTH: 20"</p> <p>Truck: MFG: MACK MODEL: RD690P C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: .25 CYD C.Y. CAP:</p> <p>Air Compressor:</p>	<u>\$629.50</u>			<u>\$629.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MFG: Ingersol Rand MODEL: CFM: 185 CFM</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3"</p>	Canton Village Construction Company, Inc.	<p>Backhoe: MFG: CAT MODEL: SERIES: 321D L w/Hyd. Thumb RATED CAP: 1.75 CYD WIDTH: 24"-48" MAX DIG DEPTH: 23"</p> <p>Truck: MFG: MACK MODEL: RD690P C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: .25 CYD C.Y. CAP:</p> <p>Air Compressor: MFG: Ingersol Rand</p>	<u>\$639.50</u>	\$	\$	<u>\$639.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.		MODEL: CFM: 185 CFM				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Canton Village Construction Company, Inc.		<u>\$ 99.00</u>			<u>\$ 99.00</u>
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-	Donahue General Contractors, Inc.	Backhoe: MFG: Hitachi MODEL: SERIES: 2x200 RATED CAP: 1.5 cy WIDTH: 42" MAX DIG DEPTH: 22'  Truck: MFG: Frieghtliner MODEL: FL70 C.Y. CAP: 6  Mixer: MFG: Stone MODEL: 465 C.Y. CAP: 4 CF		<u>\$ 650.00</u>		

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.		Air Compressor: MFG: Ingersol Rand MODEL: 185 CFM: 185				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Donahue General Contractors, Inc.			\$ 110.00		
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Donahue General Contractors, Inc.	MFG: Target MODEL: 2016 HP: 35 BLADE DIA: 18"		\$ 110.00		
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not	F.S.M	Backhoe: MFG: New Holland MODEL: ec70 SERIES: RATED CAP: .05 cy WIDTH: 24-26 MAX DIG DEPTH: 12'  Truck:	<u>\$ 550.00</u>	<u>\$ 550.00</u>	<u>\$ 505.00</u>	<u>\$ 440.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MFG: peterbuilt MODEL: 330 C.Y. CAP: 8</p> <p>Mixer: MFG: multi quiip MODEL: mc 94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: Cp185 CFM: 185</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe.</p>	F.S.M	<p>Backhoe: MFG: kobelco MODEL: 115 dzsr SERIES: RATED CAP: .05 cy WIDTH: 18-48" MAX DIG DEPTH: 18"</p> <p>Truck: MFG: peterbuilt</p>	<u>\$ 595.00</u>	<u>\$ 595.00</u>	<u>\$ 550.00</u>	<u>\$ 440.00</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MODEL: 330 C.Y. CAP: 8</p> <p>Mixer: MFG: multi quiip MODEL: mc 94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: Cp185 CFM: 185</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p>	F.S.M	<p>Backhoe: MFG: kobelco MODEL: 115 dzsr SERIES: RATED CAP: .05 cy WIDTH: 19=48 MAX DIG DEPTH: 18'</p> <p>Truck: MFG: peterbuilt MODEL: 330</p>	\$ 595.00	\$ 595.00	\$ 555.00	\$ 449.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>C.Y. CAP: 8</p> <p>Mixer: MFG: multi quiip MODEL: mc 94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: Cp185 CFM: 185</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p>	F.S.M	<p>Backhoe: MFG: kobelco MODEL: sk160 SERIES: sk RATED CAP: .05 cy WIDTH: 36" MAX DIG DEPTH: 21' 6"</p> <p>Truck: MFG: peterbuilt MODEL: 330 C.Y. CAP: 8</p>	<u>\$ 599.00</u>	<u>\$ 599.00</u>	<u>\$ 560.00</u>	<u>\$ 450.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>Mixer: MFG: multi quiip MODEL: mc 94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: Cp185 CFM: 185</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y.</p>	F.S.M	<p>Backhoe: MFG: case MODEL: seX 330 SERIES: eX RATED CAP: WIDTH: 42" MAX DIG DEPTH: 23' 6"</p> <p>Truck: MFG: peterbuilt MODEL: 330 C.Y. CAP: 8</p>	<u>\$ 775.00</u>	<u>\$ 775.00</u>	<u>\$ 595.00</u>	<u>\$ 675.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>Mixer: MFG: multi quiip MODEL: mc 94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: Cp185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	F.S.M		<u>\$ 100.00</u>	<u>\$ 100.00</u>	<u>\$ 95.00</u>	<u>\$ 95.00</u>
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe.</p>	Genovesi Construction LLC	<p>Backhoe: John Deere 310E MFG: MODEL: SERIES: RATED CAP: ½ CY WIDTH: 30 MAX DIG DEPTH: 16 ft</p> <p>Truck: MFG: peterbuilt</p>	<u>\$ 700.00</u>	<u>\$ 700.00</u>	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MODEL: 337 C.Y. CAP: 9 CY</p> <p>Mixer: MFG: multiquip MODEL: MC94 PH8 C.Y. CAP: 1/3 CY</p> <p>Air Compressor: MFG: Ingersoll Rand MODEL: 185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Genovesi Construction LLC	MFG: Peterbilt 337 MODEL: 9 CY C.Y.CAP:	\$ 125.00	\$ 125.00	\$	\$
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Genovesi Construction LLC	MFG: Husquarna MODEL: HP: 36 inch BLADE DIA: 18 inch	\$ 140.00	\$ 140.00	\$	\$
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Genovesi Construction LLC	MFG: International MODEL: 4300 C.Y.CAP: 6CY	\$ 100.00	\$ 100.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>	Guerra	<p>Backhoe: MFG: Komatsu MODEL: PC400 SERIES: RATED CAP: 2.5 CY WIDTH: 48" MAX DIG DEPTH: 25'</p> <p>Truck: MFG: MODEL: C.Y. CAP:</p> <p>Mixer: MFG: multi quiip MODEL: mc445SH C.Y. CAP: 4CF</p> <p>Air Compressor: MFG: IR MODEL: IR375 CFM: 375</p>			\$ 910.00	
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY</b>			\$ _____	\$ _____	\$ 160.00	\$ _____

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>DUMP TRUCK WITH WORKING DRIVER</b>	Guerra	MFG: Mack MODEL: 1998 RD688 C.Y. CAP: 16 CY				
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Guerra	MFG: Core Cut MODEL: CC 7272 HP: BLADE DIA: 36"	\$ _____	\$ _____	\$ 230.00	\$ _____
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.	J.V.III	Backhoe: MFG: JD MODEL: 80 SERIES: RATED CAP: 3/4 WIDTH: 12"-48" MAX DIG DEPTH: 12'  Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 8  Mixer: MFG: WHITMAN MODEL: CF9 C.Y. CAP: 1/3  Air Compressor: MFG: JOY MODEL: 185 CFM: 185	\$ 509.00	\$ 509.00	\$ 509.00	\$ 509.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R400 C.Y. CAP: 10	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO HP: 65 BLADE DIA: 24"	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement	J.V.III	Backhoe: MFG: JD MODEL: 490 SERIES: E RATED CAP: 3/4 WIDTH: 12"-48" MAX DIG DEPTH: 18'  Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 8  Mixer: MFG: WHITMAN MODEL: CF9	\$ 529.00	\$ 529.00	\$ 529.00	\$ 529.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: JOY MODEL: 185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R400 C.Y. CAP: 10	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO HP: 65 BLADE DIA: 24"	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.	J.V.III	Backhoe: MFG: AKERMAN MODEL: 14BLC SERIES: RATED CAP: 1.25 WIDTH: 24"-72" MAX DIG DEPTH: 22'	\$ 609.00	\$ 609.00	\$ 609.00	\$ 609.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 8</p> <p>Mixer: MFG: WHITMAN MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: JOY MODEL: 185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R600 C.Y. CAP: 18	\$ 159.50	\$ 159.50	\$ 159.50	\$ 159.50
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO HP: 65 BLADE DIA: 24"	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>	John J. Brennan	<p>Backhoe: MFG: Komatsu MODEL: PC78 SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:</p> <p>Truck: MFG: Kenworth MODEL: 400 C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: 311 C.Y. CAP: 1/2</p> <p>Air Compressor: MFG: Ingersoll-Rand MODEL: P185c CFM: 175</p>			\$ 670.00	\$670.00
12	<b>DRAINAGE INSTALLATION UNIT –</b>	John J. Brennan	Backhoe:			\$ 900.00	\$900.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p><b>TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MFG: Volvo MODEL: 210 SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:</p> <p>Truck: MFG: Kenworth MODEL: 400 C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: 311 C.Y. CAP: 1/2</p> <p>Air Compressor: MFG: Ingersoll-Rand MODEL: P185c CFM: 175</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING</b>	John J Brennan	MFG: Kenworth			\$ 110.00	\$ 110.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>DRIVER</b>		MODEL: 400 C.Y. CAP: 1				
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	John J Brennan	MFG: TARGET MODEL: 630 HP: 65 BLADE DIA: 18"			\$ 175.00	\$ 175.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.	Machnick	Backhoe: MFG: CAT MODEL: 225 SERIES: RATED CAP: WIDTH: 36 inch. MAX DIG DEPTH: 22 FT  Truck: MFG: International MODEL: 8000 C.Y. CAP: 8  Mixer: MFG: Stowe MODEL: 65 C.Y. CAP: 1/4  Air Compressor: MFG: Ingersoll-Rand MODEL: P185c CFM: 175	\$ 750.00	\$ 750.00	\$ 750.00	\$ 750.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Machnick	MFG: International MODEL: 8000 C.Y. CAP: 8 cy	\$ 90.00	\$ 90.00	\$ 90.00	\$ 90.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Machnick	MFG: TARGET MODEL: Pro 65 HP: 65 BLADE DIA: 24"	\$ 75.00	\$ 75.00	\$ 75.00	\$ 75.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-	McAllen	Backhoe: MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:  Truck: MFG: MODEL: C.Y. CAP:  Mixer: MFG: MODEL: C.Y. CAP: 1/4	\$ 475.00	\$ 475.00	\$ 475.00	\$ 475.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>Air Compressor: MFG: Ingersoll-Rand MODEL: P185c CFM: 175</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	McAllen	<p>MFG: International MODEL: 8000 C.Y. CAP: 8 cy</p>	\$ 105.00	\$ 105.00	\$ 105.00	\$ 105.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	McAllen	<p>MFG: TARGET MODEL: 30 HP: 30 BLADE DIA: 30"</p>	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not	Rafferty	<p>Backhoe: MFG: Volvo MODEL: 168 SERIES: C RATED CAP:1 CY WIDTH: 36" MAX DIG DEPTH:21'</p> <p>Truck: Ford</p>	\$ 960.00	\$ 1090.00	\$ 1190.00	\$ 960.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MFG: F650 MODEL: F650 C.Y. CAP: 6</p> <p>Mixer: MFG: Whiteman MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: Doosan MODEL: 185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Western Star MODEL: 4900 C.Y. CAP: 20	\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Rafferty	MFG: Husqvarna MODEL: H30 HP: 30 BLADE DIA: 14"	\$ 164.00	\$ 184.00	\$ 184.00	\$ 164.00
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY</b>			\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Ford MODEL: F650 C.Y. CAP: 6				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Kenworth MODEL:T800 C.Y. CAP: 20	\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Kenworth MODEL:T800 C.Y. CAP: 20	\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand</p>	Reliable	<p>Backhoe: MFG: Kobelco MODEL: 300LC SERIES: 6 RATED CAP:2.25 CY WIDTH:48" MAX DIG DEPTH:26'</p> <p>Truck: MFG: Mack MODEL: R600 C.Y. CAP: 8</p> <p>Mixer: MFG: Stow MODEL: CM C.Y. CAP: 1/2</p> <p>Air Compressor: MFG: M/Q MODEL: 185 CFM: 185</p>			\$ 375.00	\$ 375.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one</p>	Reliable	<p>Backhoe: MFG: Komatsu MODEL: 300LC SERIES: 6 RATED CAP:2.25 CY WIDTH:.48" MAX DIG DEPTH:26'</p> <p>Truck: MFG: F650 MODEL: F650 C.Y. CAP: 6</p> <p>Mixer: MFG: Whiteman MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: Doosan MODEL: 185 CFM: 185</p>			\$ 410.00	\$ 410.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Reliable	MFG: Mack MODEL: R600 C.Y. CAP: 8			\$ 84.00	\$ 84.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Reliable	MFG: Target MODEL: Pro 65 HP: 65 BLADE DIA: 24"			\$ 70.00	\$ 70.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck	Resource	Backhoe: MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:  Truck: MFG: MODEL: C.Y. CAP:  Mixer: MFG: Whiteman	\$ 1,600	\$ 1,600	\$ 1,600	\$ 1,600

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: Doosan MODEL: 185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Resource	MFG: MODEL: C.Y. CAP:	\$95.00	\$95.00	\$95.00	\$95.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Resource	MFG: MODEL: HP: BLADE DIA:	\$ 85.00	\$ 85.00	\$ 85.00	\$ 85.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated	Stone	Backhoe:CAT MFG: 225 MODEL: D SERIES: RATED CAP:1.5" WIDTH: .24"-42" MAX DIG DEPTH: 26'	\$ 790.00		\$ 790.00	\$ 660.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>Truck: MFG: Kenworth MODEL: T-800 C.Y. CAP: 12</p> <p>Mixer: MFG: Stowe MODEL: CM20 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: IR MODEL: 185 CFM: 170</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Stone	MFG: Mack MODEL: R600 C.Y. CAP: 7	\$130.00		\$130.00	\$120.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and		Backhoe: John Deere MFG: 220 MODEL: 220	\$ <u>945.00</u>	\$ <u>945.00</u>	\$ <u>945.00</u>	\$ <u>945.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>SERIES: DW RATED CAP:7,000 WIDTH:.24" MAX DIG DEPTH: 17'10"</p> <p>Truck: MFG: Kenworth MODEL: T-450 C.Y. CAP: 16 CY</p> <p>Mixer: MFG: Stone MODEL: Mortar C.Y. CAP: 0.3 CY</p> <p>Air Compressor: MFG: IR MODEL: 185 CWJD CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>		MFG: Mack MODEL: Dump	\$ <u>150.00</u>	\$ <u>150.00</u>	\$ <u>150.00</u>	\$ <u>150.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.		C.Y. CAP: 19 cy MFG: Target MODEL: Pro HP: 65 BLADE DIA:24"	\$ <u>125.00</u>	\$ <u>125.00</u>	\$ <u>125.00</u>	\$ <u>125.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Galasso	MFG: Caterpillar MODEL: 120 SERIES: G NET WEIGHT: 23,840 BLADE DIMEN: 13'	\$ 200.00			\$ 200.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Garrity Asphalt Reclaiming Inc.	MFG: JD MODEL: 570 SERIES: A NET WEIGHT: 22,000 lbs BLADE DIMEN: 12'	\$ 250.00	\$ 250.00	\$ 250.00	\$ 250.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	J.V.III	MFG: JD MODEL: 570 SERIES: B NET WEIGHT: 22,000 BLADE DIMEN: 12'	\$205.00	\$205.00	\$205.00	\$205.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	J.V.III	MFG: LEYBOY MODEL: 685 SERIES: NET WEIGHT: 16,000 BLADE DIMEN: 12'	\$190.00	\$190.00	\$190.00	\$190.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	John J. Brennan	MFG: Blascrete MODEL: 688 SERIES:D NET WEIGHT: 12,000 BLADE DIMEN: 9			\$175.00	\$175.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Rafferty	MFG: Leeboy MODEL: 685 SERIES:A NET WEIGHT: 16,000 BLADE DIMEN:10'	\$164.00	\$204.00	\$204.00	\$184.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Reliable	MFG: John Deere MODEL: 570 SERIES:A NET WEIGHT: 24,000 BLADE DIMEN:12'			\$170.00	\$170.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Stone	MFG: John Deere MODEL: 570 SERIES:IT NET WEIGHT: BLADE DIMEN:10'				\$250.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Galasso	MFG: Caterpillar MODEL: 135 SERIES: H NET WEIGHT: 28,750 BLADE DIMEN: 13'	\$ 225.00			\$ 225.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Garrity Asphalt Reclaiming Inc.	MFG: Caterpillar MODEL: 12 SERIES: G NET WEIGHT: 32,000 BLADE DIMEN: 12'	\$ 250.00	\$ 250.00	\$ 250.00	\$ 250.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Guerra	MFG: John Deere MODEL: 772B SERIES: NET WEIGHT: 29,680 BLADE DIMEN: 12'			\$ 340.00	
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	J.V. III	MFG: JD MODEL: 672 SERIES:A NET WEIGHT: 30,000 BLADE DIMEN: 13'	\$215.00	\$215.00	\$215.00	\$215.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	J.V. III	MFG: JD MODEL: 772 SERIES:B NET WEIGHT: 36,000 BLADE DIMEN: 14'	\$225.00	\$225.00	\$225.00	\$225.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	John J. Brennan	MFG: JD MODEL: 672A SERIES:11 NET WEIGHT: 29,000 BLADE DIMEN: 13'			\$240.00	\$240.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Machnick	MFG: Huber MODEL: M600 SERIES: NET WEIGHT: 8000 BLADE DIMEN: 8'	\$145.00	\$145.00	\$145.00	\$145.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Rafferty	MFG: Mitsubishi MODEL: MG-400 SERIES:A NET WEIGHT: 36,000lbs BLADE DIMEN: 13'	\$204.00	\$228.00	\$238.00	\$204.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Rafferty	MFG: Volvo MODEL: 720 SERIES:B NET WEIGHT: 34,000lbs BLADE DIMEN: 12'	\$204.00	\$228.00	\$238.00	\$204.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Rafferty	MFG: Volvo MODEL: 946 SERIES:G NET WEIGHT: 37,000lbs BLADE DIMEN: 14'	\$204.00	\$228.00	\$238.00	\$204.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Reliable	MFG: CAT MODEL: 12 SERIES:G NET WEIGHT: 30,000lbs BLADE DIMEN: 12'			\$185.00	\$185.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Tilcon	MFG: John Deere MODEL: 772 SERIES:B NET WEIGHT: 13,000lbs BLADE DIMEN: 13'	\$195.00	\$195.00	\$195.00	\$195.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	BCI, INC.	Hammer: MFG: TRAMAC MODEL: MD SERIES: 875  Backhoe: MFG: John Deere MODEL: 710 SERIES: D RATED CAP: 0.5 cu yd. WIDTH: 18"-36" MAX DIG DEPTH: 18'  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: Hydraulic	<u>\$ 249.00</u>	<u>\$ 249.00</u>	<u>\$ 249.00</u>	<u>\$ 249.00</u>
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	BCI, INC.	Hammer: MFG: NPK MODEL: 12x/220 SERIES: Hydraulic  Backhoe: MFG: CAT MODEL: M322C SERIES:	<u>\$ 274.00</u>	<u>\$ 274.00</u>	<u>\$ 274.00</u>	<u>\$ 274.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			RATED CAP: 1-2 cu yd. WIDTH: 18"72" MAX DIG DEPTH: 25'  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: Hydraulic				
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	F.S.M. SERVICES, INC.	Hammer: MFG: atlas cop co MODEL: SERIES: 750  Backhoe: takeuchi MFG: MODEL: tb 145 SERIES: RATED CAP: 1/2 WIDTH: 12-36 MAX DIG DEPTH: 12'6"  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: point	<u>\$ 215.00</u>	<u>\$ 215.00</u>	<u>\$ 195.00</u>	<u>\$ 195.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
15.	<p><b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.</p>	F.S.M. SERVICES, INC.	<p>Hammer: MFG: atlas cop co MODEL: SERIES: 1250</p> <p>Backhoe: volvo MFG: MODEL: tb bl 70 SERIES: bl RATED CAP: 1/2 WIDTH: 12-36 MAX DIG DEPTH: 17"</p> <p>Air Compressor: MFG: MODEL: CFM:</p> <p>Type of Tool Furnished: point</p>	<u>\$ 230.00</u>	<u>\$ 230.00</u>	<u>\$ 220.00</u>	<u>\$ 220.00</u>
15.	<p><b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.</p>	F.S.M. SERVICES, INC.	<p>Hammer: MFG: gorilla MODEL: 6B SERIES: 120</p> <p>Backhoe: kobelco MFG: MODEL: tb 115 d25sr SERIES: sr RATED CAP: 1/2 WIDTH: 18'-44" MAX DIG DEPTH: 18"</p>	<u>\$ 235.00</u>	<u>\$ 235.00</u>	<u>\$ 225.00</u>	<u>\$ 225.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: point				
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	F.S.M. SERVICES, INC.	Hammer: MFG: gorilla MODEL: 6B SERIES: 120  Backhoe: MFG: kobelco MODEL: sk 160 SERIES: tb sk RATED CAP: .75 WIDTH: 36 MAX DIG DEPTH: 12'6"  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: point	<u>\$ 325.00</u>	<u>\$ 325.00</u>	<u>\$ 225.00</u>	<u>\$ 225.00</u>
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber	Genovesi Construction LLC	Hammer: MFG: Chicago MODEL: RX6	<u>\$ 250.00</u>	<u>\$ 250.00</u>	<u>\$</u>	<u>\$</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.		<p>SERIES: BES 047536</p> <p>Backhoe: MFG: John Deere 310E MODEL: 5/8 CY SERIES: RATED CAP: 3ft. WIDTH: 16 ft MAX DIG DEPTH:</p> <p>Air Compressor: MFG: Ingersoll Rand MODEL: 185 CFM: 185</p> <p>Type of Tool Furnished:</p>				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	J.V. III	<p>Hammer: MFG: STANLEY MODEL: 550 SERIES: 11</p> <p>Backhoe: MFG: JCB MODEL: 215 SERIES: 3 RATED CAP: WIDTH: 7'5" MAX DIG DEPTH: 18'</p> <p>Air Compressor: MFG: HYD MODEL:</p>	\$ 150.00	\$ 150.00	\$ 150.00	\$ 150.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			CFM: Type of Tool Furnished: POINT				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	J.V. III	Hammer: MFG: RAMMER MODEL: 5000 SERIES: E50  Backhoe: MFG: JD MODEL: 595 SERIES: D RATED CAP: 1 WIDTH: 8' MAX DIG DEPTH: 22'  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished:	\$ 175.00	\$ 175.00	\$ 175.00	\$ 175.00
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	J.V. III	Hammer: MFG: RAMMER MODEL: 7500 SERIES:  Backhoe: MFG: AKERMAN MODEL: H14 SERIES: BLC	\$ 200.00	\$ 200.00	\$ 200.00	\$ 200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			RATED CAP: 1.5 WIDTH: 10'6" MAX DIG DEPTH: 28'  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished:				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	J.V. III	Hammer: MFG: RAMMER MODEL: 3500 SERIES:  Backhoe: MFG: JD MODEL: 595 SERIES: E RATED CAP: 3/4 WIDTH: 8'6" MAX DIG DEPTH: 22'  Air Compressor: MFG: HYD	\$ 275.00	\$ 275.00	\$ 275.00	\$ 275.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MODEL: CFM:  Type of Tool Furnished:				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	John J. Brennan	Hammer: MFG: NPK MODEL: 950 SERIES: GH4  Backhoe: MFG: Komatsu MODEL: PC 78 SERIES: C RATED CAP: 1/2 WIDTH: 8'6" MAX DIG DEPTH: 12'  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished: Point			\$ 188.00	\$ 188.00
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt	John J. Brennan	Hammer: MFG: Tramac MODEL: 140 SERIES: 1100lbs  Backhoe: MFG: John Deere MODEL: 410			\$ 240.00	\$ 240.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	cutter, or straight moil tool. Operated by Contractor.		SERIES: J RATED CAP: 5/8 WIDTH: MAX DIG DEPTH:  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished: Point				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	John J. Brennan	Hammer: MFG: Rammer MODEL: E-68 SERIES: 3500lbs  Backhoe: MFG: Volvo MODEL: 210 SERIES: C RATED CAP: 1-1/4 WIDTH: 42" MAX DIG DEPTH: 22'  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished: Point			\$ 280.00	\$ 280.00
15.	<b>HAMMER:</b>	John J. Brennan	Hammer:			\$ 310.00	\$ 310.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.		MFG: CAT MODEL: H120CS SERIES: 3000 lbs  Backhoe: MFG: CAT MODEL: 322 SERIES: D RATED CAP: 1-1/4 WIDTH: 366" MAX DIG DEPTH: 22'  Air Compressor: MFG: HYD MODEL:hyd CFM:  Type of Tool Furnished: Point				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	John J. Brennan	Hammer: MFG: Rammer MODEL: 690 SERIES: 7500 lbs  Backhoe: MFG: Volvo MODEL: 330 SERIES: BL6 RATED CAP: 2.5 WIDTH: 30" MAX DIG DEPTH: 24'  Air Compressor:			\$ 320.00	\$ 320.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MFG: HYD MODEL: CFM:  Type of Tool Furnished: Point				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	Reliable	Hammer: MFG: Indeco MODEL: M SERIES: 2500 lbs  Backhoe: MFG: John Deere MODEL: PC78 SERIES: D RATED CAP: 1 ½ CY WIDTH: 16" MAX DIG DEPTH: 18'  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished:			\$ 175.00	\$ 175.00
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv.	Reliable	Hammer: MFG:NPK MODEL: EX SERIES: 5000 lbs  Backhoe: MFG: Komatsu			\$ 200.00	\$ 200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.		MODEL: 300 SERIES: 6 RATED CAP: 2.25 WIDTH: 50" MAX DIG DEPTH: 24'  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished:				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	Stone	Hammer: CAT MFG: MODEL: SERIES: 3000 lbs  Backhoe: MFG: Volvo MODEL: 330 SERIES: III RATED CAP: 3 CY WIDTH: MAX DIG DEPTH: 30'  Air Compressor: MFG: MODEL: HYD CFM:  Type of Tool Furnished: POINT	\$390.00		\$390.00	\$ 325.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
16	<b>SAWS – EARTH/ROCK</b> Ditch Witch R-65 with Earth saw model ES24 and backhoe model 140 or Vermeer M465A with rock cutter and backhoe model EH800 or tracked mounted diesel powered Vermeer T-6001 type or equivalent as determined by the Client Agency. Saw to cut minimum depth of 24” and minimum width 4”. Backhoe bucket to be 12” wide. Replacement teeth to be included in price. Operated by Contractor	BCI, INC.	Earth Saw: MFG: Vermeer / Bradco MODEL: T600 SERIES: Wheel / Wheel BLADE DIAM: 8’ / 5’ BLADE WIDTH: 4” / 4”	Earthsaw <u>\$ 349.00</u>	Earthsaw <u>\$ 349.00</u>	Earthsaw <u>\$ 349.00</u>	Earthsaw <u>\$ 349.00</u>
			Backhoe: BOBCAT MFG: MODEL: T-300 SERIES: RATED CAP: WIDTH: 72” MAX DIG DEPTH: 30”	BOBCAT <u>\$ 249.00</u>	BOBCAT <u>\$ 249.00</u>	BOBCAT <u>\$ 249.00</u>	BOBCAT <u>\$ 249.00</u>
16	<b>SAWS – EARTH/ROCK</b> Ditch Witch R-65 with Earth saw model ES24 and backhoe model 140 or Vermeer M465A with rock cutter and backhoe model EH800 or tracked mounted diesel powered Vermeer T-6001 type or equiv. Saw to cut minimum depth of 24” and Minimum width 4”. Backhoe bucket to be 12” wide. Replacement teeth to be included in price. Operated by Contractor	J.V. III	Earth Saw: MFG: MODEL: SERIES: BLADE DIAM: BLADE WIDTH:	\$339.00	\$339.00	\$339.00	\$339.00
			Backhoe: MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:				
16	<b>SAWS – EARTH/ROCK</b> Ditch Witch R-65 with Earth saw model ES24 and backhoe model 140 or Vermeer M465A with rock cutter and backhoe model EH800	Reliable	Earth Saw: MFG:Vermeer MODEL:T600			\$290.00	\$290.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	or tracked mounted diesel powered Vermeer T-6001 type or equiv. Saw to cut minimum depth of 24" and Minimum width 4". Backhoe bucket to be 12" wide. Replacement teeth to be included in price. Operated by Contractor		SERIES: BLADE DIAM:6' BLADE WIDTH:8"  Backhoe: MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Kees Track MODEL: Frontier PROD CAP: 300 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES: RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 348.00</u>	<u>\$ 348.00</u>	<u>\$ 398.00</u>	<u>\$ 348.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Thomas MODEL: Pro Tough 900 PROD CAP: 75-150 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES: RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 309.00</u>	<u>\$ 309.00</u>	<u>\$ 359.00</u>	<u>\$ 309.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Power Screen MODEL: Chieftan 1400 PROD CAP: 200 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES:	<u>\$ 348.00</u>	<u>\$ 348.00</u>	<u>\$ 398.00</u>	<u>\$ 348.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			RATED CAP: 3 BUCKET WIDTH: 8'				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: CEC MODEL: Road Runner PROD CAP: 250 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES: RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 348.00</u>	<u>\$ 348.00</u>	<u>\$ 398.00</u>	<u>\$ 348.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Power Screen MODEL: Warrior 1800 PROD CAP: 300 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES: RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 348.00</u>	<u>\$ 348.00</u>	<u>\$ 398.00</u>	<u>\$ 348.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Power Screen MODEL: Powergrid 800 PROD CAP: 300 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES:	<u>\$ 348.00</u>	<u>\$ 348.00</u>	<u>\$ 398.00</u>	<u>\$ 348.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			RATED CAP: 3 BUCKET WIDTH: 8'				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Power Screen MODEL: Titan 51G PROD CAP: 300 cu yd/hr  Loader: MFG: John Deere MODEL: 544 SERIES: RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 348.00</u>	<u>\$ 348.00</u>	<u>\$ 398.00</u>	<u>\$ 348.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Berlin Ind.	Screening Plant: MFG: Reed MODEL: R40 PROD CAP: 150 cy/hr  Loader: MFG: Cat MODEL: 938 SERIES: F RATED CAP: 2-4 BUCKET WIDTH: 8'-6"	\$ 900.00	\$ 900.00	\$ 900.00	\$ 900.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Canton Village Construction Company, Inc.	Screening Plant: MFG: Powerscreen MODEL: Power rack PROD CAP:  Loader: MFG: CAT MODEL:	<u>\$ 369.50</u>			<u>\$ 369.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: 950F RATED CAP: 4.0 BUCKET WIDTH: 9'				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Donahue General Contractors, Inc.	Screening Plant: MFG: Powerscreen MODEL: Mark II PROD CAP: 100cy/hr  Loader: MFG: Dresser MODEL: 540 SERIES: II RATED CAP: 4.25 BUCKET WIDTH: 10.5'		\$ 390.00		
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	F.S.M. SERVICES, INC.	Screening Plant: MFG: Reed MODEL: R40 PROD CAP: 150 cyd  Loader: MFG: case MODEL: 621 dxt SERIES: Id RATED CAP: 2 ½ BUCKET WIDTH: 8'6"	<u>\$ 375.00</u>	<u>\$ 375.00</u>	<u>\$ 350.00</u>	<u>\$ 350.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Guerra	Screening Plant: MFG: Warrior MODEL: 1800 PROD CAP: 200 CY  Loader: MFG: Komatsu MODEL: WA380			\$ 575.00	

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: RATED CAP: 4CY BUCKET WIDTH: 9.5'				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	J.V. III	Screening Plant: MFG: READ MODEL: RD90 PROD CAP: 200/HR  Loader: MFG: JD MODEL: 444 SERIES: H RATED CAP: 2 BUCKET WIDTH: 8'	\$ 640.00	\$ 640.00	\$ 640.00	\$ 640.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	John. J. Brennan	Screening Plant: MFG: Powerscreen MODEL: Phoenix1200 PROD CAP:  Loader: MFG: JD MODEL: 624/544 SERIES: B RATED CAP: 3 BUCKET WIDTH: 6'			\$ 375.00	\$ 375.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Machnick	Screening Plant: MFG: Reed MODEL: R40 PROD CAP: 150 cy  Loader: MFG: CAT MODEL: 936	\$ 250.00	\$ 250.00	\$ 250.00	\$ 250.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: D RATED CAP: 3 cy BUCKET WIDTH: 8'6"				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Reliable	Screening Plant: MFG: Norberg MODEL: RD90 PROD CAP: 150 per HR  Loader: MFG: John Deere MODEL: 544 SERIES: D RATED CAP: 3 cy BUCKET WIDTH: 8'6"			\$ 245.00	\$ 245.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Resource	Screening Plant: MFG: MODEL: PROD CAP:  Loader: MFG: MODEL: SERIES: RATED CAP: BUCKET WIDTH:	\$ 1300.00	\$ 1300.00	\$ 1300.00	\$ 1300.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Stone	Screening Plant: MFG: Reed MODEL: RD-90 PROD CAP: 150 CY-1 HOUR Loader: MFG: CAT MODEL: 950	\$340.00		\$340.00	\$240.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: D RATED CAP: 4 BUCKET WIDTH: 9'				
<b>18</b>	<b>TRACTOR WITH MOWER:</b> Minimum of 30 HP; equipped with flail type mower or minimum five feet sickle bar. Tractor to have live power take off. Operated by Contractor	BCI, INC.	MFG: John Deere MODEL: SERIES: MOWER TYPE: Woods DECK/BAR SIZE: 60-72"	\$ 210.00	\$ 210.00	\$ 210.00	\$ 210.00
<b>18</b>	<b>TRACTOR WITH MOWER:</b> Minimum of 30 HP; equipped with flail type mower or min five feet sickle bar. Tractor to live power take off. Operated by Contractor	J.V. III	MFG: JD MODEL: 520 SERIES: E MOWER TYPE: DECK DECK/BAR SIZE: 6'	\$ 225.00	\$ 185.00	\$ 185.00	\$ 185.00
<b>18</b>	<b>TRACTOR WITH MOWER:</b> Minimum of 30 HP; equipped with flail type mower or min five feet sickle bar. Tractor to live power take off. Operated by Contractor	Reliable	MFG: JD MODEL: 970 SERIES: 2 MOWER TYPE: DECK DECK/BAR SIZE: 6'			\$ 175.00	\$ 175.00
<b>18</b>	<b>TRACTOR WITH MOWER:</b> Minimum of 30 HP; equipped with flail type mower or min five feet sickle bar. Tractor to live power take off. Operated by Contractor	Resource	MFG: MODEL: SERIES: MOWER TYPE: DECK/BAR SIZE:	\$ 275.00	\$ 275.00	\$ 275.00	\$ 275.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
19	<b>TRACTOR WITH OVER THE FENCE MOWER:</b> Minimum 60 HP; equipped with minimum four feet flail type mower hydraulically powered with boom capable of cutting over barrier rail and wire rope fences. Operated by Contractor	BCI, INC..	MFG: Trackless MODEL: M5T SERIES: M5T MOWER TYPE: DECK/BAR SIZE: 36"	\$ 229.00	\$ 239.00	\$ 249.00	\$ 239.00
19	<b>TRACTOR WITH OVER THE FENCE MOWER:</b> Minimum 60 HP; equipped with minimum four feet flail type mower hydraulically powered with boom capable of cutting over barrier rail and wire rope fences. Operated by Contractor	J.V. III	MFG: JD MODEL: 6300 SERIES: III MOWER TYPE: OVER RAIL DECK/BAR SIZE: 6'	\$ 230.00	\$ 230.00	\$ 230.00	\$ 230.00
19	<b>TRACTOR WITH OVER THE FENCE MOWER:</b> Minimum 60 HP; equipped with minimum four feet flail type mower hydraulically powered with boom capable of cutting over barrier rail and wire rope fences. Operated by Contractor	Reliable	MFG: JD MODEL: 97 SERIES: 2 MOWER TYPE: Deck DECK/BAR SIZE: 6' Rotary			\$ 250.00	\$ 250.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and ground worker (laborer). Operated by Contractor	Costello Industries, Inc. Industries, Inc.	MFG: Wirtgen MODEL: 50 SERIES: W MILL WIDTH: 20 Inches MILL DEPTH: 0-6 Inches	\$ 350.00	\$ 350.00	\$ 380.00	\$ 350.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and ground worker (laborer). Operated by Contractor	Garrity Asphalt Reclaiming Inc.	MFG: Wirtgen MODEL: W SERIES: 50 MILL WIDTH: 20" MILL DEPTH: 6"	\$ 375.00	\$ 375.00	\$ 375.00	\$ 375.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and ground worker (laborer). Operated by Contractor	Garrity Asphalt Reclaiming Inc.	MFG: Wirtgen MODEL: W SERIES: 600 MILL WIDTH: 24" MILL DEPTH: 6"	\$ 425.00	\$ 425.00	\$ 425.00	\$ 425.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement	J.V. III	MFG: WIRTGEN MODEL: 350 SERIES:	\$ 230.00	\$ 230.00	\$ 230.00	\$ 230.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	J.V. III	MILL WIDTH: 14" MILL DEPTH: 6"				
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	J.V. III	MFG: WIRTGEN MODEL: 500 SERIES: MILL WIDTH: 20" MILL DEPTH: 6"	\$ 240.00	\$ 240.00	\$ 240.00	\$ 240.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	J.V. III	MFG: WIRTGEN MODEL: 50 SERIES: MILL WIDTH: 24" MILL DEPTH: 6"	\$ 250.00	\$ 250.00	\$ 250.00	\$ 250.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and	J.V. III	MFG: BOBCAT MODEL: 773 SERIES: MILL WIDTH: 18" MILL DEPTH: 6"	\$ 215.00	\$ 215.00	\$ 215.00	\$ 215.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor						
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	J.V. III	MFG: BOBCAT MODEL: S-250 SERIES: MILL WIDTH: 24" MILL DEPTH: 6"	\$ 225.00	\$ 225.00	\$ 225.00	\$ 225.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	John J Brennan.	MFG: BOBCAT MODEL: T250 SERIES:2 MILL WIDTH: 18 to 18 MILL DEPTH: 6"			\$ 260.00	\$ 260.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	Rafferty	MFG: Wirtgen MODEL: 50 SERIES:W MILL WIDTH: 20" MILL DEPTH: 6"	\$254.00	\$272.00	\$254.00	\$272.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt		MFG: Volvo MODEL: MW500 SERIES:	\$244.00	\$274.00	\$274.00	\$244.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS ABOVE \$100,000.00 AND REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	Tilcon	MILL WIDTH: 20" MILL DEPTH: 4"				
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	Costello Industries, Inc. Industries, Inc.	MFG: Wirtgen MODEL: 100 SERIES: W MILL WIDTH: 39 inches MILL DEPTH: 0-12 inches	<u>\$ 600.00</u>	<u>\$ 600.00</u>	<u>\$ 630.00</u>	<u>\$ 600.00</u>
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	Costello Industries, Inc. Industries, Inc.	MFG: Wirtgen MODEL: 220 SERIES: W MILL WIDTH: 98 inches MILL DEPTH: 0-13 inches	<u>\$ 700.00</u>	<u>\$ 700.00</u>	<u>\$ 730.00</u>	<u>\$ 700.00</u>
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as	Costello Industries, Inc. Industries, Inc.	MFG: Wirtgen MODEL: 2100 SERIES: W MILL WIDTH: 87 inches MILL DEPTH: 13 inches	<u>\$ 700.00</u>	<u>\$ 700.00</u>	<u>\$ 730.00</u>	<u>\$ 700.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.						
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	Garrity Asphalt Reclaiming Inc.	MFG: Roadtec MODEL: 300 SERIES: E MILL WIDTH: 48" MILL DEPTH: 6"	\$ 500.00	\$ 500.00	\$ 500.00	\$ 500.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	Garrity Asphalt Reclaiming Inc.	MFG: Roadtec MODEL: 700 SERIES: E MILL WIDTH: 7' MILL DEPTH: 12"	\$ 750.00	\$ 750.00	\$ 750.00	\$ 750.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	J.V. III	MFG: MODEL: SERIES: MILL WIDTH: MILL DEPTH:	\$ _____	\$ _____	\$ _____	\$ _____
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted		MFG: WIRTGEN MODEL: 1200 SERIES:	\$ 520.00	\$ 520.00	\$ 520.00	\$ 520.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	J.V. III	MILL WIDTH: 48" MILL DEPTH: 0"-12"				
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	J.V. III	MFG: WIRTGEN MODEL: 2000 SERIES: MILL WIDTH: 87" MILL DEPTH: 0"-13"	\$ 590.00	\$ 590.00	\$ 590.00	\$ 590.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	J.V. III	MFG: ROADTEC MODEL: RX900 SERIES: MILL WIDTH: 96" MILL DEPTH: 0"-13"	\$ 690.00	\$ 690.00	\$ 690.00	\$ 690.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments	John J. Brennan	MFG: Wirtgen MODEL: 1200 F SERIES: 2 MILL WIDTH: 4 to 4 MILL DEPTH: 12			\$ 500.00	\$ 500.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.						
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	John J. Brennan	MFG: Vovlo MODEL: 1900 SERIES: DC MILL WIDTH: 6' to 7" MILL DEPTH: 12"	\$594.00	\$704.00	\$704.00	624.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	Reliable	MFG: Wirtgen MODEL: 1900 SERIES: W MILL WIDTH: 6' MILL DEPTH: 10"			\$525.00	\$525.00
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by Contractor.	Canton Village Construction Company, Inc.	MFG: LEEBOY MODEL: SERIES: 8500HD TRUCK DUMP HT: HOPPER CAP.: 8 TON	\$ 369.50	\$ _____	\$ _____	\$ 369.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by Contractor.	Galasso	MFG: Cedar Rapids MODEL: 351 SERIES: Greyhound TRUCK DUMP HT: 28" HOPPER CAP.: 9 tons	\$ 350.00			\$ 350.00
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by Contractor.	Guerra	MFG: Cat MODEL: AP1000D SERIES: TRUCK DUMP HT:21" HOPPER CAP.: 8 CY			\$ 625.00	
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III	MFG: BOMAG MODEL: 8-152 SERIES: II TRUCK DUMP HT: 21" HOPPER CAP.: 219 C.F.	\$ 299.50	\$ 299.50	\$ 299.50	\$ 299.50
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III	MFG: BLAW KNOX MODEL: PF5510 SERIES: 3 TRUCK DUMP HT: HOPPER CAP.: 400 C.F.	\$ 339.50	\$ 339.50	\$ 339.50	\$ 339.50
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft.		MFG: GILCREST MODEL: 8-13	\$ 239.50	\$ 239.50	\$ 239.50	\$ 239.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.1  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III	SERIES: TRUCK DUMP HT: 21" HOPPER CAP.: 219 C.F.				
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III	MFG: FORTRESS MODEL: 50 SERIES: TRUCK DUMP HT: 21" HOPPER CAP.: 219 C.F.	\$ 239.50	\$ 239.50	\$ 239.50	\$ 239.50
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III	MFG: CEDAR RAPIDS MODEL: 551 GREYHOUND SERIES: TRUCK DUMP HT: 21" HOPPER CAP.: 500 C.F.	\$ 289.00	\$ 289.00	\$ 289.00	\$ 289.00

**STATE OF CONNECTICUT  
 PROCUREMENT SERVICES  
 BID #15PSX0267  
 EXHIBIT B.1  
 PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **ABOVE \$100,000.00** AND **REQUIRING PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
1	<b>AUGER</b> Truck Mounted Earth Boring Machine Operated by Contractor	BCI, INC.	MFG: JD MODEL: 410/710 DIAMETER: 12"-48"	\$ 219.00	\$ 219.00	\$ 219.00	\$ 219.00
1	<b>AUGER</b> Truck Mounted Earth Boring Machine Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 595 DIAMETER: 12" – 48"	\$ 249.00	\$ 249.00	\$ 249.00	\$ 249.00
1	<b>AUGER</b> Truck Mounted Earth Boring Machine Operated by Contractor	John J Brennan	MFG: Telcon MODEL: 720 DIAMETER: 8" – 16"			\$ 250.00	\$ 250.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Appleblossom	MFG: CAT MODEL: E70B SERIES: RATED CAP: ½ CYD WIDTH: 12"-28" MAX DIG DEPTH: 14'	\$120.00	\$140.00	\$120.00	\$120.00
2-A	<b>HAMMER ATTACHMENT</b>	Appleblossom	CAT E70B	\$80.00	\$80.00	\$80.00	\$80.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: John Deere MODEL: 450 SERIES: RATED CAP: 2.5 cu yd. WIDTH: 4 MAX DIG DEPTH: 25.6	\$ 259.00	\$ 259.00	\$ 259.00	\$ 259.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: John Deere MODEL: 80 SERIES: D RATED CAP: 0.5 cu yd. WIDTH: 22" MAX DIG DEPTH: 25.6	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 313/311 SERIES: B RATED CAP: 0.5 cu yd. WIDTH: 22" MAX DIG DEPTH: 12"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG : CAT MODEL: 321 SERIES: CH RATED CAP: 0.75 cu yd. WIDTH: 22-40" MAX DIG DEPTH: 25'	\$ 174.00	\$ 174.00	\$ 194.00	\$ 174.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 320 SERIES: CL RATED CAP: 0.75 cu yd. WIDTH: 22-40" MAX DIG DEPTH: 25'	\$ 174.00	\$ 174.00	\$ 194.00	\$ 174.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: HITACHI MODEL: 470 SERIES: IV RATED CAP: 2.5 cu yd. WIDTH: 48" MAX DIG DEPTH:	\$259.00	\$259.00	\$269.00	\$259.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: John Deere MODEL: 200 SERIES: RATED CAP: 0.75 cu yd. WIDTH: 24-40" MAX DIG DEPTH: 25'	\$ 174.00	\$ 174.00	\$ 194.00	\$ 174.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 330 SERIES: CL RATED CAP: 1+ cu yd. WIDTH: 18-40" MAX DIG DEPTH: 27"	\$ 194.00	\$ 194.00	\$ 199.00	\$ 194.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 345 SERIES: B RATED CAP: 2.5 cu yd. WIDTH: 24-48" MAX DIG DEPTH: 36'	\$ 259.00	\$ 259.00	\$ 269.00	\$ 259.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Yanmar MODEL: VIO35 SERIES: RATED CAP: 0.33 cu yd. WIDTH: 12-24" MAX DIG DEPTH: 10'	\$ 134.00	\$ 134.00	\$ 144.00	\$ 134.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Bobcat MODEL: 341 SERIES: D RATED CAP: 0.33 cu yd. WIDTH: 12-24" MAX DIG DEPTH: 12'	\$ 134.00	\$ 134.00	\$ 144.00	\$ 134.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Terex MODEL: TC16 SERIES: RATED CAP: 0.74-3.2 cu ft.	\$ 134.00	\$ 134.00	\$ 144.00	\$ 134.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			WIDTH: 12-18" MAX DIG DEPTH: 7'3"				
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Terex MODEL: TC29 SERIES: 4 RATED CAP: 1.34-3.88 cu ft. WIDTH: 12-24" MAX DIG DEPTH: 9'2"	\$ 134.00	\$ 134.00	\$ 144.00	\$ 134.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Terex MODEL: TC37 SERIES: 4 RATED CAP: 1.91 – 6.75 cu ft. WIDTH: 12-24" MAX DIG DEPTH: 10'6"	\$ 134.00	\$ 134.00	\$ 144.00	\$ 134.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: Terex MODEL: TC50 SERIES: RATED CAP: 2.4-8.2 cu ft. WIDTH: 12-24" MAX DIG DEPTH: 12'2"	\$ 145.00	\$ 145.00	\$ 155.00	\$ 145.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	BCI, INC.	MFG: CAT MODEL: 336E SERIES: L RATED CAP: 1 cu yd. WIDTH: 24'-48' MAX DIG DEPTH: 27'	\$ 204.00	\$ 204.00	\$ 214.00	\$ 204.00
2-A	<b>HAMMER ATTACHMENT</b>	BCI, INC.	KENT 4F BOBCAT 341 TEREX TC 27/50	\$ 75.00	\$ 75.00	\$ 75.00	\$ 75.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2-A	HAMMER ATTACHMENT	BCI, INC.	NPK/MA VERRICK/RAMMER CAT 320 JD200	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2-A	HAMMER ATTACHMENT	BCI, INC.	NPK CAT330	\$ 165.00	\$ 165.00	\$ 165.00	\$ 165.00
2-A	HAMMER ATTACHMENT	BCI, INC.	NPK JD450	\$ 245.00	\$ 245.00	\$ 245.00	\$ 245.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Berlin Ind.	MFG: John Deere MODEL: 80 SERIES: RATED CAP: 0.5 cu yd. WIDTH: 22" MAX DIG DEPTH: 19'	<u>\$ 140.00</u>	<u>\$ 140.00</u>	<u>\$ 140.00</u>	<u>\$ 160.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village	MFG: CAT MODEL: 345BL SERIES: RATED CAP: 3 CYD WIDTH: 36"-60" MAX DIG DEPTH: 29'	<u>\$ 244.50</u>	\$	\$	<u>\$ 244.50</u>
2-A	HAMMER ATTACHMENT	Canton Village		<u>\$ 140.00</u>	\$	\$	<u>\$ 140.00</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village	MFG: CAT MODEL: 330 SERIES: BL RATED CAP: 2.5 CYD WIDTH: 42"-54" MAX DIG DEPTH: 27'	<u>\$ 204.50</u>	\$	\$	<u>\$ 204.50</u>
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT</b>	Canton Village	MFG: CAT	<u>\$ 194.50</u>	\$	\$	<u>\$ 194.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.		MODEL: 321 SERIES: D LCR w/Hyd. Thumb RATED CAP: 1.75 CYD WIDTH: 24"-48" MAX DIG DEPTH: 23'				
2-A	<b>HAMMER ATTACHMENT</b>	Canton Village		\$ 120.00	\$	\$	\$ 120.00
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village	MFG: CAT MODEL: 315 SERIES: D LCR w/Hyd. Thumb RATED CAP: 1.25 CYD WIDTH: 24"-42" MAX DIG DEPTH: 20'	\$ 184.50	\$	\$	\$ 184.50
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village	MFG: CAT MODEL: 308 SERIES: E CRSB w/Hyd. Thumb RATED CAP: .5 CYD WIDTH: 18"-48" MAX DIG DEPTH: 16'	\$ 144.50	\$	\$	\$ 144.50
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Canton Village	MFG: BOBCAT MODEL: E50 SERIES: w/Hyd. Thumb RATED CAP: .5 CYD WIDTH: 18"-42" MAX DIG DEPTH: 13'	\$ 119.50	\$	\$	\$ 119.50
2-A	<b>HAMMER ATTACHMENT</b>	Canton Village		\$ 65.00	\$	\$	\$ 65.00
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b>	Donahue	MFG: Hitachi MODEL: 2x200	\$	\$ 160.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.		SERIES: 5 RATED CAP: 1.5 WIDTH: 42" MAX DIG DEPTH: 25'				
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Donahue	MFG: Hitachi MODEL: Ex160 SERIES: 5 RATED CAP: 0.875 WIDTH: 36" MAX DIG DEPTH: 21'	\$	\$ 160.00	\$	\$
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Donahue	MFG: John Deere MODEL: Ex50D SERIES: II RATED CAP: 3/8 yd WIDTH: 24" MAX DIG DEPTH: 12'	\$	\$ 135.00	\$	\$
2-A	<b>HAMMER ATTACHMENT</b>	Donahue		\$	\$ 60.00	\$	\$
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M.	MFG: New Holland MODEL: 70 SERIES: RATED CAP: 5 ycd WIDTH: 12-36 MAX DIG DEPTH: 14'	\$ 125.00	\$ 125.00	\$ 125.00	\$ 115.00
2-A	<b>HAMMER ATTACHMENT</b>	F.S.M.	Atlas Copco	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to	F.S.M.	MFG: Kobelco MODEL: 115 DZ SERIES: DZ RATED CAP: .6 ycd	\$ 125.00	\$ 125.00	\$ 125.00	\$ 115.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	and from job site on flatbed.		WIDTH: 15-48" MAX DIG DEPTH: 18'				
2-A	HAMMER ATTACHMENT	F.S.M.	Gorilla	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M.	MFG: Kobelco MODEL: 115 DZ SR SERIES: SR RATED CAP: .60 cyd WIDTH: 18-48" MAX DIG DEPTH: 18'	\$ 135.00	\$ 135.00	\$ 155.00	\$ 120.00
2-A	HAMMER ATTACHMENT	F.S.M.	Gorilla	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M.	MFG: Kobelco MODEL: 115 DZ SR SERIES: RATED CAP: 60 WIDTH: 18-48" MAX DIG DEPTH: 18'	\$ 135.00	\$ 135.00	\$ 135.00	\$ 120.00
2-A	HAMMER ATTACHMENT	F.S.M.	Gorilla	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	F.S.M.	MFG: Kobelco MODEL: sk 160 SERIES: SR RATED CAP: .75 WIDTH: 36" MAX DIG DEPTH: 21"6"	\$ 165.00	\$ 165.00	\$ 165.00	\$ 140.00
2-A	HAMMER ATTACHMENT	F.S.M.	Gorilla	\$ 125.00	\$ 125.00	\$ 125.00	\$ 125.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to	F.S.M.	MFG: Case MODEL: 330EX SERIES: EX	\$ 200.00	\$ 200.00	\$ 200.00	\$ 195.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	and from job site on flatbed.		RATED CAP: 2.25 WIDTH: 48" MAX DIG DEPTH: 26"-6"				
2-A	<b>HAMMER ATTACHMENT</b>	F.S.M.	IN DEER 8000 FL 15	\$ 180.00	\$ 180.00	\$ 180.00	\$ 180.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Genovesi	MFG: John Deere 310E MODEL: SERIES: 5/8 CY RATED CAP: 3 ft WIDTH: 16ft MAX DIG DEPTH:	\$ 200.00	\$ 200.00	\$	\$
2-A	<b>HAMMER ATTACHMENT</b>	Genovesi		\$ 100.00	\$ 100.00	\$	\$
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Genovesi	MFG: MODEL: CAT 305CR SERIES: .5 CY RATED CAP: WIDTH: 14 ft MAX DIG DEPTH:	\$ 200.00	\$ 200.00	\$	\$
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Genovesi	MFG: Komatsu 160 PC8 MODEL: SERIES: 1.2 CY RATED CAP: 19'6" WIDTH: 36" MAX DIG DEPTH:	\$ 200.00	\$ 200.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 80 SERIES: E RATED CAP: .50 WIDTH: 7' MAX DIG DEPTH: 18'	\$ 124.00	\$ 124.00	\$ 124.00	\$ 124.00
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III CONSTRUCTION, INC.		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 490 SERIES: E RATED CAP: 1 Cu Yd WIDTH: 8'6" MAX DIG DEPTH: 18'	\$ 129.00	\$ 129.00	\$ 129.00	\$ 129.00
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III CONSTRUCTION, INC.		\$100.00	\$100.00	\$100.00	\$100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: Volvo MODEL: EC300 SERIES: RATED CAP: 2 WIDTH: 10'5" MAX DIG DEPTH: 22'-29'	\$ 199.50	\$ 199.50	\$ 199.50	\$ 199.50
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III CONSTRUCTION, INC.		\$ 175.00	\$ 175.00	\$ 175.00	\$ 175.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: Akerman MODEL: 14 SERIES: BLC RATED CAP: 1.5 WIDTH: 10'6" MAX DIG DEPTH: 22'-29'	\$ 149.50	\$ 149.50	\$ 149.50	\$ 149.50
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III CONSTRUCTION, INC.		\$ 150.00	\$ 150.00	\$ 150.00	\$ 150.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: Bobcat MODEL: 341 SERIES: RATED CAP: 1/2 WIDTH: 7' MAX DIG DEPTH: 12'	\$ 119.50	\$ 119.50	\$ 119.50	\$ 119.50
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III CONSTRUCTION, INC.		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: JCB MODEL: 801.3 SERIES: RATED CAP: .1/2 WIDTH: 7' MAX DIG DEPTH: 12'	\$ 109.50	\$ 109.50	\$ 109.50	\$ 109.50
2-A	<b>HAMMER ATTACHMENT</b>	J.V. III CONSTRUCTION, INC.		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 595 SERIES: RATED CAP: .1.25 WIDTH: 8'6"	\$ 139.50	\$ 139.50	\$ 139.50	\$ 139.50



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MAX DIG DEPTH: 18'				
2-A	HAMMER ATTACHMENT	J.V. III CONSTRUCTION, INC.		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 270 SERIES: RATED CAP: .1 WIDTH: 10'6" MAX DIG DEPTH: 60'	\$ 499.00	\$ 499.00	\$ 499.00	\$ 499.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	J.V. III CONSTRUCTION, INC.	MFG: Hitachi MODEL: 370 SERIES: RATED CAP: 3.5 WIDTH: 12' MAX DIG DEPTH: 35'	\$ 399.00	\$ 399.00	\$ 399.00	\$ 399.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Komatsu MODEL: PC78 SERIES: US-6 RATED CAP: 1/2 WIDTH: 12' MAX DIG DEPTH: 35'			\$ 170.00	\$ 170.00
2-A	HAMMER ATTACHMENT	John J. Bennan	NPK GH 1250lbs			\$75.00	\$80.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL:V88 SERIES: C RATED CAP: 5/8 WIDTH: 30"			\$ 200.00	\$ 200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MAX DIG DEPTH: 16'				
2-A	HAMMER ATTACHMENT	John J. Bennan	Rammer S25 950LBS			\$70.00	\$75.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: 140 SERIES: C RATED CAP: 3/4 WIDTH: 30" MAX DIG DEPTH: 18'			\$ 210.00	\$ 210.00
2-A	HAMMER ATTACHMENT	John J. Bennan	Rammer S25 950LBS			\$80.00	\$85.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Komatsu MODEL: PC240 SERIES: LC RATED CAP: 1 WIDTH: 36" MAX DIG DEPTH: 23'			\$ 220.00	\$ 220.00
2-A	HAMMER ATTACHMENT	John J. Bennan	NPK GH10 4000			\$100.00	100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: 210 SERIES: CL RATED CAP: 1 WIDTH: 36" MAX DIG DEPTH: 21.4'			\$ 215.00	\$ 215.00
2-A	HAMMER ATTACHMENT	John J. Bennan	E68 35000			\$90.00	\$90.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT</b>	John J. Brennan	MFG: Komatsu			\$ 230.00	\$ 230.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.		MODEL: PC290 SERIES: LC-10 RATED CAP: 1 WIDTH: 36" MAX DIG DEPTH: 23'				
2-A	<b>HAMMER ATTACHMENT</b>	John J. Bennan	NPK GH10 4000			\$100.00	\$100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: 340 SERIES: DL RATED CAP: 3.2 WIDTH: 40 MAX DIG DEPTH: 24'			\$ 260.00	\$ 260.00
2-A	<b>HAMMER ATTACHMENT</b>	John J. Bennan	Rammer G90 7500lbs			\$140.00	\$140.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: EC330 SERIES: BLC RATED CAP: 3.2 WIDTH: 40 MAX DIG DEPTH: 24'			\$ 240.00	\$ 240.00
2-A	<b>HAMMER ATTACHMENT</b>	John J. Brennan	Rammer G90 7500lbs			\$140.00	\$140.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	John J. Brennan	MFG: Volvo MODEL: EC460 SERIES: BLC RATED CAP: 4.7 WIDTH: 48" MAX DIG DEPTH: 27'			\$ 320.00	\$ 320.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2-A	HAMMER ATTACHMENT	John J. Bennan	Alliec BR 4099 7500lbs			\$140.00	\$140.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Machnick	MFG: John Deere MODEL: 200 SERIES: DLC RATED CAP: 1 ¼ CY WIDTH: 36" MAX DIG DEPTH: 23'	\$195.00	\$195.00	\$195.00	\$195.00
2-A	HAMMER ATTACHMENT	Machnick		\$85.00	\$85.00	\$85.00	\$85.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Machnick	MFG: Kubota MODEL: KX080-3 SERIES: DLC RATED CAP: 1/3 CY WIDTH: 12"-24" MAX DIG DEPTH: 15'1"	\$155.00	\$155.00	\$155.00	\$155.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Machnick	MFG: John Deere MODEL: 200 SERIES: CLC RATED CAP: 1 1/4 CY WIDTH: 24" MAX DIG DEPTH: 22'	\$195.00	\$195.00	\$195.00	\$195.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Machnick	MFG: CAT MODEL: 225 SERIES: CLC RATED CAP: 1 1/3 CY WIDTH: 36" MAX DIG DEPTH: 22'	\$195.00	\$195.00	\$195.00	\$195.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	McAllen Building	MFG: Samsung MODEL: 130LC SERIES: RATED CAP: 1 WIDTH: 36" MAX DIG DEPTH: 16'	\$ 140.00	\$ 140.00	\$ 140.00	\$ 140.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Murphy	MFG: Ackerman MODEL: H-14 SERIES: B RATED CAP: 2.5 WIDTH: 4' MAX DIG DEPTH: 26'	\$ 155.00	\$ 155.00	\$ 155.00	\$ 155.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Rafferty	MFG: Volvo MODEL: 160 SERIES: EC RATED CAP: 1 CY WIDTH: 36" MAX DIG DEPTH: 20'	\$ 168.00	\$ 200.00	\$ 208.00	\$ 200.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Reliable	MFG: Komatsu MODEL: PC78 SERIES: Mark 4 RATED CAP: ½ CY WIDTH: 30" MAX DIG DEPTH: 16'			\$ 110.00	\$ 110.00
2-A	<b>HAMMER ATTACHMENT</b>	Reliable	NPK 1,000 lb			\$60.00	\$60.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b>	Reliable	MFG: Komatsu MODEL: PC138			\$ 115.00	\$ 115.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.		SERIES: Mark 4 RATED CAP: 7/8 C.Y. WIDTH: 36" MAX DIG DEPTH: 18'				
2-A	<b>HAMMER ATTACHMENT</b>	Reliable	NPK 2,000 LB			\$70.00	\$70.00
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Reliable	MFG: Kobelco MODEL: PC200 SERIES: Mark 4 RATED CAP: 1.25 CY WIDTH: 42" MAX DIG DEPTH: 20'			\$ 125.00	\$ 125.00
2-A	<b>HAMMER ATTACHMENT</b>	Reliable	NPK 3,500 lb			\$80.00	\$80.00
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Reliable	MFG: Kobelco MODEL: PC300 SERIES: Mark 4 RATED CAP: 2.25 CY WIDTH: 48" MAX DIG DEPTH: 24'			\$ 175.00	\$ 175.00
2-A	<b>HAMMER ATTACHMENT</b>	Reliable	NPK 5,000 LB			\$125.00	\$125.00
2	<b>BACKHOE/EXCAVATOR – OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Resource	MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:	\$ 150.00	\$ 150.00	\$ 150.00	\$ 150.00
2-A	<b>HAMMER ATTACHMENT</b>	Resource		\$200.00	\$200.00	\$200.00	\$200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: JD MODEL: 75 SERIES: D RATED CAP: ¼ CY WIDTH: 18"-36" MAX DIG DEPTH: 18'	\$ 120.00		\$ 118.00	\$ 118.00
2-A	<b>HAMMER ATTACHMENT</b>	Stone		\$80.00		\$75.00	\$75.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: CAT MODEL: 314 SERIES: CCR RATED CAP: 3/4 WIDTH: 18"-40" MAX DIG DEPTH: 20'	\$ 120.00		\$ 118.00	\$ 118.00
2-A	<b>HAMMER ATTACHMENT</b>	Stone		\$100.00		\$75.00	\$75.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: JD MODEL: 225 SERIES: LC RATED CAP: 1.5 CY WIDTH: 30"-42" MAX DIG DEPTH: 24'	\$ 125.00		\$ 125.00	\$ 120.00
2-A	<b>HAMMER ATTACHMENT</b>			\$75.00		\$75.00	\$75.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER WITHOUT HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: Volvo MODEL: 330 SERIES: LC RATED CAP: 2.5 CY WIDTH: 42"	\$ 200.00		\$ 200.00	\$ 175.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MAX DIG DEPTH: 28'				
2-A	HAMMER ATTACHMENT			\$110.00		\$110.00	\$100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Stone	MFG: JD MODEL: 350 SERIES: RATED CAP: 3 CY WIDTH: 48" MAX DIG DEPTH: 30'	\$ 225.00		\$ 225.00	\$ 210.00
2-A	HAMMER ATTACHMENT	Stone	N.P.K.	\$110.00		\$110.00	\$100.00
2	<b>BACKHOE/EXCAVATOR - OFF ROAD TRACK/CRAWLER <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Operated by Contractor. Rated Capacity ½ C.Y. OR more. Unit must be transported to and from job site on flatbed.	Tilcon	MFG: CAT MODEL: 330 SERIES: C RATED CAP: 1.5 CY WIDTH: 42" MAX DIG DEPTH: 22'	\$ 210.00	\$ <u>216.00</u>	\$ 210.00	\$ 216.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12” – 36” Widths; Loader 2,000 – 7,000 lbs.	Appleblossom	MFG: John Deere MODEL: 310 4X4 SERIES: D  Backhoe: Rated Cap: ½ c.y Width: 24” Max Dig Depth: 14’  Loader: Rated Cap: 1.3 yd Width: 8’	\$ 90.00	\$ 110.00	\$ 90.00	\$ 88.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12” – 36” Widths; Loader 2,000 – 7,000 lbs.	BCI, INC.	MFG: John Deere MODEL: 710 4x4 SERIES: Extendahoe  Backhoe: D/G Rated Cap: 0.5 cu yd. Width: 12-24” Max Dig Depth: 18’  Loader: Rated Cap: 1.5 cu yd. Width: 8’	\$ 139.00	\$ 139.00	\$ 139.00	\$ 139.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12” – 36” Widths; Loader 2,000 – 7,000 lbs.	BCI, INC.	MFG: John Deere MODEL: 410 4x4 SERIES: Extendahoe  Backhoe: G Rated Cap: 0.5 cu yd. Width: 12-24” Max Dig Depth: 17’	\$ 139.00	\$ 139.00	\$ 139.00	\$ 139.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Cap: 1.5 cu yd. Width: 8'				
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	BCI, INC.	MFG: Terex MODEL: TLB840R SERIES: Extendahoe  Backhoe 4: 2016 Model Rated Cap: 0.5 cu yd. Width: 12-24" Max Dig Depth: 22'  Loader: Rated Cap: 1 cu yd. Width: 7'5"	\$ 139.00	\$ 139.00	\$ 139.00	\$ 139.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Berlin Ind.	MFG: John Deere MODEL: 410 k SERIES: Extendahoe  Backhoe: Rated Cap: .5 cu yd. Width: 24" Max Dig Depth: 17'  Loader: Rated Cap: 1.5 cu yd. Width: 8'	\$ 200.00	\$ 200.00	\$ 200.00	\$ 220.00
3-A	<b>HAMMER ATTACHMENT</b>	Berlin Ind.	Tramac 140 1100 Ft/lbs	\$ 130.00	\$ 130.00	\$ 130.00	\$ 130.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by	Canton Village	MFG: John Deere MODEL: 410 SERIES: J Extend a Hoe	\$ 129.50	\$	\$	\$ 129.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Backhoe: Rated Cap: .5 CYD. Width: 12"30" Max Dig Depth: 17'  Loader: Rated Cap: 1.4 CYD Width: 8'				
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Canton Village	MFG: John Deere MODEL: 410 SERIES: E Extend a Hoe  Backhoe: Rated Cap: .5 CYD. Width: 12"30" Max Dig Depth: 17'  Loader: Rated Cap: 1.25 CYD Width: 8'	\$ 129.50	\$	\$	\$ 129.50
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	F.S.M.	MFG: New Holland MODEL: LB75B SERIES: LB  Backhoe: STO DTY Rated Cap: 0.5 yd Width: 12-36" Max Dig Depth: 14"  Loader: Rated Cap: 1.5 yd Width: 8'	\$ 100.00	\$100.00	\$ 100.00	\$ 90.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
3-A	HAMMER ATTACHMENT	F.S.M.	Atlas Copco 1250	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	F.S.M.	MFG: Volvo MODEL: BL 70 SERIES: BL  Backhoe: EXTENDED HOE Rated Cap: 0.5 yd Width: 12-36" Max Dig Depth: 18"  Loader: Rated Cap: 1.5 yd Width: 8'	\$ 110.00	\$110.00	\$ 110.00	\$ 95.00
3-A	HAMMER ATTACHMENT	F.S.M.	Atlas Copco 1250	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Galasso	MFG: John Deere MODEL: 410 4x4 SERIES:  Backhoe: Rated Cap: ½ cy Width: 24" Max Dig Depth: 12"  Loader: Rated Cap: 1 cy Width: 8'	\$ 155.00	\$	\$	\$ 155.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.:	Genovesi	MFG: John Deere MODEL: 310 SERIES: E  Backhoe:	\$ 160.00	\$ 160.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Rated Cap: 1 ¼ cy Width: 7 ft Max Dig Depth: 16 ft  Loader: Rated Cap: 1.7 cy Width: 7 ft				
3-A	<b>HAMMER ATTACHMENT</b>	Genovesi		\$ 100.00	\$ 100.00		
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	J.V. III CONSTRUCTION, INC.	MFG: JCB MODEL:215 SERIES: 3  Backhoe: Rated Cap: 3/8 Width: 12"-48" Max Dig Depth:18'  Loader: Rated Cap: 1.25 Width: 92"	\$124.00	\$124.00	\$124.00	\$124.00
3-A	<b>HAMMER ATTACHMENT</b>	J.V. III CONSTRUCTION, INC.		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL:410 SERIES: G  Backhoe: Rated Cap: 0.50 Width: 12"-48" Max Dig Depth:18'  Loader: Rated Cap: 1.3 CY	\$ 144.00	\$ 144.00	\$ 144.00	\$ 144.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Width: 96"				
3-A	HAMMER ATTACHMENT	J.V. III CONSTRUCTION, INC.		\$100.00	\$100.00	\$100.00	\$100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL:510 SERIES: D  Backhoe: Rated Cap: .50 Width: 12"-48" Max Dig Depth:19'  Loader: Rated Cap: 1.5 CY Width: 96"	\$144.00	\$144.00	\$144.00	\$144.00
3-A	HAMMER ATTACHMENT	J.V. III CONSTRUCTION, INC.		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	J.V. III CONSTRUCTION, INC.	MFG: JCB MODEL:212S SERIES:  Backhoe: Rated Cap: 1/4 CF Width: 18" Max Dig Depth:10'  Loader: Rated Cap: 1 CY Width: 78"	\$104.00	\$104.00	\$104.00	\$104.00
3-A	HAMMER ATTACHMENT	J.V. III CONSTRUCTION, INC.		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b>	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 710 SERIES: D	\$174.00	\$174.00	\$174.00	\$174.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Backhoe: Rated Cap: .5 Width: 24"-72" Max Dig Depth:12'  Loader: Rated Cap: Width: 102"				
3-A	<b>HAMMER ATTACHMENT</b>	J.V. III CONSTRUCTION, INC.		\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	John J. Brennan	MFG: CAT MODEL: 322 SERIES: D  Backhoe: Rated Cap: 7/8 Width: 18"-36" Max Dig Depth:22'  Loader: Rated Cap: Width:			\$240.00	\$240.00
3-A	<b>HAMMER ATTACHMENT</b>	John. J. Brennan	CAT H120CS 3000			\$ 95.00	\$95.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	John J. Brennan	MFG: John Deere MODEL: 310 SERIES: E Extenahoe  Backhoe: Rated Cap: 3/8 Width: 12"-24" Max Dig Depth:12'			\$130.00	\$130.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Cap: 3/4 Width: 5'				
3-A	HAMMER ATTACHMENT	John. J. Brennan	Indeco MES 650			\$ 50.00	\$50.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	John J. Brennan	MFG: John Deere MODEL: 410 SERIES: G Extenahoe  Backhoe: Rated Cap: ½ to 5/8 Width: 18"-36" Max Dig Depth:16'  Loader: Rated Cap: 1 CY Width: 6'			\$139.00	\$139.00
3-A	HAMMER ATTACHMENT	John. J. Brennan	Indeco MES 650			\$ 65.00	\$65.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Machnick Bros	MFG: John Deere MODEL: 310 SERIES: K  Backhoe: Rated Cap: 6.5 LF Width: 24" Max Dig Depth:17'10"  Loader: Rated Cap: 1 CY Width: 7.16'	\$140.00	\$140.00	\$140.00	\$140.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b>	Machnick Bros	MFG: John Deere MODEL: 410 SERIES: E	\$140.00	\$140.00	\$140.00	\$140.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Backhoe: Rated Cap: 5/8 Width: 24" Max Dig Depth:16"  Loader: Rated Cap: 1.5 CY Width: 8'				
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	McAllen Building	MFG: John Deere MODEL: 310 SERIES: Extend  Backhoe: Rated Cap: 3/8 Width: 12"-24" Max Dig Depth:12'  Loader: Rated Cap: 1.3 CY Width: 8'	\$100.00	\$100.00	\$100.00	\$100.00
3-A	<b>HAMMER ATTACHMENT</b>	McAllen Building		\$ 30.00	\$30.00	\$ 30.00	\$30.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION WITHOUT HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Rafferty	MFG: John Deere MODEL: 410 SERIES: G  Backhoe: Rated Cap: 3/8 cy Width: 30" Max Dig Depth:11'  Loader:	\$119.00	\$139.00	\$139.00	\$119.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Cap: 1.75 CY Width: 7'				
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Reliable	MFG: John Deere MODEL: 410 SERIES: D Exten  Backhoe: Rated Cap: ½ Width: 12"-24" Max Dig Depth:18'  Loader: Rated Cap: 1.5 CY Width: 8'			\$87.00	\$87.00
3-A	<b>HAMMER ATTACHMENT</b>	Reliable	Indeco 1000			\$ 60.00	\$60.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Reliable	MFG: John Deere MODEL: 510 SERIES: D Exten  Backhoe: Rated Cap: 1 CY Width: 24" Max Dig Depth:16'  Loader: Rated Cap: 1.5 CY Width: 8'			\$95.00	\$95.00
3-A	<b>HAMMER ATTACHMENT</b>	Reliable	Indeco 1000 lb			\$ 60.00	\$60.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by	Resource	MFG: MODEL: SERIES	\$125.00	\$125.00	\$125.00	\$125.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.		Backhoe: Rated Cap: Width: Max Dig Depth:  Loader: Rated Cap: Width:				
3-A	<b>HAMMER ATTACHMENT</b>	Resource		\$ 150.00	\$ 150.00	\$ 150.00	\$ 150.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Stone	MFG: CAT MODEL: 426 SERIES B  Backhoe: Rated Cap: 1.2 CY Width: 18"-24" Max Dig Depth:15'  Loader: Rated Cap: 2 CY Width: 8'	\$100.00		\$100.00	\$94.00
3-A	<b>HAMMER ATTACHMENT</b>	Stone		\$ 60.00		\$ 60.00	\$50.00
3	<b>BACKHOE/EXCAVATOR – 4 WHEEL TRACTOR COMBINATION <u>WITHOUT</u> HAMMER ATTACHMENT:</b> Backhoe & Front Loader Operated by Contractor. Rated Capacity ¼ - ½ C.Y.: 12" – 36" Widths; Loader 2,000 – 7,000 lbs.	Tilcon	MFG: John Deere MODEL: 710 SERIES: B  Backhoe: Rated Cap: 7,000 LBS Width: 24" Max Dig Depth: 17' 10"  Loader:	\$ 190.00	\$ 205.00	\$ 190.00	\$ 205.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4

			Rated Cap: 6,900 LBS Width: 92"				
--	--	--	------------------------------------	--	--	--	--

4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	BCI, INC.	MFG: CAT MODEL: M320 SERIES: B  Bucket: Rated Cap: 0.5-2.5 cu yd. Width: 24-60" Max Dig Depth: 25"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	BCI, INC.	MFG: CAT MODEL: M318 SERIES: B  Bucket: Rated Cap: 0.5-2.05 cu yd. Width: 24-60" Max Dig Depth: 25"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	BCI, INC.	MFG: CAT MODEL: M322 SERIES: C  Bucket: Rated Cap: 0.5-2.05 cu yd. Width: 24-48" Max Dig Depth: 25"	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket;	BCI, INC.	MFG: TEREX	\$ 159.00	\$ 159.00	\$ 159.00	\$ 159.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.		MODEL: 1905 SERIES: M  Bucket: Rated Cap: 0.5-1.0 cu yd. Width: 28"-42" Max Dig Depth: 18'				
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Galasso	MFG: Caterpillar MODEL: M-316 SERIES:  Bucket: Rated Cap: 1 cy Width: 24-60" Max Dig Depth: 19'	\$ 155.00			\$ 155.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III CONSTRUCTION, INC.	MFG: Gradall MODEL: G 3R 4X4 SERIES:  Bucket: Rated Cap: 1/4 – 1.5 Width: 24"-72" Max Dig Depth: 18'	\$ 118.00	\$ 118.00	\$ 118.00	\$ 128.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III CONSTRUCTION, INC.	MFG: Gradall MODEL: XL 4100 6X4 SERIES:  Bucket: Rated Cap: ¼ - 1.5 Width: 24"-72" Max Dig Depth: 27'	\$ 118.00	\$ 118.00	\$ 118.00	\$ 128.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket;	J.V. III CONSTRUCTION, INC.	MFG: Gradall	\$149.00	\$149.00	\$149.00	\$149.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.		MODEL: XL 4100 6X6 SERIES:  Bucket: Rated Cap: ¼ - 1.5 Width: 24"-72" Max Dig Depth: 28'				
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III CONSTRUCTION, INC.	MFG: Gradall MODEL: XL 4100 6X6 SERIES:  Bucket: Rated Cap: ¼ - 1.5 Width: 24"-72" Max Dig Depth: 35'	\$169.00	\$169.00	\$169.00	\$169.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	J.V. III CONSTRUCTION, INC.	MFG: Gradall MODEL: XL 5200 SERIES:  Bucket: Rated Cap: ¼ - 1.5 Width: 24"-72" Max Dig Depth:28'	\$199.00	\$199.00	\$199.00	\$199.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	John J. Brennan	MFG: CAT MODEL: 32 SERIES: D  Bucket: Rated Cap: 7/8 Width: 2-5" Max Dig Depth:22'			\$240.00	\$240.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket;	Murphy	MFG: Gradall	\$119.50	\$119.50	\$119.50	\$119.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.		MODEL: 660 SERIES: E  Bucket: 60" Rated Cap: 1 1/4 Width: 60" Max Dig Depth:22'				
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Rafferty	MFG: Gradall MODEL: 4100 SERIES: XL  Bucket: Rated Cap: ½ CY Width: 24"-60" Max Dig Depth:10'	\$200.00	\$225.00	\$250.00	\$200.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Reliable	MFG: Gradall MODEL: 660G SERIES: G  Bucket: Rated Cap: 1 CY Width: 24"-60" Max Dig Depth:20'			\$130.00	\$130.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket; Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.	Stone	MFG: Gradall MODEL: 660 SERIES: G  Bucket: 2'-3' Rated Cap: 1 YD Width: 2-3' Max Dig Depth:25'5"	\$129.00		\$129.00	\$125.00
4	<b>GRADALL:</b> Equipped with 5 ft Ditch Cleaning Bucket;	Stone	MFG: Gradall	\$129.00		\$129.00	\$128.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Rubber wheeled vehicle capable of traveling over roads at normal highway speeds; Trenching bucket 24" or 36" operated by Contractor.		MODEL: 4100 SERIES: XL  Bucket: 1 CY Rated Cap: Width: 24"-60" Max Dig Depth:25'5"				



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b> Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor	Hammonasset	MFG: Vactor MODEL: 2115 UNITS AVAIL:4  Pipe Cleaner: Min PSI: 2500 Tank Capacity: 1500  Catch Basin/Manhole: Rated Cap: 16 CY Pump Capabilities: 100	\$ 126.00	\$ 126.00	\$ 126.00	\$ 126.00
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b> Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: Vactor MODEL: 2100 UNITS AVAIL:3  Pipe Cleaner: Min PSI: 2500 Tank Capacity: 1000  Catch Basin/Manhole: Rated Cap: 12 CY Pump Capabilities: 100	\$ 124.00	\$ 124.00	\$ 124.00	\$ 124.00
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b>	John J. Brennan	MFG: Meyers/Presvac MODEL: 3250			\$395.00	\$ 395.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor		UNITS AVAIL:1  Pipe Cleaner: Min PSI: 2000 Tank Capacity: 2000  Catch Basin/Manhole: Rated Cap: 15 CY Pump Capabilities: 250				
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b> Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor	Reliable	MFG: Vactor MODEL: 2115 UNITS AVAIL:1  Pipe Cleaner: Min PSI: 2500 Tank Capacity: 1500  Catch Basin/Manhole: Rated Cap: 12 CY Pump Capabilities: 100			\$ 145.00	\$ 145.00
5	<b>PIPE/CATCH BASIN/MANHOLE CLEANING UNIT:</b> Supervac, Vactor Jet Rodder 1200 or equiv; Consists of 1-2 machines used in combination. Pipe cleaner must be high pressure water jet machine with minimum	Tri State	MFG: Vactor MODEL: 2115 UNITS AVAIL:2  Pipe Cleaner: Min PSI: 2500	\$151.00	\$167.00	\$ 151.00	\$ 151.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	pressure of 2,000 PSI, 500 ft high pressure hose with jet type cleaning nozzle/cutters and a tank capable of holding minimum of 1,500 gals. Catch basin/manhole cleaner must have self-unloading tank and debris box capable of holding minimum of 12 C.Y. with a pumping capability from minimum depths of 100 ft and horizontally 100 ft. To be outfitted with all incidental tools; Operated by Contractor		Tank Capacity: 1500  Catch Basin/Manhole: Rated Cap: 16 CY Pump Capabilities: 100				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	Hamonasset	<b>5-10 C.Y. CAPACITY:</b> MFG: Vacall MODEL: RATED CAP: 5-10 CY	\$ 124.00	\$ 124.00	\$ 124.00	\$ 124.00
			<b>11-15 C.Y. CAPACITY</b> MFG: Vacall MODEL: RATED CAP: 11-15	\$ 126.00	\$ 126.00	\$ 126.00	\$ 126.00
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	J.V. III CONSTRUCTION, INC.	<b>5-10 C.Y. CAPACITY:</b> MFG: Vac-con MODEL: 2100 RATED CAP: 5-10 CY	\$ 122.50	\$ 122.50	\$ 122.50	\$ 122.50
			<b>11-15 C.Y. CAPACITY</b> MFG: Vactor MODEL: 2100 RATED CAP: 10-15	\$ 124.00	\$ 124.00	\$ 124.00	\$ 124.00
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	John J. Brennan	<b>5-10 C.Y. CAPACITY:</b> MFG: MODEL: RATED CAP:				
			<b>11-15 C.Y. CAPACITY</b> MFG: Pressvac MODEL: 3215 RATED CAP: 15 cyd			\$ 235.00	\$ 235.00
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	Reliable	<b>5-10 C.Y. CAPACITY:</b> MFG: Vactor MODEL: 850 RATED CAP: 10 CY			\$ 135.00	\$ 135.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			11-15 C.Y. CAPACITY MFG: Vactor MODEL: 2100 RATED CAP: 12-14 CY			\$ 150.00	\$ 150.00
6	<b>CATCH BASIN CLEANING UNIT:</b> Vacuum Type Operated by Contractor; 5-10 C.Y. capacity; 11-15 C.Y. capacity	Tri-State	5-10 C.Y. CAPACITY: MFG: Vactor MODEL: 850 RATED CAP: 10 CY  11-15 C.Y. CAPACITY MFG: Vactor MODEL: 2100 RATED CAP: 12-14 CY	\$151.00	\$157.00	\$ 151.00	\$ 151.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	BCI, INC.	MFG: Athey MODEL: 3WP HOPPER CAP: 4.5 cu yd.  Unloading: Hi Dump Front: YES Side: NO  Gutter Brooms: Right: YES Left: YES	\$ 138.00	\$ 138.00	\$ 138.00	\$ 138.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	BCI, INC.	MFG: Mobil MODEL: M9 HOPPER CAP: 4.5 cu yd.  Unloading: Hi Dump Front: NO Side: YES  Gutter Brooms: Right: YES Left: YES	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	BCI, INC.	MFG: Athey MODEL: Mobil 3WS HOPPER CAP: 4.5 cu yd.  Unloading: Hi Dump Front: YES Side: NO  Gutter Brooms:	\$ 138.00	\$ 138.00	\$ 138.00	\$ 138.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Right: YES Left: YES				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	BCI, INC.	MFG: Elgin MODEL: Pelican Hyd. HOPPER CAP: 4.5 cu yd.  Unloading: YES Front: YES Side: NO  Gutter Brooms: Right: YES Left: YES	\$ 138.00	\$ 138.00	\$ 138.00	\$ 138.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Hammonasset	MFG: Athey MODEL: M9 HOPPER CAP: 4-5 Cu Yd  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x	\$92.00	\$92.00	\$92.00	\$92.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping</i>	J.V. III CONSTRUCTION, INC.	MFG: Freightliner MODEL: Broombear HOPPER CAP5 Cu Yd  Unloading: Front: Side:x  Gutter Brooms:	\$149.00	\$ 149.00	\$ 169.00	\$ 169.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<i>alone is not subject to prevailing wage.</i>		Right: x Left: x				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	J.V. III CONSTRUCTION, INC.	MFG: Elgin MODEL: Mobil Top Gun HOPPER CAP: 5 Cu Yd  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x	\$124.00	\$124.00	\$ 144.00	\$ 144.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	John J. Brennan	MFG: Mobile MODEL: Mobil Top Gun HOPPER CAP: 5 Cu Yd  Unloading: Front: X Side:  Gutter Brooms: Right: Left: x			\$150.00	\$150.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping</i>	John J. Brennan	MFG: Mobile MODEL: Mobil Top Gun HOPPER CAP: 5 Cu Yd  Unloading: Front: Side:x  Gutter Brooms:			\$150.00	\$150.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<i>alone is not subject to prevailing wage.</i>		Right: x Left: x				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Rafferty	MFG: Athey MODEL: M9D HOPPER CAP: 4.3CY  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x	138.00	\$150.00	\$150.00	\$138.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Reliable	MFG: Athey MODEL: M9 HOPPER CAP 5 CY  Unloading: Front: Side:x  Gutter Brooms: Right: x Left: x			\$100.00	\$100.00
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction</i>	Tilcon	MFG: Elgin MODEL: Eagle HOPPER CAP: 3 CY  Unload:  Front: Side: X	\$ 245.00	\$ 245.00	\$ 245.00	\$ 245.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<i>project. Sweeping alone is not subject to prevailing wage.</i>		Gutter Brooms: Right: X Left: X				
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Tri-State	MFG: Athey/Mobil MODEL: M9 topgun HOPPER CAP: 4.3 CY  Unload:  Front: Side: X  Gutter Brooms: Right: X Left: X	\$ 111.45	\$ 139.00	\$ 111.45	\$ 111.45
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b> Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>	Tri-State	MFG: Athey/Mobil MODEL: M9 topgun HOPPER CAP: 4.3 CY  Unload:  Front: Side: X  Gutter Brooms: Right: X Left: X	\$ 111.45	\$ 139.00	\$ 111.45	\$ 111.45
7	<b>BROOM – ELGIN, ATHEY, MOBILE, FRONT OR SIDE UNLOADING HOPPER:</b>	Tri-State	MFG: Athey/Mobil MODEL: M9 topgun HOPPER CAP: 4.3 CY	\$ 111.45	\$ 139.00	\$ 111.45	\$ 111.45

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Capable of unloading into a standard 9-ton dump truck; Operated by Contractor  <i>Note: Prevailing wage is only applicable if sweeping is performed in conjunction with a construction project. Sweeping alone is not subject to prevailing wage.</i>		Unload:  Front: Side: X  Gutter Brooms: Right: X Left: X				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.  <b>MULTIPLE UNITS AVAILABLE</b>	MFG: John Deere MODEL: 650H SERIES: LT NET ENGINE: 90 BLADE DIMENENSIONS: 8'9"	<u>\$ 158.00</u>	<u>\$ 158.00</u>	<u>\$ 158.00</u>	<u>\$ 158.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: John Deere MODEL: 650H SERIES: LGP NET ENGINE: 90 BLADE DIMENENSIONS: 10'1"	<u>\$ 158.00</u>	<u>\$ 158.00</u>	<u>\$ 158.00</u>	<u>\$ 158.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.  <b>MULTIPLE UNITS AVAILABLE</b>	MFG: John Deere MODEL: 650J SERIES: XLT NET ENGINE: 90 BLADE DIMENENSIONS: 8'9"	<u>\$ 158.00</u>	<u>\$ 158.00</u>	<u>\$ 158.00</u>	<u>\$ 158.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: John Deere MODEL: 700H SERIES: LGP NET ENGINE: 123 BLADE DIMENENSIONS: 11'	<u>\$ 174.00</u>	<u>\$ 174.00</u>	<u>\$ 174.00</u>	<u>\$ 174.00</u>
8	<b>BULLDOZER:</b>	BCI, INC.	MFG: CAT	<u>\$ 184.00</u>	<u>\$ 184.00</u>	<u>\$ 184.00</u>	<u>\$ 184.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP		MODEL: D6H SERIES: LGP NET ENGINE: 140 BLADE DIMENENSIONS: 10'5"				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: CAT MODEL: D7H SERIES: LGP NET ENGINE: 230 BLADE DIMENENSIONS: 12'10"	<u>\$ 218.00</u>	<u>\$ 218.00</u>	<u>\$ 218.00</u>	<u>\$ 218.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.  <b>TWO UNITS AVAILABLE</b>	MFG: CAT MODEL: D8 SERIES: L NET ENGINE: 335 BLADE DIMENENSIONS: 13'8"	<u>\$ 248.00</u>	<u>\$ 248.00</u>	<u>\$ 248.00</u>	<u>\$ 248.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	BCI, INC.	MFG: John Deere MODEL: 850J SERIES: LGP NET ENGINE: 205 BLADE DIMENENSIONS: 12'8"	<u>\$ 238.00</u>	<u>\$ 238.00</u>	<u>\$ 238.00</u>	<u>\$ 238.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Berlin Ind.	MFG: John Deere MODEL: 450 SERIES: A NET ENGINE: 70 BLADE DIMENENSIONS: 8'5"	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 170.00</u>
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Canton Village	MFG: CAT MODEL: SERIES: D8L NET ENGINE: 335 BLADE DIMENENSIONS: 13'8"	<u>\$ 264.50</u>	<u>\$</u>	<u>\$</u>	<u>\$ 264.50</u>
8	<b>BULLDOZER:</b>	Canton Village	MFG: CAT	<u>\$ 204.50</u>	<u>\$</u>	<u>\$</u>	<u>\$ 204.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP		MODEL: SERIES: D6M LGP NET ENGINE: 153 BLADE DIMENENSIONS: 13'5"				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Canton Village	MFG: CAT MODEL: SERIES: D5N NET ENGINE: 115 BLADE DIMENENSIONS: 10'2"	\$ 149.50	\$	\$	\$ 149.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Canton Village	MFG: CAT MODEL: SERIES: D4H NET ENGINE: 94 BLADE DIMENENSIONS: 8'6"	\$ 144.50	\$	\$	\$ 144.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Canton Village	MFG: John Deere MODEL: SERIES: 450H NET ENGINE: 73 BLADE DIMENENSIONS: 8'6"	\$ 134.50	\$	\$	\$ 134.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Donahue	MFG: John Deere MODEL: 450 SERIES: J NET ENGINE: 80hp BLADE DIMENENSIONS: 8'5"	\$	\$ 125.00	\$	\$
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Donahue	MFG: DRESSER MODEL: TD15 SERIES: E NET ENGINE: 165hp BLADE DIMENENSIONS: 11'	\$	\$ 150.00	\$	\$
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	F.S.M.	MFG: New Holland MODEL: DC 75 LT SERIES: DC	\$ 125.00	\$ 125.00	\$ 125.00	\$ 125.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			NET ENGINE: 85 BLADE DIMENENSIONS: 86'				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Galasso	MFG: Caterpillar MODEL: d-5 SERIES: NET ENGINE: 105 BLADE DIMENENSIONS: 9'5"	\$ 180.00	\$	\$	\$ 180.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Genovesi	MFG: CAT D3 MODEL: XL SERIES: NET ENGINE: 80 HP BLADE DIMENENSIONS: 104.2	\$ 200.00	\$ 200.00	\$	\$
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 550 SERIES: A NET ENGINE: 80 BLADE DIMENENSIONS: 8'	\$99.50	\$99.50	\$99.50	\$99.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 750 SERIES: NET ENGINE: 120 BLADE DIMENENSIONS: 10'	\$ 119.50	\$ 119.50	\$ 119.50	\$ 119.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: CAT MODEL: D4 SERIES: H NET ENGINE: 125HP BLADE DIMENENSIONS: 9'	\$ 149.50	\$ 149.50	\$ 149.50	\$ 149.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: CAT MODEL: D8 SERIES: NET ENGINE: 200 BLADE DIMENENSIONS: 10'	\$199.50	\$199.50	\$199.50	\$199.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: John Deere MODEL: 755 SERIES: NET ENGINE: 120 BLADE DIMENENSIONS: 3 CY	\$169.50	\$169.50	\$169.50	\$169.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: CAT MODEL: D6 SERIES: NET ENGINE: 200 BLADE DIMENENSIONS: 10'	\$179.50	\$179.50	\$179.50	\$179.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: Bobcat MODEL: T190 SERIES: NET ENGINE: 80 BLADE DIMENENSIONS: 7'	\$99.50	\$99.50	\$99.50	\$99.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: Bobcat MODEL: T300 SERIES: NET ENGINE: 100 BLADE DIMENENSIONS: 8'	\$149.50	\$149.50	\$149.50	\$149.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	J.V. III CONSTRUCTION, INC.	MFG: Polaris MODEL: PC30 SERIES: NET ENGINE: 50 BLADE DIMENENSIONS: 4'	\$ 89.50	\$ 89.50	\$ 89.50	\$ 89.50
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	John J Brennan.	MFG: CAT MODEL: D5 SERIES: MXL NET ENGINE: 121 BLADE DIMENENSIONS: 8			\$ 190.00	\$ 190.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	John J Brennan.	MFG: Komatsu MODEL: D85			\$225.00	\$225.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: C NET ENGINE: 200 BLADE DIMENENSIONS: 9'				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	John J Brennan.	MFG: CAT MODEL: D6 SERIES: NET ENGINE: 50 BLADE DIMENENSIONS: 4'			\$ 200.00	\$ 200.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	John J Brennan.	MFG: CAT MODEL: D3 SERIES: KXL NET ENGINE: 50 BLADE DIMENENSIONS: 4			\$ 150.00	\$ 150.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Machnik Bros  1 of 3	MFG: CAT MODEL: D7 SERIES: G NET ENGINE: 300 HP BLADE DIMENENSIONS: 12 FT	\$ 190.00	\$ 190.00	\$ 190.00	\$ 190.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Machnik Bros	MFG: John Deere MODEL: 450 SERIES: G NET ENGINE: 70 BLADE DIMENENSIONS: 8FT	\$ 140.00	\$ 140.00	\$ 140.00	\$ 140.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Machnik Bros	MFG: John Deere MODEL: 350 SERIES: NET ENGINE: 50 BLADE DIMENENSIONS: 6 ft	\$135.00	\$135.00	\$135.00	\$135.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Murphy	MFG: Euclid MODEL: 82 SERIES: NET ENGINE: 300	\$175.00	\$175.00	\$175.00	\$175.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Rafferty	BLADE DIMENENSIONS: 12 ft MFG: John Deere MODEL: 550 SERIES: C NET ENGINE: 70 BLADE DIMENENSIONS: 7 ft	\$159.00	\$219.00	\$219.00	\$169.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Reliable	MFG: CAT MODEL: D3 SERIES: C NET ENGINE: 80HP BLADE DIMENENSIONS: 8 ft			\$100.00	\$100.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Reliable	MFG: CAT MODEL: D4 SERIES: C NET ENGINE: 110HP BLADE DIMENENSIONS: 9 ft			\$110.00	\$110.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Reliable	MFG: CAT MODEL: D6 SERIES: D NET ENGINE: 150HP BLADE DIMENENSIONS: 10 ft			\$130.00	\$130.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Reliable	MFG: CAT MODEL: D8 SERIES: K NET ENGINE: 250HP BLADE DIMENENSIONS: 13'6"			\$130.00	\$130.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Resource	MFG: MODEL: SERIES: NET ENGINE: BLADE DIMENENSIONS:	\$125.00	\$125.00	\$125.00	\$125.00
8	<b>BULLDOZER:</b>	Stone	MFG: CAT	\$100.00		\$100.00	\$85.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP		MODEL: D-4 SERIES: 0 NET ENGINE:125 BLADE DIMENENSIONS:8'				
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Stone	MFG: CAT MODEL: D-5 SERIES: NET ENGINE:135 BLADE DIMENENSIONS:8'-6"	\$110.00		\$110.00	\$100.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Stone	MFG: JD MODEL: 650 SERIES: NET ENGINE: 125 BLADE DIMENENSIONS: 9'	\$130.00		\$130.00	\$125.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Stone	MFG: CAT MODEL: D-8R SERIES: R NET ENGINE: 200 BLADE DIMENENSIONS: 13'-5"	\$225.00		\$225.00	\$200.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Stone	MFG: CAT MODEL: D-8 SERIES: K NET ENGINE: 200 BLADE DIMENENSIONS: 13'-5"	\$220.00		\$220.00	\$200.00
8	<b>BULLDOZER:</b> Track Mounted, Diesel Powered, Operated by Contractor; 50-300 Engine HP	Tilcon	MFG: John Deere MODEL: 650 SERIES: J XLT NET ENGINE: 70 HP BLADE DIMENENSIONS: 8'	\$ 180.00	\$ 180.00	\$ 180.00	\$ 180.00
9	<b>CRANE: TRACK/CRAWLER MOUNTED OR PNEUMATIC TIRED:</b>	Machnik Bros	MFG: Link Belt MODEL: HC 108 B	\$260.00	\$260.00	\$260.00	\$260.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Telescoping or Non-Telescoping Boom 30'-100 ft; Operated by Contractor; Track Mounted Unit must be brought to work site on flatbed trailer		BOOM TYPE: lattice BOOM LENGTH: 110ft LIFT CAPACITY/FCSA CLASS: TRACKED:4-5 TIRED :X				
9-A	<b>UNIT WITH ATTACHMENT: 3/8 C.Y. CLAMSHELL</b>	Machnik Bros		\$60.00	\$60.00	\$60.00	\$60.00
9-B	<b>UNIT WITH ATTACHMENT: 1/2 C.Y. CLAMSHELL</b>	Machnik Bros		\$60.00	\$60.00	\$60.00	\$60.00
9-C	<b>UNIT WITH ATTACHMENT: 3/4 C.Y. CLAMSHELL</b>	Machnik Bros		\$60.00	\$60.00	\$60.00	\$60.00
9-D	<b>UNIT WITH ATTACHMENT: BALL</b>	Machnik Bros		\$60.00	\$60.00	\$60.00	\$60.00
9-E	<b>UNIT WITH ATTACHMENT: DRAGLINE BUCKET (PERFORATED)</b>	Machnik Bros		\$ _____	\$ _____	\$ _____	\$ _____
9	<b>CRANE: TRACK/CRAWLER MOUNTED OR PNEUMATIC TIRED:</b> Telescoping or Non-Telescoping Boom 30'-100 ft; Operated by Contractor; Track Mounted Unit must be brought to work site on flatbed trailer	Reliable	MFG: P H MODEL: 650 BOOM TYPE: lattice BOOM LENGTH: 100ft LIFT CAPACITY/FCSA CLASS: TRACKED:45 TIRED :X		\$	\$500.00	\$500.00
9-A	<b>UNIT WITH ATTACHMENT: 3/8 C.Y. CLAMSHELL</b>	Reliable				\$25.00	\$25.00
9-B	<b>UNIT WITH ATTACHMENT: 1/2 C.Y. CLAMSHELL</b>	Reliable				\$25.00	\$25.00
9-C	<b>UNIT WITH ATTACHMENT: 3/4 C.Y. CLAMSHELL</b>	Reliable				\$25.00	\$25.00
9-D	<b>UNIT WITH ATTACHMENT: BALL</b>	Reliable				\$100.00	\$100.00
9-E	<b>UNIT WITH ATTACHMENT: DRAGLINE BUCKET (PERFORATED)</b>	Reliable				\$75.00	\$75.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Komatsu MODEL: 320 SERIES: 3MC  Loader: Rated Capacity C.Y.: 2  Bucket: Side Dump Width: 9'	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Volvo MODEL: L120 SERIES: C  Loader: Rated Capacity C.Y.: 3.0  Bucket: Width: 8'6"	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Volvo MODEL: L120 SERIES:  Loader: Rated Capacity C.Y.: 4.0  Bucket: Side Dump Width: 9'4"	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Komatsu MODEL: 380 SERIES: L	<u>\$ 174.00</u>	<u>\$ 174.00</u>	<u>\$ 174.00</u>	<u>\$ 174.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 4.0  Bucket: Side Dump Width: 9'6"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 544 SERIES: H/J  Loader: Rated Capacity C.Y.: 3.0-3.5  Bucket: Side Dump Width: 8'4"	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>	<u>\$ 159.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 744 SERIES: H/E  Loader: Rated Capacity C.Y.: 5.5  Bucket: Side Dump Width: 10'	<u>\$189.00</u>	<u>\$189.00</u>	<u>\$189.00</u>	<u>\$189.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 624 SERIES: J/H  Loader: Rated Capacity C.Y.: 3.5  Bucket: Width: 8'5"	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>	<u>\$ 169.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 644 SERIES: J/H  Loader: Rated Capacity C.Y.: 4  Bucket: Width: 9'4"	<u>\$ 174.00</u>	<u>\$ 174.00</u>	<u>\$ 174.00</u>	<u>\$ 174.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Komatsu MODEL: 450 SERIES: 2  Loader: Rated Capacity C.Y.: 6.0  Bucket: Width: 10'5"	<u>\$ 199.00</u>	<u>\$ 199.00</u>	<u>\$ 199.00</u>	<u>\$ 199.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Samsung MODEL: 180 SERIES: SL  Loader: Rated Capacity C.Y.: 4  Bucket: Width: 9'5"	<u>\$ 179.00</u>	<u>\$ 179.00</u>	<u>\$ 179.00</u>	<u>\$ 179.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: T-110 SERIES: Track  Loader: Rated Capacity C.Y.: 0.33/5	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 50"/60"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: T-250 SERIES: Track  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-72"	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: T-300 SERIES: Track  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-84"	<u>\$ 124.00</u>	<u>\$ 124.00</u>	<u>\$ 124.00</u>	<u>\$ 124.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: S-185 SERIES:  Loader: Rated Capacity C.Y.: 0.5  Bucket: Width: 60-72"	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by		MFG: Bobcat	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MODEL: S-250 SERIES: Skid  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-84"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: S-300 SERIES: Skid  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-84"	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Bobcat MODEL: S-650 SERIES: Skid  Loader: Rated Capacity C.Y.: 0.5-1  Bucket: Width: 60-72"	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 844K SERIES:  Loader: Rated Capacity C.Y.: 6.3-8.1	<u>\$ 245.00</u>	<u>\$ 245.00</u>	<u>\$ 245.00</u>	<u>\$ 245.00</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 11'4"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: John Deere MODEL: 844J SERIES:  Loader: Rated Capacity C.Y.: 6.0-7.75  Bucket: Width: 11'4"	<u>\$ 245.00</u>	<u>\$ 245.00</u>	<u>\$ 245.00</u>	<u>\$ 245.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: TL65 SERIES: CWL 4  Loader: Rated Capacity C.Y.: 1.3  Bucket: Width: 5'6"	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: CAT MODEL: 966 SERIES: H  Loader: Rated Capacity C.Y.: 5.5  Bucket: Width: 10'6"	<u>\$ 235.00</u>	<u>\$ 235.00</u>	<u>\$ 235.00</u>	<u>\$ 235.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: TL80 SERIES: CWL 4	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 1.05-1.57  Bucket: Width: 6'1"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: TL100 SERIES: CWL 4  Loader: Rated Capacity C.Y.: 1.11-2.03  Bucket: Width: 6'5"	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>	<u>\$ 149.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: TL120 SERIES: CWL 4  Loader: Rated Capacity C.Y.: 1.37- 2.35  Bucket: Width: 6'11"	<u>\$ 154.00</u>	<u>\$ 154.00</u>	<u>\$ 154.00</u>	<u>\$ 154.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: RO70T SERIES: 4  Loader: Rated Capacity C.Y.: 0.5  Bucket: Width: 48"	<u>\$ 124.00</u>	<u>\$ 124.00</u>	<u>\$ 124.00</u>	<u>\$ 124.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2012 MODEL: PT70 SERIES: Track Loader  Loader: Rated Capacity C.Y.: 1  Bucket: Width: 6'	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex MODEL: R190T SERIES: Track Loader  Loader: Rated Capacity C.Y.: 1  Bucket: Width: 6'	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex MODEL: PT75 SERIES: Track Loader  Loader: Rated Capacity C.Y.: 1.25  Bucket: 6' Width:	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>	<u>\$ 144.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex MODEL: PT100 Forestry SERIES: Track Forestry Loader  Loader: Rated Capacity C.Y.: 1.5	<u>\$ 195.00</u>	<u>\$ 195.00</u>	<u>\$ 195.00</u>	<u>\$ 195.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 6'3"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: R260S SERIES: Skid Steer Loader  Loader: Rated Capacity C.Y.: 1.25  Bucket: Width: 6'	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	BCI, INC.	MFG: Terex 2015 MODEL: R185S SERIES: Skid Steer Loader  Loader: Rated Capacity C.Y.: 1  Bucket: Width: 6'	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>	<u>\$ 139.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Berlin Ind.	MFG: Cat MODEL: 938 SERIES: F  Loader: Rated Capacity C.Y.: 2-4  Bucket: Width: 8'6"	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 119.00</u>	<u>\$ 144.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Berlin Ind.	MFG: New Holland MODEL: LS 170	<u>\$ 105.00</u>	<u>\$ 105.00</u>	<u>\$ 105.00</u>	<u>\$ 105.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES:  Loader: Rated Capacity C.Y.: 1 Cu yd  Bucket: Width: 74"-84"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village	MFG: CAT MODEL: SERIES: 980H  Loader: Rated Capacity C.Y.: 7.5  Bucket: Width: 11"-6"	<u>\$ 299.00</u>	\$	\$	<u>\$ 299.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village	MFG: CAT MODEL: SERIES: 966H  Loader: Rated Capacity C.Y.: 6  Bucket: Width: 10"	<u>\$ 265.00</u>	\$	\$	<u>\$ 265.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village	MFG: CAT MODEL: SERIES: 950F  Loader: Rated Capacity C.Y.: 4 Side Dump  Bucket:	<u>\$ 245.00</u>	\$	\$	<u>\$ 245.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village	Width: 9"-6" MFG: CAT MODEL: SERIES: 936  Loader: Rated Capacity C.Y.: 3.5 Side Dump  Bucket: Width: 9'	\$ 225.00	\$	\$	\$ 225.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Canton Village	MFG: CAT MODEL: SERIES: 299D XHP  Loader: Rated Capacity C.Y.: 5-1  Bucket: Width: 78"	\$ 134.50	\$	\$	\$ 134.50
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Donahue	MFG: DRESSER MODEL: 540 SERIES: I  Loader: Rated Capacity C.Y.: 4  Bucket: Width: 10.5'	\$	\$ 150.00	\$	\$
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Donahue	MFG: Kubota MODEL: SLV90 SERIES: I	\$	\$ 125.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 1  Bucket: Width: 80"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M.	MFG: Kumatsu MODEL: WA 150-5 SERIES: 5  Loader: Rated Capacity C.Y.: 2  Bucket: Width: 8'6"	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M.	MFG: Case MODEL: 621 DXT SERIES: D  Loader: Rated Capacity C.Y.: 2 1/2  Bucket: Width: 8'6"	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M.	MFG: New Holland MODEL: LB 75 B SERIES: B  Loader: Rated Capacity C.Y.: 2  Bucket: Width: 8'	<u>\$ 190.00</u>	<u>\$ 100.00</u>	<u>\$ 100.00</u>	<u>\$ 100.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M.	MFG: volvo MODEL: BL 70 SERIES: B  Loader: Rated Capacity C.Y.: 2 YD  Bucket: Width: 8'	<u>\$ 110.00</u>	<u>\$ 110.00</u>	<u>\$ 110.00</u>	<u>\$ 110.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M.	MFG: New Holand MODEL: LS 170 SERIES: LS  Loader: Rated Capacity C.Y.: ½ cy  Bucket: Width: 72"	<u>\$ 100.00</u>	<u>\$ 100.00</u>	<u>\$ 90.00</u>	<u>\$ 90.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	F.S.M.	MFG: ASU MODEL: RC 60 SERIES: 5  Loader: Rated Capacity C.Y.: ½ YD  Bucket: Width: 72"	<u>\$ 105.00</u>	<u>\$ 105.00</u>	<u>\$ 95.00</u>	<u>\$ 95.00</u>
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Galasso	MFG: Bobcat MODEL: t-650 SERIES: Track  Loader: Rated Capacity C.Y.: 1cy	<u>\$ 135.00</u>	\$	\$	<u>\$ 135.00</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: GP Width: 80"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Genovesi	MFG: CAT 910 MODEL: SERIES:  Loader: Rated Capacity C.Y.: 3 CY  Bucket: Width: 6 wide	\$ 190.00	\$ 190.00	\$	\$
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: JCB MODEL: 215 SERIES:3  Loader: Rated Capacity C.Y.: 1.25  Bucket: Width: 7',5"	\$ 119.00	\$ 119.00	\$ 119.00	\$ 119.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: JCB MODEL: 212S SERIES:3  Loader: Rated Capacity C.Y.: 1  Bucket: Width: 7',5"	\$ 119.00	\$ 119.00	\$ 119.00	\$ 119.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less		MFG: JD MODEL: 410	\$ 119.00	\$ 119.00	\$ 119.00	\$ 119.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
		J.V. III CONSTRUCTION, INC.	SERIES:G  Loader: Rated Capacity C.Y.: 1.3  Bucket: Width: 7',5"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: JD MODEL: 510 SERIES: D  Loader: Rated Capacity C.Y.: 1.5  Bucket: Width: 7',5"	\$ 119.00	\$ 119.00	\$ 119.00	\$ 119.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: JD MODEL: 624 SERIES:H  Loader: Rated Capacity C.Y.: 2  Bucket: Width: 4 in 1	\$ 169.00	\$ 169.00	\$ 169.00	\$ 169.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: JD MODEL: 444 SERIES:H  Loader: Rated Capacity C.Y.: 2  Bucket:4 in 1	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	Width: MFG: JD MODEL: 544 SERIES: G  Loader: Rated Capacity C.Y.: 3  Bucket: 4IN1 Width: 8'6"	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.04
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: JD MODEL: 644 SERIES: G  Loader: Rated Capacity C.Y.: 4  Bucket: COMBO Width: 9'6"	\$ 229.00	\$ 229.00	\$ 229.00	\$ 229.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: MICHIGAN MODEL: 125 SERIES: B  Loader: Rated Capacity C.Y.: 4  Bucket: GP Width: 10'	\$ 169.00	\$ 169.00	\$ 169.00	\$ 169.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: MICHIGAN MODEL: L190 SERIES:	\$ 249.00	\$ 249.00	\$ 249.00	\$ 249.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 7  Bucket: GP Width: 10'6"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: MICHIGAN MODEL: 175 SERIES: C  Loader: Rated Capacity C.Y.: 5  Bucket: GP Width: 10'	\$ 199.00	\$ 199.00	\$ 199.00	\$ 199.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: VOLVO MODEL: L70 SERIES: D  Loader: Rated Capacity C.Y.: 3  Bucket: 4 IN 1 Width: 8'	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: CAT MODEL: 920 SERIES:  Loader: Rated Capacity C.Y.: 2	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: GP Width: 7.5'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: CAT MODEL: 930 SERIES:  Loader: Rated Capacity C.Y.: 3  Bucket: GP Width: 7.5'	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: CAT MODEL: 980 SERIES:  Loader: Rated Capacity C.Y.: 6  Bucket: GP Width: 10'	\$ 249.00	\$ 249.00	\$ 249.00	\$ 249.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: CAT MODEL: 936 SERIES:  Loader: Rated Capacity C.Y.: 3 Bucket: GP Width: 8.5'	\$ 149.00	\$ 149.00	\$ 149.00	\$ 149.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by		MFG: CAT	\$ 239.00	\$ 239.00	\$ 239.00	\$ 239.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MODEL: 966 SERIES:  Loader: Rated Capacity C.Y.: 5  Bucket: GP Width: 9'6"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: BOBCAT MODEL: 453 SERIES:  Loader: Rated Capacity C.Y.: .25  Bucket: GP Width: 3'	\$ 99.00	\$ 99.00	\$ 99.00	\$ 99.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: BOBCAT MODEL: S300 SERIES:  Loader: Rated Capacity C.Y.: 1  Bucket: 4 IN 1 Width: 84"	\$ 119.00	\$ 119.00	\$ 119.00	\$ 119.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: BOBCAT MODEL: S250 SERIES:  Loader:	\$ 109.00		\$ 109.00	\$ 109.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Rated Capacity C.Y.: .75 Bucket: 4 IN 1 Width: 74"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC.	MFG: BOBCAT MODEL: S175 SERIES:  Loader: Rated Capacity C.Y.: .50  Bucket: 4 IN 1 Width: 60"	\$ 99.00	\$ 99.00	\$ 99.00	\$ 99.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	J.V. III CONSTRUCTION, INC. J.V. III CONSTRUCTION, INC.	MFG: DRESSER MODEL: 550 SERIES:  Loader: Rated Capacity C.Y.: .7  Bucket: GP Width: 10'6"	\$ 249.00	\$ 249.00	\$ 249.00	\$ 249.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: John Deere MODEL: 544 SERIESJ:  Loader: Rated Capacity C.Y.: 4 CY  Bucket: Width: 6 side dump	\$ _____	\$ _____	\$ 175.00	\$ 175.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by		MFG: John Deere	\$ _____	\$ _____	\$ 185.00	\$ 185.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MODEL: 624 SERIES: H  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 9'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: John Deere MODEL: 524 SERIES: K  Loader: Rated Capacity C.Y.: 2.5  Bucket: Width: 8'	\$ _____	\$ _____	\$ 170.00	\$170.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: Komatsu MODEL: WA200 SERIES: G  Loader: Rated Capacity C.Y.: 2.5 CY  Bucket: Width: 8'	\$ _____	\$ _____	\$ 170.00	\$ 170.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: CAT MODEL: 924 SERIES: K  Loader: Rated Capacity C.Y.: 3	\$ _____	\$ _____	\$ 170.00	\$170.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 9'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: Bobcat MODEL: T250 SERIES:  Loader: Rated Capacity C.Y.: 1/3  Bucket: Width: 4'	\$ _____	\$ _____	\$ 140.00	\$ 140.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	John J. Brennan	MFG: Kubota MODEL: SVL90-2 SERIES:  Loader: Rated Capacity C.Y.: 1/3  Bucket: Width: 4	\$ _____	\$ _____	\$ 145.00	\$145.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Machnick	MFG: CAT MODEL: 920 SERIES:  Loader: Rated Capacity C.Y.: 1 ½ CY  Bucket: Width: 8 FT	\$ 130.00	\$ 130.00	\$ 130.00	\$ 130.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Machnick	MFG: CAT MODEL: 930 SERIES:	\$ 135.00	\$ 135.00	\$ 135.00	\$135.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Loader: Rated Capacity C.Y.: 2 1/4  Bucket: Width: 8 FT				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Machnick	MFG: CAT MODEL: 936 SERIES: D  Loader: Rated Capacity C.Y.: 3 cy  Bucket: Width: 8ft 6 inch.	\$ 140.00	\$ 140.00	\$ 140.00	\$140.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	McAllen Building	MFG: John Deere MODEL: 544 SERIES:  Loader: Rated Capacity C.Y.: 3 cy  Bucket: Width: 9'	\$ 125.00	\$ 125.00	\$ 125.00	\$ 125.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Murphy	MFG: CAT MODEL: IT 28 SERIES: B  Loader: Rated Capacity C.Y.: 2.5  Bucket: Width: 8'	\$ 147.00	\$ 147.00	\$ 147.00	\$147.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Rafferty	MFG: Volvo MODEL: 90 SERIES: L  Loader: Rated Capacity C.Y.: 4  Bucket: Width: 8'	\$ 169.00	\$ 200.00	\$ 200.00	\$169.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Rafferty	MFG: Volvo MODEL: 70 SERIES: L  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 8'	\$ 139.00	\$ 160.00	\$ 160.00	\$139.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Reliable	MFG: John Deere MODEL: 510D SERIES: D  Loader: Rated Capacity C.Y.: 2.5  Bucket: Width: 8'-6"			\$ 90.00	\$90.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Reliable	MFG: Fiat Allis MODEL: FR10 SERIES: B  Loader: Rated Capacity C.Y.: 2.5			\$ 110.00	\$110.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Bucket: Width: 8'-6"				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Reliable	MFG: JD MODEL: 544 SERIES: D  Loader: Rated Capacity C.Y.: 3  Bucket: Width: 8'-6"			\$ 110.00	\$110.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Reliable	MFG: JD MODEL: 644 SERIES: D  Loader: Rated Capacity C.Y.: 3.5  Bucket: Width: 8'-6"			\$ 150.00	\$150.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 242 SERIES:  Loader:CAT Rated Capacity C.Y.: 3/4  Bucket: Width: 7'	\$100.00		100.00	\$85.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 292	\$110.00		\$ 110.00	\$100.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: II  Loader: Rated Capacity C.Y.: 3/4  Bucket: Width: 7'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 420 SERIES: B  Loader: Rated Capacity C.Y.: 2 C.Y.  Bucket: Width: 8'	\$100.00		\$100.00	\$95.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 426 SERIES: B  Loader: Rated Capacity C.Y.: 2 CY  Bucket: Width: 8'	\$ 100.00		\$ 100.00	\$95.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 908 SERIES: III  Loader: Rated Capacity C.Y.: 1.8  Bucket:8'	\$120.00		\$ 120.00	\$100.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Width: 8'				
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 950 SERIES: D  Loader: Rated Capacity C.Y.: 4-1/2  Bucket: Width: 9'	\$ 125.00		\$ 125.00	\$125.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Stone	MFG: CAT MODEL: 966 SERIES: G  Loader: Rated Capacity C.Y.: 5  Bucket: Width: 10'	\$175.00		\$ 175.00	\$150.00
10	<b>FRONT END LOADER:</b> Rubber tired diesel powered; Operated by Contractor; Loader Capacity 4 C.Y. or less	Tilcon	MFG: John Deere MODEL: 644 SERIES: J  Loader: Rated Capacity C.Y.: 4 CY  Bucket: Width: 8'	\$ <u>204.00</u>	\$ <u>210.00</u>	\$ <u>210.00</u>	\$ <u>210.00</u>
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION</b>	Appleblossom	Backhoe/Loader: MFG: John Deere	\$295.00	\$400.00	\$295.00	\$295.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p><b>BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MODEL: 310 4x4 SERIES: D</p> <p>Backhoe: RATED CAP: ½ c.y. WIDTH: 24" MAX DIG DEPTH: 14'</p> <p>Loader: RATED CAP: 1.3 yd BUCKET WIDTH: 8'</p> <p>Truck: MFG: Freightliner MODEL: MZ106 C.Y. CAP: 5 – 8 yd</p> <p>Mixer: MFG: Roebuck MODEL: 73 C.Y. CAP: 5 c.f.</p> <p>Air Compressor: MFG: Multiquip MODEL: MQ185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY</b>	Appleblossom	MFG: Freightliner	\$ 75.00	\$ 85.00	\$ 75.00	\$ 75.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>DUMP TRUCK WITH WORKING DRIVER</b>		MODEL: MZ106 C.Y.: 5-8 yd				
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes</p>	BCI, INC.	<p>Backhoe/Loader: MFG: John Deere MODEL: 410 4x4 SERIES: G Extendahoe</p> <p>Backhoe: RATED CAP: 0.5 cu yd. WIDTH: 24" MAX DIG DEPTH:17'</p> <p>Loader: RATED CAP: 1cu yd. BUCKET WIDTH: 8'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	\$ 449.00	\$ 449.00	\$ 449.00	\$ 449.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.						
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench,</p>	BCI, INC.	<p>Backhoe/Loader: MFG: John Deere MODEL: 710 4x4 SERIES: G Extindahoe</p> <p>Backhoe: RATED CAP: 0.5 cu yd. WIDTH: 18"-36" MAX DIG DEPTH:18'</p> <p>Loader: RATED CAP: 1.5 cu yd. BUCKET WIDTH: 8'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	<u>\$ 491.00</u>	<u>\$ 491.00</u>	<u>\$ 491.00</u>	<u>\$ 491.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.						
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	BCI, INC.	MFG: Mack MODEL: CH16 C.Y.: 8	<u>\$ 99.00</u>	<u>\$ 99.00</u>	<u>\$ 99.00</u>	<u>\$ 99.00</u>
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	BCI, INC.	MFG: Target MODEL: Portacut IV HP: 390cc BLADE DIA: 14"-18"	<u>\$ 105.00</u>	<u>\$ 105.00</u>	<u>\$ 105.00</u>	<u>\$ 105.00</u>
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs,	Berlin Ind.	Backhoe/Loader: MFG: John Deere MODEL: 410 SERIES: K  Backhoe: RATED CAP: 0.5 cu yd. WIDTH: 24" MAX DIG DEPTH: 17'  Loader: RATED CAP: 2 cu yd. BUCKET WIDTH: 8'  Truck: MFG: Ford MODEL: L8000 C.Y. CAP: 5-8 cu yd.	<u>\$ 680.00</u>	<u>\$ 680.00</u>	<u>\$ 680.00</u>	<u>\$ 680.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.		Mixer: MFG: Stowe MODEL: CM C.Y. CAP: .25 cu yd.  Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Berlin Ind.	MFG: International MODEL: 4900 C.Y.:5- 8 cu yd	<u>\$ 120.00</u>	<u>\$ 120.00</u>	<u>\$ 120.00</u>	<u>\$ 150.00</u>
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.	Canton Village	Backhoe/Loader: MFG: John Deere MODEL: SERIES: 410J Ext a Hoe  Backhoe: RATED CAP: .25-.5 CYD WIDTH: 12"-30" MAX DIG DEPTH:17'  Loader: RATED CAP: 1.4 BUCKET WIDTH: 8'	<u>\$ 469.50</u>	\$	\$	<u>\$ 469.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>Truck: MFG: MACK MODEL: RD690P C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: C.Y. CAP: .25 CYD</p> <p>Air Compressor: MFG: Ingersol Rand MODEL: CFM: 185 CFM</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Canton Village	MFG: MODEL: C.Y.:	\$ 85.00	\$	\$	\$ 85.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;	Donahue	Backhoe/Loader: MFG: John Deere MODEL: 410 SERIES: G  Backhoe: RATED CAP: ½ cy WIDTH: 32" MAX DIG DEPTH: 11'	\$	\$ 425.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>Loader: RATED CAP: 1.75 cy BUCKET WIDTH: 7'</p> <p>Truck: MFG: Freightliner MODEL: FL70 C.Y. CAP: 6</p> <p>Mixer: MFG: Stone MODEL: 465 C.Y. CAP: 4CF</p> <p>Air Compressor: MFG: Ingersol Rand MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Donahue	MFG: MACK MODEL: RD600 C.Y.: 8	\$	\$ 90.00	\$	\$
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Donahue	MFG: Target MODEL: 2016 HP: 35 BLADE DIA: 18"	\$	\$ 95.00	\$	\$
11	<b>DRAINAGE INSTALLATION UNIT</b>		Backhoe/Loader:	\$ 418.00	\$ 418.00	\$ 340.00	\$ 340.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p><b>TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>	F.S.M.	<p>MFG: NEW HOLLAND MODEL: LB75B SERIES: B</p> <p>Backhoe: RATED CAP: 5 CY WIDTH: 12-36 MAX DIG DEPTH:14'</p> <p>Loader: RATED CAP: 1.5 BUCKET WIDTH: 8'</p> <p>Truck: MFG: PETERBUILT MODEL: 330 C.Y. CAP: 8CY</p> <p>Mixer: MFG: MULTIQUIP MODEL: MC94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: P185C CFM: 185</p>				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the</p>	F.S.M.	<p>Backhoe/Loader: MFG: VOLVO MODEL: BL70 SERIES: B</p> <p>Backhoe: RATED CAP: ½ CY WIDTH: 12-36 MAX DIG DEPTH:18'</p> <p>Loader: RATED CAP: 1 ½ CY BUCKET WIDTH: 8'</p> <p>Truck: MFG: PETERBUILT MODEL: 330 C.Y. CAP: 8 CY</p> <p>Mixer: MFG: MULTQUIP MODEL: MC94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: P185C CFM: 185</p>	<u>\$ 420.00</u>	<u>\$ 420.00</u>	<u>\$ 365.00</u>	<u>\$ 365.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4

	boxes as required.						
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	F.S.M	MFG: FREIGHLINER MODEL: FL80 C.Y.: 8 CY	<u>\$ 90.00</u>	<u>\$ 90.00</u>	<u>\$ 90.00</u>	<u>\$ 90.00</u>
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench,</p>	Genovesi	<p>Backhoe/Loader: John Deere 310 E MFG: MODEL: SERIES:</p> <p>Backhoe: RATED CAP: ½ CY WIDTH: 30 MAX DIG DEPTH: 16 ft</p> <p>Loader: RATED CAP: 3 BUCKET WIDTH: 6</p> <p>Truck: MFG: peterbuilt MODEL: 337 C.Y. CAP: 9 CY</p> <p>Mixer: MFG: Multiquip MODEL: MC94 PH8 C.Y. CAP: 1/3 CY</p> <p>Air Compressor: MFG: Ingersoll Rand MODEL: 185 CFM: 185</p>	<u>\$ 400.00</u>	<u>\$ 400.00</u>	<u>\$</u>	<u>\$</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4

	manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.						
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES:</p>	Genovesi	<p>Backhoe/Loader: John Deere 310 E MFG: MODEL: SERIES:</p> <p>Backhoe: RATED CAP: ½ CY WIDTH: 30 MAX DIG DEPTH: 16 ft</p> <p>Loader: RATED CAP: 3 BUCKET WIDTH: 6</p> <p>Truck: MFG: peterbuilt MODEL: 337 C.Y. CAP: 9 CY</p> <p>Mixer: MFG: Multiquip MODEL: MC94 PH8 C.Y. CAP: 1/3 CY</p> <p>Air Compressor: MFG: Ingersoll Rand MODEL: 185</p>	\$ 500.00	\$ 500.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.		CFM: 185				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Genovesi	MFG: peterbuilt 337 MODEL: 9 CY C.Y.:	\$ 125.00	\$ 125.00	\$	\$
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Genovesi	MFG: Husquarna MODEL: HP: 36 Inch BLADE DIA: 18 inch	\$ 140.00	\$ 140.00	\$	\$
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Genovesi	MFG: international MODEL: 4300 C.Y.: 6 CY	\$ 100.00	\$ 100.00	\$	\$
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver;	J.V. III CONSTRUCTION, INC.	Backhoe/Loader: MFG: JD MODEL: 410 SERIES: G  Backhoe: RATED CAP: 3/8 WIDTH: 2' MAX DIG DEPTH: 18'  Loader: RATED CAP: 1 1/4 BUCKET WIDTH: 92"  Truck:	\$ 389.00	\$ 389.00	\$ 389.00	\$ 389.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MFG: INTL MODEL: 4900 C.Y. CAP: 6</p> <p>Mixer: MFG: WHITMAN MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: JOY MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R400 C.Y.: 8	\$ 85.00	\$ 85.00	\$ 85.00	\$ 85.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO35 HP: 35 BLADE DIA:	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;	J.V.III	Backhoe/Loader: MFG: JD MODEL: 710 SERIES: D	\$ 469.00	\$ 469.00	\$ 469.00	\$ 469.00
			Backhoe: RATED CAP: 3/8 WIDTH: 30"				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MAX DIG DEPTH: 20'</p> <p>Loader: RATED CAP: 1.5 BUCKET WIDTH: 96"</p> <p>Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 8</p> <p>Mixer: MFG: WHITMAN MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: JOY MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R400 C.Y.: 8	\$ 85.00	\$ 85.00	\$ 85.00	\$ 85.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO35 HP: 35 BLADE DIA:	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the</p>	John J. Brennan	<p>Backhoe/Loader: MFG: JD MODEL: 410 SERIES: D</p> <p>Backhoe: RATED CAP: 3/8 WIDTH: 18'-24' MAX DIG DEPTH: 17'</p> <p>Loader: RATED CAP: 1-1/4 BUCKET WIDTH: 8</p> <p>Truck: MFG: Kenworth MODEL: 400 C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: 311 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: JOY MODEL: 185 CFM: 185</p>			\$ 620.00	\$ 620.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	boxes as required.						
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	John J. Brennan	MFG: Kenworth MODEL: 400 C.Y.: 8			\$ 110.00	\$ 110.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	John J. Brennan	MFG: TARGET MODEL: PRO65-3 HP: 65 BLADE DIA: 24"-36"			\$ 175.00	\$ 175.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter,	Machnick	Backhoe/Loader: MFG: JD MODEL: 410 SERIES: E  Backhoe: RATED CAP: 5/8 WIDTH: 24" MAX DIG DEPTH: 16'  Loader: RATED CAP: 1-1/2 BUCKET WIDTH: 8  Truck: MFG: International MODEL: 5600 C.Y. CAP: 8  Mixer:	\$ 515.00	\$ 515.00	\$ 515.00	\$515.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MFG: Stowe MODEL: 65 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: Ingersoll-Rand MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Macknick	MFG: Kenworth MODEL: T300 C.Y.: 8	\$ 100.00	\$ 100.00	\$ 100.00	\$ 100.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Machnick	MFG: TARGET MODEL: PRO65 HP: 65 BLADE DIA: 24"	\$125.00	\$125.00	\$125.00	\$125.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.	McAllen	<p>Backhoe/Loader: MFG: MODEL: SERIES:</p> <p>Backhoe: RATED CAP: WIDTH: MAX DIG DEPTH:</p> <p>Loader: RATED CAP:</p>	\$ 355.00	\$ 355.00	\$ 355.00	\$ 355.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>BUCKET WIDTH:</p> <p>Truck: MFG: MODEL: C.Y. CAP:</p> <p>Mixer: MFG: MODEL: C.Y. CAP:</p> <p>Air Compressor: MFG: MODEL: CFM:</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	McAllen	MFG: Kenworth MODEL: C.Y.: 8	\$95.00	\$95.00	\$95.00	\$95.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	McAllen	MFG: TARGET MODEL: HP: 30 BLADE DIA: 30"	\$65.00	\$65.00	\$65.00	\$65.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and	Rafferty	Backhoe/Loader: MFG: John Deere MODEL: 410 SERIES: G	\$492.00	\$642.00	\$642.00	\$492.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>Backhoe: RATED CAP:3/8 WIDTH: 24" MAX DIG DEPTH:11'</p> <p>Loader: RATED CAP:1.75 BUCKET WIDTH: 7'</p> <p>Truck: MFG: Ford MODEL: F650 C.Y. CAP: 1/3 CY</p> <p>Mixer: MFG: Ford MODEL: F650 C.Y. CAP: 6CY</p> <p>Air Compressor: MFG: Doosan MODEL: 185 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Ford MODEL: F650 C.Y.: 6	\$ 104.00	\$ 124.00	\$ 124.00	\$ 104.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Rafferty	MFG: Husqvarna MODEL: 300 HP: 30 BLADE DIA: 14"	\$170.00	\$190.00	\$190.00	\$170.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins  EXCAVATION BOXES: Contractor shall furnish and utilize trench,	Reliable	Backhoe/Loader: MFG: John Deere MODEL: 410 SERIES: D  Backhoe: RATED CAP:1/2 CY WIDTH: 12"-24" MAX DIG DEPTH:18'  Loader: RATED CAP:1.25 BUCKET WIDTH: 8'  Truck: MFG: International MODEL: 4500 C.Y. CAP: 8 CY  Mixer: MFG: Stow MODEL: CM C.Y. CAP: ½ CY  Air Compressor: MFG: M/Q MODEL: 185 CFM: 185			\$270.00	\$270.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.						
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES:</p>	Reliable	<p>Backhoe/Loader: MFG: John Deere MODEL: 510 SERIES: D</p> <p>Backhoe: RATED CAP:1/2 CY WIDTH:12-24" MAX DIG DEPTH:18'</p> <p>Loader: RATED CAP:1.5 CY BUCKET WIDTH: 8'</p> <p>Truck: MFG: Mack MODEL: R600 C.Y. CAP: 8 CY</p> <p>Mixer: MFG: Ford MODEL: F650 C.Y. CAP: ½ CY</p> <p>Air Compressor: MFG: M/Q MODEL: 185 CFM: 185</p>			\$ 285.00	\$ 285.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.						
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Reliable	MFG: Mack MODEL: R600 C.Y.: 8			\$ 74.00	\$ 74.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Reliable	MFG: Target MODEL: Pro 65 HP: 65 BLADE DIA: 24"			\$65.00	\$65.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.  Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter,	Resource	Backhoe/Loader: MFG: MODEL: SERIES:  Backhoe: RATED CAP: WIDTH: MAX DIG DEPTH:  Loader: RATED CAP:1 BUCKET WIDTH:  Truck: MFG: MODEL: C.Y. CAP:  Mixer:	\$1000.00	\$1000.00	\$1000.00	\$1000.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>MFG: Ford MODEL: C.Y. CAP:</p> <p>Air Compressor: MFG: MODEL: 1 CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Resource	<p>MFG: MODEL: C.Y.:</p>	\$ 85.00	\$ 85.00	\$ 85.00	\$ 85.00
11-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.	Resource	<p>MFG: MODEL: HP: BLADE DIA:</p>	\$75.00	\$75.00	\$75.00	\$75.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;  Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by State.	Stone	<p>Backhoe/Loader: MFG: CAT MODEL: 420 SERIES: F</p> <p>Backhoe: RATED CAP: ½ WIDTH: 18"-24" MAX DIG DEPTH: 15'</p> <p>Loader: RATED CAP:2</p>	\$442.00		\$442.00	\$342.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>BUCKET WIDTH: 8'</p> <p>Truck: MFG: Int MODEL: 2600 C.Y. CAP: 7</p> <p>Mixer: MFG: Stowe MODEL: 311 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: IR MODEL: P-185 CFM: 170</p>				
11	<p><b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b></p> <p>For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;</p> <p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials shall be furnished by</p>	Stone	<p>Backhoe/Loader: MFG: CAT MODEL: 420 SERIES: C</p> <p>Backhoe: RATED CAP: ½ WIDTH: 18"-24" MAX DIG DEPTH: 16'</p> <p>Loader:</p>	\$575.00		\$575.00	\$475.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which shall be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>RATED CAP:2 BUCKET WIDTH: 8'</p> <p>Truck: MFG: Mack MODEL: R-600 C.Y. CAP: 7</p> <p>Mixer: MFG: Stowe MODEL: 311 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: IR MODEL: P-185 CFM: 170</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Stone	MFG: Mack MODEL: R-600 C.Y.: 7	\$ 90.00		\$ 90.00	\$ 80.00
11	<b>DRAINAGE INSTALLATION UNIT TYPE I: (INCLUDING EXCAVATION BOX)</b> For the excavation, installation, and construction of drainage structures and the laying of pipe. Backfilling and restoration of areas for drainage improvements; Operated by Contractor;	Tilcon	Backhoe/Loader: MFG: John Deere MODEL: 710 SERIES: B  Backhoe:	\$ 630.00	\$ 660.00	\$ 660.00	\$ 660.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Drainage pipe to be installed by this unit not to exceed 24" RCP or 48" ACCM pipe. Construction materials will be furnished by State.</p> <p>Equipment needed: One 3/8-1/2 C.Y. rubber tired backhoe/loader and operator; one 5-8 C.Y. capacity dump truck with working driver; one (1) portable min 2 C.F. capacity concrete/cement mixer; one (1) portable air compressor 150-250 CFM @ 100 lbs, including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, asphalt cutter pizza type, one (1) gasoline powered cut off saw, three (3) additional workmen one of which must be a mason. All hand tools, slings and pins</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with prevailing Conn. OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower, or relocate the boxes as required.</p>		<p>RATED CAP: 7,000 LBS WIDTH: 24" MAX DIG DEPTH: 17' 10"</p> <p>Loader: RATED CAP: 6,900 LBS BUCKET WIDTH: 92"</p> <p>Truck: MFG: Kenworth MODEL: 450 C.Y. CAP: 16 CY</p> <p>Mixer: MFG: Stone MODEL: Mortar C.Y. CAP: 0.3 CY</p> <p>Air Compressor: MFG: Ingersall Rand MODEL: P185CWJD CFM: 185</p>				
11-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>		MFG: Mack MODEL: Dump C.Y.: 19 CY	\$ 165.00	\$ 165.00	\$ 165.00	\$ 165.00
11-B	<b>CONCRETE SAW:</b>		MFG: Target	\$ 125.00	\$ 125.00	\$ 125.00	\$ 125.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Portable, 30/60 HP capable of sawing through concrete or bituminous concrete. Blades to be furnished with saw.		MODEL: Pro HP:65 BLADE DIA: 24"				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as</p>	Appleblossom	<p>Backhoe: MFG: CAT MODEL: E70B SERIES: RATED CAP: ½ cyd WIDTH: 12"-28" MAX DIG DEPTH: 14'</p> <p>Truck: MFG: Freightliner MODEL: MZ106 C.Y. CAP: 5-8 yd</p> <p>Mixer: MFG: Roebuck MODEL: 73 C.Y. CAP: 5 c.f.</p> <p>Air Compressor: MFG: Multiquip MODEL: MQ185 CFM: 185</p>	\$345.00	\$615.00	\$345.00	\$345.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4

	required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Appleblossom	MFG: Freightliner MODEL: MZ106 C.Y. CAP: 5-8 yd	\$75.00	\$85.00	\$75.00	\$75.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench,	BCI, INC.	Backhoe: MFG: CAT MODEL: 321 SERIES: RATED CAP: 0.75 cu yd. WIDTH: 22"-40" MAX DIG DEPTH: 25'  Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.  Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.  Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185	<u>\$ 548.00</u>	<u>\$ 548.00</u>	<u>\$ 598.00</u>	<u>\$ 548.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes</p>	BCI, INC.	<p>Backhoe: MFG: John Deere MODEL: 200 SERIES: RATED CAP: 0.75 cu yd. WIDTH: 22"-40" MAX DIG DEPTH: 26'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	\$ 548.00	\$ 548.00	\$ 598.00	\$ 548.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds.</p>	BCI, INC.	<p>Backhoe: MFG: CAT MODEL: 320 SERIES: RATED CAP: 0.75 cu yd. WIDTH: 22"-40" MAX DIG DEPTH: 25'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	<u>\$ 598.00</u>	<u>\$ 598.00</u>	<u>\$ 598.00</u>	<u>\$ 598.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to</p>	BCI, INC.	<p>Backhoe: MFG: CAT MODEL: 330 SERIES: CL RATED CAP: 1 cu yd. WIDTH: 18"-40" MAX DIG DEPTH: 27'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	\$ 624.00	\$ 624.00	\$ 624.00	\$ 624.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	safely lift, lower or relocate the boxes as required.						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as</p>	BCI, INC.	<p>Backhoe: MFG: CAT MODEL: 336E SERIES: L RATED CAP: 1 cu yd. WIDTH: 24"-48" MAX DIG DEPTH: 27'</p> <p>Truck: MFG: Ford MODEL: F-800 C.Y. CAP: 10 cu yd.</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd.</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	<u>\$ 679.00</u>	<u>\$ 679.00</u>	<u>\$ 679.00</u>	<u>\$ 679.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12	<p>required.</p> <p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>	Berlin Ind.	<p>Backhoe: MFG: John Deere MODEL: 220 SERIES: DW RATED CAP: 7,000 ibs WIDTH: 24" MAX DIG DEPTH: 17'10"</p> <p>Truck: MFG: Ford MODEL: I8000 C.Y. CAP: 5-8 yd</p> <p>Mixer: MFG: Stowe MODEL: CM C.Y. CAP: 0.25 cu yd</p> <p>Air Compressor: MFG: Sullivan MODEL: 185 CFM: 185</p>	\$980.00	\$980.00	\$980.00	\$980.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Berlin Ind.	MFG: International MODEL: 4900 C.Y. CAP: 5-8 cu yd	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 150.00</u>	<u>\$ 200.00</u>
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds.	Canton Village	Backhoe: MFG: CAT MODEL: SERIES: 315D L w/Hyd. Thumb RATED CAP: 1.25 CYD WIDTH: 24"-42" MAX DIG DEPTH: 20"  Truck: MFG: MACK MODEL: RD690P C.Y. CAP: 8  Mixer: MFG: Stone MODEL: .25 CYD C.Y. CAP:  Air Compressor: MFG: Ingersol Rand MODEL: CFM: 185 CFM	<u>\$554.50</u>	<u>\$</u>	<u>\$</u>	<u>\$554.50</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to</p>	Canton Village	<p>Backhoe: MFG: CAT MODEL: SERIES: 321D L w/Hyd. Thumb RATED CAP: 1.75 CYD WIDTH: 24"-48" MAX DIG DEPTH: 23"</p> <p>Truck: MFG: MACK MODEL: RD690P C.Y. CAP: 8</p> <p>Mixer: MFG: Stone MODEL: .25 CYD C.Y. CAP:</p> <p>Air Compressor: MFG: Ingersol Rand MODEL: CFM: 185 CFM</p>	\$564.50	\$	\$	\$564.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Canton Village		\$ 85.00	\$	\$	\$ 85.00
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes</p>	Donahue	<p>Backhoe: MFG: Hitachi MODEL: SERIES: 2x200 RATED CAP: 1.5 cy WIDTH: 42" MAX DIG DEPTH: 22'</p> <p>Truck: MFG: Frieghtliner MODEL: FL70 C.Y. CAP: 6</p> <p>Mixer: MFG: Stone MODEL: 465 C.Y. CAP: 4 CF</p> <p>Air Compressor: MFG: Ingersol Rand MODEL: 185 CFM: 185</p>	\$	\$ 550.00	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Donahue	MFG: Mack MODEL: RD600 C.Y. CAP: 8	\$	\$ 90.00	\$	\$
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Donahue	MFG: Target MODEL: 2016 HP: 35 BLADE DIA: 18"	\$	\$ 95.00	\$	\$
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with	F.S.M	Backhoe: MFG: NEW HOLLAND MODEL: EC70SR SERIES: SR RATED CAP: .05 CY WIDTH: 24-26 MAX DIG DEPTH: 12'  Truck: MFG: PETERBUILT MODEL: 330 C.Y. CAP: 8  Mixer: MFG: MULTIQUIP MODEL: ME 94 C.Y. CAP: 9CF  Air Compressor:	\$ 500.00	\$ 500.00	\$ 410.00	\$ 410.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MFG: IR MODEL: P185 CFM: 185</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3"</p>	F.S.M	<p>Backhoe: MFG: kobelco MODEL: 115 dzsr SERIES: RATED CAP: ½ cy WIDTH: 18-48" MAX DIG DEPTH: 18"</p> <p>Truck: MFG: PETERBUILT MODEL: 330 C.Y. CAP: 8</p> <p>Mixer: MFG: MULTIQUIP MODEL: ME94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR</p>	<u>\$ 535.00</u>	<u>\$ 535.00</u>	<u>\$ 515.00</u>	<u>\$ 415.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MODEL: P185C CFM: 185</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air</p>	F.S.M	<p>Backhoe: MFG: kobelco MODEL: 115 dzsr SERIES: RATED CAP: ½ cy WIDTH: 18'-48" MAX DIG DEPTH: 18'</p> <p>Truck: MFG: PETERBUILT MODEL: 330 C.Y. CAP: 8</p> <p>Mixer: MFG: MULTIQUIP MODEL: mME94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: P185C</p>	<u>\$ 525.00</u>	<u>\$ 525.00</u>	<u>\$ 496.00</u>	<u>\$ 416.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		CFM: 185				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand</p>	F.S.M	<p>Backhoe: MFG: kobelco MODEL: sk160 SERIES: sk RATED CAP: .05 cy WIDTH: 36" MAX DIG DEPTH: 21'</p> <p>Truck: MFG: peterbuilt MODEL: 330 C.Y. CAP: 8</p> <p>Mixer: MFG: multi quiip MODEL: me94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: p185c CFM: 185</p>	<u>\$ 525.00</u>	<u>\$ 525.00</u>	<u>\$ 520.00</u>	<u>\$ 420.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>						
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one</p>	F.S.M	<p>Backhoe: MFG: case MODEL: 330 SERIES: EX RATED CAP: WIDTH: 48" MAX DIG DEPTH: 213' 6"</p> <p>Truck: MFG: peterbuilt MODEL: 330 C.Y. CAP: 8</p> <p>Mixer: MFG: multiquip MODEL: me94 C.Y. CAP: 9CF</p> <p>Air Compressor: MFG: IR MODEL: p185c CFM: 185</p>	<u>\$ 775.00</u>	<u>\$ 775.00</u>	<u>\$ 595.00</u>	<u>\$ 575.00</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	F.S.M	MFG: MACK MODEL: RD600 C.Y. CAP: 8CY	<u>\$ 95.00</u>	<u>\$ 95.00</u>	<u>\$ 95.00</u>	<u>\$ 95.00</u>
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	F.S.M	MFG: FREIGHTLINER MODEL: FL80 C.Y. CAP: 8CY	<u>\$ 95.00</u>	<u>\$ 95.00</u>	<u>\$ 95.00</u>	<u>\$ 95.00</u>
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and	Genovesi	Backhoe: John Deere 310E MFG: MODEL: SERIES: RATED CAP: ½ CY WIDTH: 30 MAX DIG DEPTH: 16 ft  Truck: MFG: peterbuilt MODEL: 337 C.Y. CAP: 9 CY	<u>\$ 600.00</u>	<u>\$ 600.00</u>	\$	\$

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.		Mixer: MFG: multiquip MODEL: MC94 PH8 C.Y. CAP: 1/3 CY  Air Compressor: MFG: Ingersoll Rand MODEL: 185 CFM: 185				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Genovesi	MFG: Peterbilt 337 MODEL: 9 CY C.Y.CAP:	\$ 125.00	\$ 125.00	\$	\$
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Genovesi	MFG: Husquarna MODEL: HP: 36 inch BLADE DIA: 18 inch	\$ 140.00	\$ 140.00	\$	\$
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Genovesi	MFG: International MODEL: 4300 C.Y.CAP: 6CY	\$ 100.00	\$ 100.00	\$	\$
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and	J.V.III	Backhoe: MFG: JD MODEL: 80 SERIES:	\$ 469.00	\$ 469.00	\$ 469.00	\$ 469.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>RATED CAP: 3/4 WIDTH: 12"-48" MAX DIG DEPTH: 12'</p> <p>Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 8</p> <p>Mixer: MFG: WHITMAN MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: JOY MODEL: 185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R400 C.Y. CAP: 10	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12-B	<b>CONCRETE SAW:</b>			\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO HP: 65 BLADE DIA: 24"				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds.</p>	J.V.III	<p>Backhoe: MFG: JD MODEL: 490 SERIES: E RATED CAP: 3/4 WIDTH: 12"-48" MAX DIG DEPTH: 18'</p> <p>Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 8</p> <p>Mixer: MFG: WHITMAN MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: JOY MODEL: 185 CFM: 185</p>	\$ 489.00	\$ 489.00	\$ 489.00	\$ 489.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R400 C.Y. CAP: 10	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO HP: 65 BLADE DIA: 24"	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air	J.V.III	Backhoe: MFG: AKERMAN MODEL: 14BLC SERIES: RATED CAP: 1.25 WIDTH: 24"-72" MAX DIG DEPTH: 22'  Truck: MFG: INTL MODEL: 4900 C.Y. CAP: 8  Mixer: MFG: WHITMAN MODEL: CF9 C.Y. CAP: 1/3  Air Compressor: MFG: JOY MODEL: 185	\$ 569.00	\$ 569.00	\$ 569.02	\$ 569.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		CFM: 185				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	J.V.III	MFG: MACK MODEL: R600 C.Y. CAP: 18	\$ 129.50	\$ 129.50	\$ 129.50	\$ 129.50
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	J.V.III	MFG: TARGET MODEL: PRO HP: 65 BLADE DIA: 24"	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y.	John J. Brennan	Backhoe: MFG: Komatsu MODEL: PC78 SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:  Truck: MFG: Kenworth MODEL: 400 C.Y. CAP: 8	\$ _____	\$ _____	\$ 670.00	\$670.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>Mixer: MFG: Stone MODEL: 311 C.Y. CAP: 1/2</p> <p>Air Compressor: MFG: Ingersoll-Rand MODEL: P185c CFM: 175</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and</p>	John J. Brennan	<p>Backhoe: MFG: Volvo MODEL: 210 SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:</p> <p>Truck: MFG: Kenworth MODEL: 400 C.Y. CAP: 8</p> <p>Mixer:</p>	\$_____	\$_____	\$ 900.00	\$900.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.		MFG: Stone MODEL: 311 C.Y. CAP: 1/2  Air Compressor: MFG: Ingersoll-Rand MODEL: P185c CFM: 175				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	John J Brennan	MFG: Kenworth MODEL: 400 C.Y. CAP: 1			\$ 110.00	\$ 110.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	John J Brennan	MFG: TARGET MODEL: 630 HP: 65 BLADE DIA: 18"			\$ 175.00	\$ 175.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of	Machnick	Backhoe: MFG: CAT MODEL: 225 SERIES: RATED CAP: WIDTH: 36 inch.	\$ 750.00	\$ 750.00	\$ 750.00	\$ 750.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MAX DIG DEPTH: 22 FT</p> <p>Truck: MFG: International MODEL: 8000 C.Y. CAP: 8</p> <p>Mixer: MFG: Stowe MODEL: 65 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: Ingersoll-Rand MODEL: P185c CFM: 175</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Machnick	MFG: International MODEL: 8000 C.Y. CAP: 8 cy	\$ 90.00	\$ 90.00	\$ 90.00	\$ 90.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete.	Machnick	MFG: TARGET MODEL: Pro 65	\$ 75.00	\$ 75.00	\$ 75.00	\$ 75.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Blades furnished with saw.		HP: 65 BLADE DIA: 24"				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as</p>	McAllen	<p>Backhoe: MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:</p> <p>Truck: MFG: MODEL: C.Y. CAP:</p> <p>Mixer: MFG: MODEL: C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: Ingersoll-Rand MODEL: P185c CFM: 175</p>	\$ 395.00	\$ 395.00	\$ 395.00	\$ 395.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	McAllen	MFG: International MODEL: 8000 C.Y. CAP: 8 cy	\$ 95.00	\$ 95.00	\$ 95.00	\$ 95.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	McAllen	MFG: TARGET MODEL: 30 HP: 30 BLADE DIA: 30"	\$ 65.00	\$ 65.00	\$ 65.00	\$ 65.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one	Rafferty	Backhoe: MFG: Volvo MODEL: 160 SERIES: C RATED CAP:1 CY WIDTH: 36" MAX DIG DEPTH:21'  Truck: Ford MFG: F650 MODEL: F650 C.Y. CAP: 6  Mixer: MFG: Whiteman MODEL: CF9 C.Y. CAP: 1/3  Air Compressor: MFG: Doosan MODEL: 185 CFM: 185	\$ 798.00	\$ 868.00	\$ 968.00	\$ 798.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	of which shall be a mason. All hand tools, slings, and pins.  EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Rafferty	MFG: Ford MODEL: F650 C.Y. CAP: 20	\$ 104.00	\$ 114.00	\$ 124.00	\$ 104.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Rafferty	MFG: Husqvarna MODEL: 300 HP: 30 BLADE DIA: 14"	\$ 170.00	\$ 190.00	\$ 190.00	\$ 170.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.  Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.  Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck	Reliable	Backhoe: MFG: Kobelco MODEL: 200LC SERIES: 5 RATED CAP:1.25 CY WIDTH:.42" MAX DIG DEPTH:22'  Truck: MFG: Mack MODEL: R600 C.Y. CAP: 8  Mixer: MFG: Stow			\$ 335.00	\$ 335.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MODEL: CM C.Y. CAP: 1/2</p> <p>Air Compressor: MFG: M/Q MODEL: 185 CFM: 185</p>				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable</p>	Reliable	<p>Backhoe: MFG: Komatsu MODEL: 300LC SERIES: 6 RATED CAP:2.25 CY WIDTH:48" MAX DIG DEPTH:26'</p> <p>Truck: MFG: F650 MODEL: F650 C.Y. CAP: 6</p> <p>Mixer: MFG: Whiteman MODEL: CF9</p>			\$ 365.00	\$ 365.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: M/Q MODEL: 185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Reliable	MFG: Mack MODEL: R600 C.Y. CAP: 8			\$ 74.00	\$ 74.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Reliable	MFG: Target MODEL: Pro 65 HP: 65 BLADE DIA: 24"			\$ 65.00	\$ 65.00
12	<b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.	Resource	Backhoe: MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:	\$ 1,300	\$ 1,300	\$ 1,300	\$ 1,300

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>Truck: MFG: MODEL: C.Y. CAP:</p> <p>Mixer: MFG: Whiteman MODEL: CF9 C.Y. CAP: 1/3</p> <p>Air Compressor: MFG: Doosan MODEL: 185 CFM: 185</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Resource	MFG: MODEL: C.Y. CAP:	\$85.00	\$85.00	\$85.00	\$85.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Resource	MFG: MODEL: HP: BLADE DIA:	\$ 75.00	\$ 75.00	\$ 75.00	\$ 75.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b></p> <p>For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>	Stone	<p>Backhoe:CAT MFG: 225 MODEL: D SERIES: RATED CAP:1.5" WIDTH:.24"-42" MAX DIG DEPTH: 26'</p> <p>Truck: MFG: Kenworth MODEL: T-800 C.Y. CAP: 12</p> <p>Mixer: MFG: Stowe MODEL: CM20 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: IR MODEL: 185 CFM: 170</p>	\$ 550.00		\$ 550.00	\$ 419.00
12	<b>DRAINAGE INSTALLATION UNIT –</b>	Stone	Backhoe:CAT	\$ 650.00		\$ 650.00	\$ 545.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<p><b>TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.</p>		<p>MFG: 225 MODEL: D SERIES: RATED CAP:1.5" WIDTH: 24"-42" MAX DIG DEPTH: 26'</p> <p>Truck: MFG: Kenworth MODEL: T-800 C.Y. CAP: 12</p> <p>Mixer: MFG: Stowe MODEL: CM20 C.Y. CAP: 1/4</p> <p>Air Compressor: MFG: IR MODEL: 185 CFM: 170</p>				
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING</b>	Stone	MFG: Mack	\$90.00		\$90.00	\$80.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	<b>DRIVER</b>		MODEL: R-600 C.Y. CAP: 7				
12	<p><b>DRAINAGE INSTALLATION UNIT – TYPE II: (INCLUDING EXCAVATION BOX):</b> For the excavation, installation and construction of drainage structures and laying of pipe. Backfilling and restoration of areas for drainage improvements. Operated by Contractor.</p> <p>Drainage pipe to be installed by this unit not to exceed 48" RCP or 72" ACCM pipe. Construction materials furnished by State.</p> <p>Equipment needed: One (1) ½ C.Y. crawler/truck mounted backhoe and operator, one (1) 5-8 cy capacity dump truck with working driver, one (1) portable minimum 2 CF capacity concrete/cement mixer, one (1) portable air compressor 150-250 CFM @ 100 lbs. Including two (2) pavement breakers/jackhammers with asphalt cutter, steelrock drill, two (2) 3" chisels, and four (4) 50 ft sections of air hose, one (1) gasoline powered hand compactor, three (3) additional workmen one of which shall be a mason. All hand tools, slings, and pins.</p> <p>EXCAVATION BOXES: Contractor shall furnish and utilize trench, manhole and catch basin excavation boxes in accordance with Conn OSHA</p>	Tilcon	<p>Backhoe: John Deere MFG: 220 MODEL: 220 SERIES: DW RATED CAP:7,000 WIDTH: .24" MAX DIG DEPTH: 17'10"</p> <p>Truck: MFG: Kenworth MODEL: T-450 C.Y. CAP: 16 CY</p> <p>Mixer: MFG: Stone MODEL: Mortar C.Y. CAP: 0.3 CY</p> <p>Air Compressor: MFG: IR MODEL: 185 CWJD CFM: 185</p>	\$ 945.00	\$ 945.00	\$ 945.00	\$ 945.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Stds. Backhoe must have sufficient lift capacity to safely lift, lower or relocate the boxes as required.						
12-A	<b>ADDITIONAL 5-8 C.Y. CAPACITY DUMP TRUCK WITH WORKING DRIVER</b>	Tilcon	MFG: Mack MODEL: Dump C.Y. CAP: 19 CY	\$ 150.00	\$ 150.00	\$ 150.00	\$ 150.00
12-B	<b>CONCRETE SAW:</b> Portable, 30/60 HP, capable of sawing through concrete or bituminous concrete. Blades furnished with saw.	Tilcon	MFG: Target MODEL: Pro HP: 65 BLADE DIA:24"	\$ 125.00	\$ 125.00	\$ 125.00	\$ 125.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Galasso	MFG: Caterpillar MODEL: 120 SERIES: G NET WEIGHT: 23,840 BLADE DIMEN: 13'	\$ 200.00			\$ 200.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Garrity	MFG: JD MODEL: 570 SERIES: A NET WEIGHT: 22,000 lbs BLADE DIMEN: 12'	\$ 250.00	\$ 250.00	\$ 250.00	\$ 250.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	J.V.III	MFG: JD MODEL: 570 SERIES: B NET WEIGHT: 22,000 BLADE DIMEN: 12'	\$165.00	\$165.00	\$165.00	\$165.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	J.V.III	MFG: LEYBOY MODEL: 685 SERIES: NET WEIGHT: 16,000 BLADE DIMEN: 12'	\$150.00	\$150.00	\$150.00	\$150.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	John J. Brennan	MFG: Blascrete MODEL: 688 SERIES:D NET WEIGHT: 12,000 BLADE DIMEN: 9			\$175.00	\$175.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Rafferty	MFG: Leeboy MODEL: 685 SERIES:A NET WEIGHT: 16,000 BLADE DIMEN:10'	\$154.00	\$180.00	\$180.00	\$154.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Reliable	MFG: John Deere MODEL: 570 SERIES:A NET WEIGHT: 24,000 BLADE DIMEN:12'			\$160.00	\$160.00
13	<b>MOTOR GRADER – TANDEM AXLE</b> Net Weight up to 24,000 lbs. Operated by Contractor	Stone	MFG: John Deere MODEL: 570 SERIES:IT NET WEIGHT: BLADE DIMEN:10'				\$200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Galasso	MFG: Caterpillar MODEL: 135 SERIES: H NET WEIGHT: 28,750 BLADE DIMEN: 13'	\$ 225.00			\$ 225.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Garrity	MFG: Caterpillar MODEL: 12 SERIES: G NET WEIGHT: 32,000 BLADE DIMEN: 12'	\$ 250.00	\$ 250.00	\$ 250.00	\$ 250.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: JD MODEL: 672 SERIES:A NET WEIGHT: 30,000 BLADE DIMEN: 13'	\$175.00	\$175.00	\$175.00	\$175.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: JD MODEL: 772 SERIES:B NET WEIGHT: 36,000 BLADE DIMEN: 14'	\$185.00	\$185.00	\$185.00	\$185.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	John J. Brennan	MFG: JD MODEL: 672A SERIES:11 NET WEIGHT: 29,000 BLADE DIMEN: 13'			\$240.00	\$240.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Machnick	MFG: Huber MODEL: M600 SERIES: NET WEIGHT: 8000 BLADE DIMEN: 8'	\$145.00	\$145.00	\$145.00	\$145.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Rafferty	MFG: Mitsubishi MODEL: MG-400 SERIES:A NET WEIGHT: 36,000lbs BLADE DIMEN: 13'	\$180.00	\$204.00	\$204.00	\$180.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Rafferty	MFG: Volvo MODEL: 720 SERIES:B NET WEIGHT: 34,000lbs BLADE DIMEN: 12'	\$180.00	\$204.00	\$204.00	\$180.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Rafferty	MFG: Volvo MODEL: 946 SERIES:G NET WEIGHT: 37,000lbs BLADE DIMEN: 14'	\$200.00	\$230.00	\$230.00	\$200.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Reliable	MFG: CAT MODEL: 12 SERIES:G NET WEIGHT: 30,000lbs BLADE DIMEN: 12'			\$175.00	\$175.00
14	<b>MOTOR GRADER – TANDEM AXLE</b> Net weight over 24,000 lbs. Operated by Contractor	Tilcon	MFG: John Deere MODEL: 772 SERIES:B NET WEIGHT: 31,500lbs BLADE DIMEN: 13'	\$195.00	\$195.00	\$195.00	\$195.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	BCI, INC.	Hammer: MFG: TRAMAC MODEL: MD SERIES: 875  Backhoe: MFG: John Deere MODEL: 710 SERIES: D RATED CAP: 0.5 cu yd. WIDTH: 18"-36" MAX DIG DEPTH: 18'  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: Hydraulic	\$ 219.00	\$ 219.00	\$ 219.00	\$ 219.00
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	BCI, INC.	Hammer: MFG: NPK MODEL: 12x/220 SERIES: Hydraulic  Backhoe: MFG: CAT MODEL: M322C SERIES:	\$ 274.00	\$ 274.00	<u>\$ 274.00</u>	<u>\$ 274.00</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			RATED CAP: 1-2 cu yd. WIDTH: 18"72" MAX DIG DEPTH: 25'  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: Hydraulic				
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	F.S.M.	Hammer: MFG: atlas cop co MODEL: 750 SERIES:  Backhoe: takeuchi MFG: MODEL: tb 145 SERIES: RATED CAP: 1/2 WIDTH: 12-36 MAX DIG DEPTH: 13'6"  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: point	<u>\$ 190.00</u>	<u>\$ 190.00</u>	<u>\$ 175.00</u>	<u>\$ 175.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	F.S.M.	Hammer: MFG: atlas cop co MODEL: SERIES: 1250  Backhoe: volvo MFG: MODEL: bl70 SERIES: bl RATED CAP: 1/2 CY WIDTH: 12-36 MAX DIG DEPTH: 17  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: point	<u>\$ 200.00</u>	<u>\$ 200.00</u>	<u>\$ 200.00</u>	<u>\$ 200.00</u>
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	F.S.M.	Hammer: MFG: gorilla MODEL: 6B SERIES: 120  Backhoe: kobelco MFG: MODEL: 115dz SERIES: sr RATED CAP: 1/2 CY WIDTH: 18'-44" MAX DIG DEPTH: 18"	<u>\$ 220.00</u>	<u>\$ 220.00</u>	<u>\$ 200.00</u>	<u>\$ 200.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: point				
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	F.S.M.	Hammer: MFG: gorilla MODEL: 6B SERIES: 120  Backhoe: MFG: kobelco MODEL: sk 160 SERIES: sk RATED CAP: .75 WIDTH: 36 MAX DIG DEPTH: 12'6"  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished: point	<u>\$ 245.00</u>	<u>\$ 215.00</u>	<u>\$ 215.00</u>	<u>\$ 215.00</u>
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b>	Genovesi	Hammer: MFG: Chicago	<u>\$ 250.00</u>	<u>\$ 250.00</u>	<u>\$</u>	<u>\$</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include minimum 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equivalent as determined by the Client Agency. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.		MODEL: RX6 SERIES: BES 047536  Backhoe: MFG: John Deere 310E MODEL: 5/8 CY SERIES: RATED CAP: 3ft. WIDTH: 16 ft MAX DIG DEPTH:  Air Compressor: MFG:Ingersoll Rand MODEL: 185 CFM: 185  Type of Tool Furnished:				
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	J.V. III CONSTRUCTION, INC.	Hammer: MFG: STANLEY MODEL: 550 SERIES: 11  Backhoe: MFG: JCB MODEL: 215 SERIES: 3 RATED CAP: WIDTH: 7'5" MAX DIG DEPTH: 18'  Air Compressor: MFG: HYD	\$ 275.00	\$ 275.00	\$ 275.00	\$ 275.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MODEL: CFM:  Type of Tool Furnished: POINT				
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	J.V. III CONSTRUCTION, INC.	Hammer: MFG: RAMMER MODEL: 5000 SERIES: E50  Backhoe: MFG: JD MODEL: 595 SERIES: D RATED CAP: 1 WIDTH: 8' MAX DIG DEPTH: 22'  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished:	\$ 299.00	\$ 299.00	\$ 299.00	\$ 299.00
15.	<b>HAMMER: PNEUMATIC/HYDRAULIC IMPACTOR</b> To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool.	J.V. III CONSTRUCTION, INC.	Hammer: MFG: RAMMER MODEL: 7500 SERIES:  Backhoe: MFG: AKERMAN MODEL: H14	\$ 200.00	\$ 200.00	\$ 200.00	\$ 200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Operated by Contractor.		SERIES: BLC RATED CAP: 1.5 WIDTH: 10'6" MAX DIG DEPTH: 28'  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished:				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	J.V. III CONSTRUCTION, INC.	Hammer: MFG: RAMMER MODEL: 3500 SERIES:  Backhoe: MFG: JD MODEL: 595 SERIES: E RATED CAP: 3/4 WIDTH: 8'6" MAX DIG DEPTH: 22'  Air Compressor:	\$ 275.00	\$ 275.00	\$ 275.00	\$ 275.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MFG: HYD MODEL: CFM:  Type of Tool Furnished:				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	John J. Brennan	Hammer: MFG: NPK MODEL: 950 SERIES: GH4  Backhoe: MFG: Komatsu MODEL: PC 78 SERIES: C RATED CAP: 1/2 WIDTH: 8'6" MAX DIG DEPTH: 12'  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished: Point			\$ 188.00	\$ 188.00
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv.	John J. Brennan	Hammer: MFG: Tramac MODEL: 140 SERIES: 1100lbs  Backhoe: MFG: John Deere			\$ 240.00	\$ 240.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.		MODEL: 410 SERIES: J RATED CAP: 5/8 WIDTH: MAX DIG DEPTH:  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished: Point				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	John J. Brennan	Hammer: MFG: Rammer MODEL: E-68 SERIES: 3500lbs  Backhoe: MFG: Volvo MODEL: 210 SERIES: C RATED CAP: 1-1/4 WIDTH: 42" MAX DIG DEPTH: 22'  Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished: Point			\$ 280.00	\$ 280.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	John J. Brennan	Hammer: MFG: CAT MODEL: H120CS SERIES: 3000 lbs  Backhoe: MFG: CAT MODEL: 322 SERIES: D RATED CAP: 1-1/4 WIDTH: 366" MAX DIG DEPTH: 22'  Air Compressor: MFG: HYD MODEL:hyd CFM:  Type of Tool Furnished: Point			\$ 310.00	\$ 310.00
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	John J. Brennan	Hammer: MFG: Rammer MODEL: 690 SERIES: 7500 lbs  Backhoe: MFG: Volvo MODEL: 330 SERIES: BL6 RATED CAP: 2.5 WIDTH: 30" MAX DIG DEPTH: 24'			\$ 320.00	\$ 320.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			Air Compressor: MFG: HYD MODEL: CFM:  Type of Tool Furnished: Point				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	Reliable	Hammer: MFG: Indeco MODEL: M SERIES: 2500 lbs  Backhoe: MFG: John Deere MODEL: PC78 SERIES: D RATED CAP: 1 ½ CY WIDTH: 16" MAX DIG DEPTH: 18'  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished:			\$ 125.00	\$ 125.00
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic	Reliable	Hammer: MFG:NPK MODEL: EX SERIES: 5000 lbs  Backhoe:			\$ 150.00	\$ 150.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.		MFG: Komatsu MODEL: 300 SERIES: 6 RATED CAP: 2.25 WIDTH: 50" MAX DIG DEPTH: 24'  Air Compressor: MFG: MODEL: CFM:  Type of Tool Furnished:				
15.	<b>HAMMER:</b> PNEUMATIC/HYDRAULIC IMPACTOR To be mounted on backhoe equipped rubber tired tractor. Pneumatic unit to include 250 CFM air compressor with air hose and demolition tool. Hydraulic unit to be Hughes Impactor or equiv. Either unit to include breaker, asphalt cutter, or straight moil tool. Operated by Contractor.	Stone	Hammer: CAT MFG: MODEL: SERIES: 3000 lbs  Backhoe: MFG: Volvo MODEL: 330 SERIES: III RATED CAP: 3 CY WIDTH: MAX DIG DEPTH: 30'  Air Compressor: MFG: MODEL: HYD CFM:  Type of Tool Furnished:	\$350.00		\$350.00	\$ 285.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			POINT				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
16	<b>SAWS – EARTH/ROCK</b> Ditch Witch R-65 with Earth saw model ES24 and backhoe model 140 or Vermeer M465A with rock cutter and backhoe model EH800 or tracked mounted diesel powered Vermeer T-6001 type or equivalent as determined by the Client Agency. Saw to cut minimum depth of 24” and minimum width 4”. Backhoe bucket to be 12” wide. Replacement teeth to be included in price. Operated by Contractor	BCI, INC.	Earth Saw: MFG: Vermeer / Bradco MODEL: T600 SERIES: Wheel / Wheel BLADE DIAM: 8’ / 5’ BLADE WIDTH: 4” / 4”	Earthsaw \$ 349.00	Earthsaw \$ 349.00	Earthsaw \$ 349.00	Earthsaw \$ 349.00
			Backhoe: BOBCAT MFG: MODEL: T-300 SERIES: RATED CAP: WIDTH: 72” MAX DIG DEPTH: 30”	BOBCAT \$ 249.00	BOBCAT \$ 249.00	BOBCAT \$ 249.00	BOBCAT \$249.00
16	<b>SAWS – EARTH/ROCK</b> Ditch Witch R-65 with Earth saw model ES24 and backhoe model 140 or Vermeer M465A with rock cutter and backhoe model EH800 or tracked mounted diesel powered Vermeer T-6001 type or equiv. Saw to cut minimum depth of 24” and Minimum width 4”. Backhoe bucket to be 12” wide. Replacement teeth to be included in price. Operated by Contractor	J.V. III CONSTRUCTION, INC.	Earth Saw: MFG: MODEL: SERIES: BLADE DIAM: BLADE WIDTH:	\$299.00	\$299.00	\$299.00	\$299.00
			Backhoe: MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:				
16	<b>SAWS – EARTH/ROCK</b> Ditch Witch R-65 with Earth saw model ES24 and backhoe model 140 or Vermeer M465A with rock cutter and backhoe model EH800	Reliable	Earth Saw: MFG:Vermeer MODEL:T600			\$275.00	\$275.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	or tracked mounted diesel powered Vermeer T-6001 type or equiv. Saw to cut minimum depth of 24" and Minimum width 4". Backhoe bucket to be 12" wide. Replacement teeth to be included in price. Operated by Contractor		SERIES: BLADE DIAM:6' BLADE WIDTH:8"  Backhoe: MFG: MODEL: SERIES: RATED CAP: WIDTH: MAX DIG DEPTH:				

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Kees Track MODEL: Frontier PROD CAP: 300 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES: G RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 328.00</u>	<u>\$ 328.00</u>	<u>\$ 378.00</u>	<u>\$ 328.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Thomas MODEL: Pro Tough 900 PROD CAP: 75-150 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES: G RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 289.00</u>	<u>\$ 289.00</u>	<u>\$ 339.00</u>	<u>\$ 289.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Power Screen MODEL: Chieftan 1400 PROD CAP: 200 cu yd/hr.  Loader: MFG: John Deere MODEL: 544	<u>\$ 328.00</u>	<u>\$ 328.00</u>	<u>\$ 328.00</u>	<u>\$ 328.00</u>

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: G RATED CAP: 3 BUCKET WIDTH: 8'				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: CEC MODEL: Road Runner PROD CAP: 250 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES: RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 328.00</u>	<u>\$ 328.00</u>	<u>\$ 378.00</u>	<u>\$ 328.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Power Screen MODEL: Warrior 1800 PROD CAP: 300 cu yd/hr.  Loader: MFG: John Deere MODEL: 544 SERIES: RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 328.00</u>	<u>\$ 328.00</u>	<u>\$ 378.00</u>	<u>\$ 328.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Power Screen MODEL: Powergrid 800 PROD CAP: 300 cu yd/hr.  Loader: MFG: John Deere MODEL: 544	<u>\$ 328.00</u>	<u>\$ 328.00</u>	<u>\$ 378.00</u>	<u>\$ 328.00</u>



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			SERIES: RATED CAP: 3 BUCKET WIDTH: 8'				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	BCI, INC.	Screening Plant: MFG: Power Screen MODEL: Titan 51G PROD CAP: 300 cy/hr  Loader: MFG: John Deere MODEL: 544 SERIES: RATED CAP: 3 BUCKET WIDTH: 8'	<u>\$ 328.00</u>	<u>\$ 328.00</u>	<u>\$ 378.00</u>	<u>\$ 328.00</u>
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Berlin Ind.	Screening Plant: MFG: Reed MODEL: R40 PROD CAP: 150 cy/hr  Loader: MFG: Cat MODEL: 938 SERIES: F RATED CAP: 2-4 BUCKET WIDTH: 8'-6"	\$ 800.00	\$ 800.00	\$ 800.00	\$ 800.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Canton Village	Screening Plant: MFG: Powerscreen MODEL: Power rack PROD CAP:  Loader: MFG: CAT	\$ 349.50			\$ 349.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MODEL: SERIES: 950F RATED CAP: 4.0 BUCKET WIDTH: 9'				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Donahue	Screening Plant: MFG: Powerscreen MODEL: Mark II PROD CAP: 100cy/hr  Loader: MFG: Dresser MODEL: 540 SERIES: II RATED CAP: 4.25 BUCKET WIDTH: 10.5'		\$ 350.00		
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	F.S.M.	Screening Plant: MFG: Reed MODEL: R40 PROD CAP: 150 cyd  Loader: MFG: case MODEL: 621 dxt SERIES: Id RATED CAP: 2 ½ BUCKET WIDTH: 8'6"	\$ 325.00	\$ 325.00	\$ 325.00	\$ 325.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	J.V. III CONSTRUCTION, INC.	Screening Plant: MFG: READ MODEL: RD90 PROD CAP: 200/HR  Loader: MFG: JD	\$ 600.00	\$ 600.00	\$ 600.00	\$ 600.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MODEL: 444 SERIES: H RATED CAP: 2 BUCKET WIDTH: 8'				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	John. J. Brennan	Screening Plant: MFG: Powerscreen MODEL: Phoenix1200 PROD CAP:  Loader: MFG: JD MODEL: 624/544 SERIES: B RATED CAP: 3 BUCKET WIDTH: 6'			\$ 375.00	\$ 375.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Machnick	Screening Plant: MFG: Reed MODEL: R40 PROD CAP: 150 cy  Loader: MFG: CAT MODEL: 936 SERIES: D RATED CAP: 3 cy BUCKET WIDTH: 8'6"	\$ 250.00	\$ 250.00	\$ 250.00	\$ 250.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Reliable	Screening Plant: MFG: Norberg MODEL: RD90 PROD CAP: 150 per HR  Loader: MFG: John Deere			\$ 195.00	\$ 195.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			MODEL: 544 SERIES: D RATED CAP: 3 cy BUCKET WIDTH: 8'6"				
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Resource	Screening Plant: MFG: MODEL: PROD CAP:  Loader: MFG: MODEL: SERIES: RATED CAP: BUCKET WIDTH:	\$ 1000.00	\$ 1000.00	\$ 1000.00	\$ 1000.00
17	<b>SCREENING PLANT:</b> Portable, dry, furnished with necessary screens and payloader to be of suitable size or compatibility to maintain production. Operated by Contractor	Stone	Screening Plant: MFG: Reed MODEL: 2090 PROD CAP: 150 CY-1 HOUR Loader: MFG: CAT MODEL: 950 SERIES: D RATED CAP: 4 BUCKET WIDTH: 9'	\$300.00		\$300.00	\$200.00
18	<b>TRACTOR WITH MOWER:</b> Minimum of 30 HP; equipped with flail type mower or minimum five feet sickle bar. Tractor to have live power take off. Operated by Contractor	BCI, INC.	MFG: John Deere MODEL: SERIES: MOWER TYPE: Woods	\$ 174.00	\$ 174.00	\$ 174.00	\$ 174.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
			DECK/BAR SIZE: 60-72"				
18	<b>TRACTOR WITH MOWER:</b> Minimum of 30 HP; equipped with flail type mower or min five feet sickle bar. Tractor to live power take off. Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: JD MODEL: 520 SERIES: E MOWER TYPE: DECK DECK/BAR SIZE: 6'	\$ 185.00	\$ 185.00	\$ 185.00	\$ 185.00
18	<b>TRACTOR WITH MOWER:</b> Minimum of 30 HP; equipped with flail type mower or min five feet sickle bar. Tractor to live power take off. Operated by Contractor	Reliable	MFG: JD MODEL: 970 SERIES: 2 MOWER TYPE: DECK DECK/BAR SIZE: 6'			\$ 150.00	\$ 150.00
18	<b>TRACTOR WITH MOWER:</b> Minimum of 30 HP; equipped with flail type mower or min five feet sickle bar. Tractor to live power take off. Operated by Contractor	Resource	MFG: MODEL: SERIES: MOWER TYPE: DECK/BAR SIZE:	\$ 200.00	\$ 200.00	\$ 200.00	\$ 200.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
19	<b>TRACTOR WITH OVER THE FENCE MOWER:</b> Minimum 60 HP; equipped with minimum four feet flail type mower hydraulically powered with boom capable of cutting over barrier rail and wire rope fences. Operated by Contractor	BCI, INC..	MFG: Trackless MODEL: M5T SERIES: M5T MOWER TYPE: DECK/BAR SIZE: 36"	\$ 189.00	\$199.00	\$ 219.00	\$_199.00
19	<b>TRACTOR WITH OVER THE FENCE MOWER:</b> Minimum 60 HP; equipped with minimum four feet flail type mower hydraulically powered with boom capable of cutting over barrier rail and wire rope fences. Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: JD MODEL: 6300 SERIES: III MOWER TYPE: OVER RAIL DECK/BAR SIZE: 6'	\$ 190.00	\$ 250.00	\$ 250.00	\$ 250.00
19	<b>TRACTOR WITH OVER THE FENCE MOWER:</b> Minimum 60 HP; equipped with minimum four feet flail type mower hydraulically powered with boom capable of cutting over barrier rail and wire rope fences. Operated by Contractor	Reliable	MFG: JD MODEL: 970 SERIES: 2 MOWER TYPE: Deck DECK/BAR SIZE: 6' Rotary			\$ 240.00	\$ 240.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and ground worker (laborer). Operated by Contractor	Costello Industries, Inc.	MFG: Wirtgen MODEL: 50 SERIES: W MILL WIDTH: 20 Inches MILL DEPTH: 0-6 Inches	\$ 350.00	\$ 350.00	\$ 380.00	\$ 350.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and ground worker (laborer). Operated by Contractor	Garrity	MFG: Wirtgen MODEL: W SERIES: 50 MILL WIDTH: 20" MILL DEPTH: 6"	<u>\$ 375.00</u>	<u>\$ 375.00</u>	<u>\$ 375.00</u>	<u>\$ 375.00</u>
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and ground worker (laborer). Operated by Contractor	Garrity	MFG: Wirtgen MODEL: W SERIES: 600 MILL WIDTH: 24" MILL DEPTH: 6"	\$ 425.00	\$ 425.00	\$ 425.00	\$ 425.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement	J.V. III CONSTRUCTION, INC.	MFG: WIRTGEN MODEL: 350 SERIES:	\$ 190.00	\$ 190.00	\$ 190.00	\$ 190.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	J.V. III CONSTRUCTION, INC.	MILL WIDTH: 14" MILL DEPTH: 6"				
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: WIRTGEN MODEL: 500 SERIES: MILL WIDTH: 20" MILL DEPTH: 6"	\$ 200.00	\$ 200.00	\$ 200.00	\$ 200.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: WIRTGEN MODEL: 50 SERIES: MILL WIDTH: 24" MILL DEPTH: 6"	\$ 210.00	\$ 210.00	\$ 210.00	\$ 210.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and	J.V. III CONSTRUCTION, INC.	MFG: BOBCAT MODEL: 773 SERIES: MILL WIDTH: 18" MILL DEPTH: 6"	\$ 175.00	\$ 175.00	\$ 175.00	\$ 175.00



**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor						
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	J.V. III CONSTRUCTION, INC.	MFG: BOBCAT MODEL: S-250 SERIES: MILL WIDTH: 24" MILL DEPTH: 6"	\$ 185.00	\$ 185.00	\$ 185.00	\$ 185.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	John J Brennan.	MFG: BOBCAT MODEL: T250 SERIES:2 MILL WIDTH: 18 to 18 MILL DEPTH: 6"			\$ 260.00	\$ 260.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	Rafferty	MFG: Wirtgen MODEL: 50 SERIES:W MILL WIDTH: 20" MILL DEPTH: 6"	\$249.00	\$279.00	\$279.00	\$249.00
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt		MFG: Wirtgen MODEL: W500 SERIES:W	\$249.00	\$279.00	\$279.00	\$249.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	Rafferty	MILL WIDTH: 20" MILL DEPTH: 6"				
20	<b>ROADWAY PLANER:</b> Cutting range from 3 to 24 inches; capable of milling Portland cement concrete or asphalt concrete pavement. Equipped with extra set of cutting teeth and necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and ground worker (laborer). Operated by Contractor	Tilcon	MFG: Volvo MODEL: MW500 SERIES: MILL WIDTH: 20" MILL DEPTH: 4"	\$254.00	\$272.00	\$254.00	\$272.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agency an equipment operator and a ground worker (laborer). Operated by Contractor.	Costello Industries, Inc.	MFG: Wirtgen MODEL: 100 SERIES: W MILL WIDTH: 39 inches MILL DEPTH: 0-12 inches	\$ 600.00	\$ 600.00	\$ 630.00	\$ 600.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as	Costello Industries, Inc.	MFG: Wirtgen MODEL: 220 SERIES: W MILL WIDTH: 98 inches MILL DEPTH: 0-13 inches	\$ 700.00	\$ 700.00	\$ 730.00	\$ 700.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.						
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	Costello Industries, Inc.	MFG: Wirtgen MODEL: 2100 SERIES: W MILL WIDTH: 87 inches MILL DEPTH: 13 inches	\$ 700.00	\$ 700.00	\$ 730.00	\$ 700.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	Garrity	MFG: Roadtec MODEL: 300 SERIES: E MILL WIDTH: 48" MILL DEPTH: 6"	\$ 500.00	\$ 500.00	\$ 500.00	\$ 500.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	Garrity	MFG: Roadtec MODEL: 700 SERIES: E MILL WIDTH: 7' MILL DEPTH: 12"	\$ 750.00	\$ 750.00	\$ 750.00	\$ 750.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up	J.V. III CONSTRUCTION, INC.	MFG: Wirtgen MODEL: 1000 SERIES:	\$ 390.00	\$ 390.00	\$ 390.00	\$ 390.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker as determined by the Client Agencyan equipment operator and a ground worker (laborer). Operated by Contractor.	J.V. III CONSTRUCTION, INC.	MILL WIDTH: 39" MILL DEPTH:0-8"				
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	J.V. III CONSTRUCTION, INC.	MFG: WIRTGEN MODEL: 1200 SERIES: MILL WIDTH: 48" MILL DEPTH: 0"-12"	\$ 480.00	\$ 480.00	\$ 480.00	\$ 480.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	J.V. III CONSTRUCTION, INC.	MFG: WIRTGEN MODEL: 2000 SERIES: MILL WIDTH: 87" MILL DEPTH: 0"-13"	\$ 550.00	\$ 550.00	\$ 550.00	\$ 550.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments	J.V. III CONSTRUCTION, INC.	MFG: ROADTEC MODEL: RX900 SERIES: MILL WIDTH: 96" MILL DEPTH: 0"-13"	\$ 650.00	\$ 650.00	\$ 650.00	\$ 650.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.						
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	John J. Brennan	MFG: Wirtgen MODEL: 1200 F SERIES: 2 MILL WIDTH: 4 to 4 MILL DEPTH: 12			\$ 500.00	\$ 500.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	John J. Brennan	MFG: Vovlo MODEL: 1900 SERIES: DC MILL WIDTH: 6' to 7" MILL DEPTH: 12"	\$594.00	\$704.00	\$704.00	624.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer).	Rafferty	MFG: Wirtgen MODEL: 2101 SERIES: W MILL WIDTH: 7'-6" MILL DEPTH: 12"	\$624.00	\$774.00	\$774.00	\$724.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	Operated by contractor.						
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	Rafferty	MFG: Wirtgen MODEL: 1900 SERIES: DC MILL WIDTH: 6'-7" MILL DEPTH: 12"	\$594.00	\$694.00	\$694.00	694.00
21	<b>ROADWAY PLANER:</b> Capable of "Milling" width of 30 inches or more; equipped with a unit mounted pick-up conveyor, an extra set of cutting teeth and the necessary tools and equipment to perform field adjustments or repairs. Contractor to furnish water and tanker if needed, an equipment operator and a ground worker (laborer). Operated by contractor.	Reliable	MFG: Wirtgen MODEL: 1900 SERIES: W MILL WIDTH: 6' MILL DEPTH: 10"			\$485.00	\$485.00
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by Contractor.	Canton Village	MFG: LEEBOY MODEL: SERIES: 8500HD TRUCK DUMP HT: HOPPER CAP.: 8 TON	\$ 324.50			\$ 324.50
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82	Galasso	MFG: Cedar Rapids MODEL: 351 SERIES: Greyhound	\$ 350.00			\$ 350.00

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

**PRICING FOR PURCHASE ORDERS Under \$100,000.00 AND DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
	ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by Contractor.		TRUCK DUMP HT: 28" HOPPER CAP.: 9 tons				
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III CONSTRUCTION, INC.	MFG: BOMAG MODEL: 8-152 SERIES: II TRUCK DUMP HT: 21" HOPPER CAP.: 219 C.F.	\$ 249.50	\$ 249.50	\$ 249.50	\$ 249.50
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III CONSTRUCTION, INC.	MFG: BLAW KNOX MODEL: PF5510 SERIES: 3 TRUCK DUMP HT: HOPPER CAP.: 400 C.F.	\$ 299.50	\$ 299.50	\$ 299.50	\$ 299.50
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III CONSTRUCTION, INC.	MFG: GILCREST MODEL: 8-13 SERIES: TRUCK DUMP HT: 21" HOPPER CAP.: 219 C.F.	\$ 199.50	\$ 199.50	\$ 199.50	\$ 199.50

**STATE OF CONNECTICUT  
PROCUREMENT SERVICES  
BID #15PSX0267  
EXHIBIT B.2  
PRICE SCHEDULE**

PRICING FOR PURCHASE ORDERS **Under \$100,000.00** AND **DO NOT REQUIRE PREVAILING WAGES**

Item #	DESCRIPTION	Vendor	PRODUCT INFO	HOURLY RATES			
				DISTRICT 1	DISTRICT 2	DISTRICT 3	DISTRICT 4
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III CONSTRUCTION, INC.	MFG: FORTRESS MODEL: 50 SERIES: TRUCK DUMP HT: 21" HOPPER CAP.: 219 C.F.	\$ 199.50	\$ 199.50	\$ 199.50	\$ 199.50
22	<b>POWER PAVING BOX:</b> Standard Paving Width: 8 to 15 ½ ft. Max Paving Speed with Tamper Bar Screed 82 ft./min. Max Paving Speed with Vibratory Screed 200 ft/min. Truck Dump Height 21 inches. Hopper Capacity 219 cu. ft. Minimum Paving Width ft., Maximum Paving Width 20 ft. Operated by contractor.	J.V. III CONSTRUCTION, INC.	MFG: CEDAR RAPIDS MODEL: 551 GREYHOUND SERIES: TRUCK DUMP HT: 21" HOPPER CAP.: 500 C.F.	\$ 259.00	\$ 259.00	\$ 259.00	\$ 259.00





## Notice to Executive Branch State Contractors and Prospective State Contractors of Campaign Contribution and Solicitation Limitations

This notice is provided under the authority of Connecticut General Statutes §9-612(G)(2), as amended by P.A. 10-1, and is for the purpose of informing state contractors and prospective state contractors of the following law (italicized words are defined on the reverse side of this page).

### CAMPAIGN CONTRIBUTION AND SOLICITATION LIMITATIONS

No *state contractor, prospective state contractor, principal of a state contractor or principal of a prospective state contractor*, with regard to a *state contract or state contract solicitation* with or from a state agency in the executive branch or a quasi-public agency or a holder, or principal of a holder of a valid prequalification certificate, shall make a contribution to (i) an exploratory committee or candidate committee established by a candidate for nomination or election to the office of Governor, Lieutenant Governor, Attorney General, State Comptroller, Secretary of the State or State Treasurer, (ii) a political committee authorized to make contributions or expenditures to or for the benefit of such candidates, or (iii) a party committee (which includes town committees).

In addition, no holder or principal of a holder of a valid prequalification certificate, shall make a contribution to (i) an exploratory committee or candidate committee established by a candidate for nomination or election to the office of State senator or State representative, (ii) a political committee authorized to make contributions or expenditures to or for the benefit of such candidates, or (iii) a party committee.

On and after January 1, 2011, no state contractor, prospective state contractor, principal of a state contractor or principal of a prospective state contractor, with regard to a state contract or state contract solicitation with or from a state agency in the executive branch or a quasi-public agency or a holder, or principal of a holder of a valid prequalification certificate, shall **knowingly solicit** contributions from the state contractor's or prospective state contractor's employees or from a *subcontractor or principals of the subcontractor* on behalf of (i) an exploratory committee or candidate committee established by a candidate for nomination or election to the office of Governor, Lieutenant Governor, Attorney General, State Comptroller, Secretary of the State or State Treasurer, (ii) a political committee authorized to make contributions or expenditures to or for the benefit of such candidates, or (iii) a party committee.

### DUTY TO INFORM

State contractors and prospective state contractors are required to inform their principals of the above prohibitions, as applicable, and the possible penalties and other consequences of any violation thereof.

### PENALTIES FOR VIOLATIONS

Contributions of solicitations of contributions made in violation of the above prohibitions may result in the following civil and criminal penalties:

**Civil Penalties** – Up to \$2,000 or twice the amount of the prohibited contribution, whichever is greater, against a principal or a contractor. Any state contractor or prospective state contractor which fails to make reasonable efforts to comply with the provisions requiring notice to its principals of these prohibitions and possible consequences of their violations may also be subject to civil penalties of up to \$2,000 or twice the amount of the prohibited contributions made by their principals.

**Criminal penalties** – Any knowing and willful violation of the prohibition is a Class D felony, which may subject the violator to imprisonment of not more than 5 years, or not more than \$5,000 in fines, or both.

### CONTRACT CONSEQUENCES

In the case of a state contractor, contributions made or solicited in violation of the above prohibitions may result in the contract being voided.

In the case of a prospective state contractor, contributions made or solicited in violation of the above prohibitions shall result in the contract described in the state contract solicitation not being awarded to the prospective state contractor, unless the State Elections Enforcement Commission determines that mitigating circumstances exist concerning such violation.

The State shall not award any other state contract to anyone found in violation of the above prohibitions for a period of one year after the election for which such contribution is made or solicited, unless the State Elections Enforcement Commission determines that mitigating circumstances exist concerning such violation.

Additional information may be found on the website of the State Elections Enforcement Commission, [www.ct.gov/seec](http://www.ct.gov/seec). Click on the link to "Lobbyist/Contractor Limitations."



## DEFINITIONS

“State contractor” means a person, business entity or nonprofit organization that enters into a state contract. Such person, business entity or nonprofit organization shall be deemed to be a state contractor until December thirty-first of the year in which such contract terminates. “State contractor” does not include a municipality or any other political subdivision of the state, including any entities or associations duly created by the municipality or political subdivision exclusively amongst themselves to further any purpose authorized by statute or charter, or an employee in the executive or legislative branch of state government or a quasi-public agency, whether in the classified or unclassified service and full or part-time, and only in such person's capacity as a state or quasi-public agency employee.

“Prospective state contractor” means a person, business entity or nonprofit organization that (i) submits a response to a state contract solicitation by the state, a state agency or a quasi-public agency, or a proposal in response to a request for proposals by the state, a state agency or a quasi-public agency, until the contract has been entered into, or (ii) holds a valid prequalification certificate issued by the Commissioner of Administrative Services under section 4a-100. “Prospective state contractor” does not include a municipality or any other political subdivision of the state, including any entities or associations duly created by the municipality or political subdivision exclusively amongst themselves to further any purpose authorized by statute or charter, or an employee in the executive or legislative branch of state government or a quasi-public agency, whether in the classified or unclassified service and full or part-time, and only in such person's capacity as a state or quasi-public agency employee.

“Principal of a state contractor or prospective state contractor” means (i) any individual who is a member of the board of directors of, or has an ownership interest of five per cent or more in, a state contractor or prospective state contractor, which is a business entity, except for an individual who is a member of the board of directors of a nonprofit organization, (ii) an individual who is employed by a state contractor or prospective state contractor, which is a business entity, as president, treasurer or executive vice president, (iii) an individual who is the chief executive officer of a state contractor or prospective state contractor, which is not a business entity, or if a state contractor or prospective state contractor has no such officer, then the officer who duly possesses comparable powers and duties, (iv) an officer or an employee of any state contractor or prospective state contractor who has *managerial or discretionary responsibilities with respect to a state contract*, (v) the spouse or a *dependent child* who is eighteen years of age or older of an individual described in this subparagraph, or (vi) a political committee established or controlled by an individual described in this subparagraph or the business entity or nonprofit organization that is the state contractor or prospective state contractor.

“State contract” means an agreement or contract with the state or any state agency or any quasi-public agency, let through a procurement process or otherwise, having a value of fifty thousand dollars or more, or a combination or series of such agreements or contracts having a value of one hundred thousand dollars or more in a calendar year, for (i) the rendition of services, (ii) the furnishing of any goods, material, supplies, equipment or any items of any kind, (iii) the construction, alteration or repair of any public building or public work, (iv) the acquisition, sale or lease of any land or building, (v) a licensing arrangement, or (vi) a grant, loan or loan guarantee. “State contract” does not include any agreement or contract with the state, any state agency or any quasi-public agency that is exclusively federally funded, an education loan, a loan to an individual for other than commercial purposes or any agreement or contract between the state or any state agency and the United States Department of the Navy or the United States Department of Defense.

“State contract solicitation” means a request by a state agency or quasi-public agency, in whatever form issued, including, but not limited to, an invitation to bid, request for proposals, request for information or request for quotes, inviting bids, quotes or other types of submittals, through a competitive procurement process or another process authorized by law waiving competitive procurement.

“Managerial or discretionary responsibilities with respect to a state contract” means having direct, extensive and substantive responsibilities with respect to the negotiation of the state contract and not peripheral, clerical or ministerial responsibilities.


“Dependent child” means a child residing in an individual's household who may legally be claimed as a dependent on the federal income tax of such Individual.

“Solicit” means (A) requesting that a contribution be made, (B) participating in any fund-raising activities for a candidate committee, exploratory committee, political committee or party committee, including, but not limited to, forwarding tickets to potential contributors, receiving contributions for transmission to any such committee or bundling contributions, (C) serving as chairperson, treasurer or deputy treasurer of any such committee, or (D) establishing a political committee for the sole purpose of soliciting or receiving contributions for any committee. Solicit does not include: (i) making a contribution that is otherwise permitted by Chapter 155 of the Connecticut General Statutes; (ii) informing any person of a position taken by a candidate for public office or a public official, (iii) notifying the person of any activities of, or contact information for, any candidate for public office; or (iv) serving as a member in any party committee or as an officer of such committee that is not otherwise prohibited in this section.

“Subcontractor” means any person, business entity or nonprofit organization that contracts to perform part or all of the obligations of a state contractor's state contract. Such person, business entity or nonprofit organization shall be deemed to be a subcontractor until December thirty first of the year in which the subcontract terminates. “Subcontractor” does not include (i) a municipality or any other political subdivision of the state, including any entities or associations duly created by the municipality or political subdivision exclusively amongst themselves to further any purpose authorized by statute or charter, or (ii) an employee in the executive or legislative branch of state government or a quasi-public agency, whether in the classified or unclassified service and full or part-time, and only in such person's capacity as a state or quasi-public agency employee.

“Principal of a subcontractor” means (i) any individual who is a member of the board of directors of, or has an ownership interest of five per cent or more in, a subcontractor, which is a business entity, except for an individual who is a member of the board of directors of a nonprofit organization, (ii) an individual who is employed by a subcontractor, which is a business entity, as president, treasurer or executive vice president, (iii) an individual who is the chief executive officer of a subcontractor, which is not a business entity, or if a subcontractor has no such officer, then the officer who duly possesses comparable powers and duties, (iv) an officer or an employee of any subcontractor who has managerial or discretionary responsibilities with respect to a subcontract with a state contractor, (v) the spouse or a dependent child who is eighteen years of age or older of an individual described in this subparagraph, or (vi) a political committee established or controlled by an individual described in this subparagraph or the business entity or nonprofit organization that is the subcontractor.

# Massachusetts



## CONNECTICUT DEPARTMENT OF TRANSPORTATION MAINTENANCE DISTRICTS

Revised Date 7/13