

Styling: Light commercial

Material: Solid Ash (Kiln Dried) hardwood.

- Finish: Wooden components, Rosewood and Black Finish. Danish Oil and Urethane hand applied for durability
- Noise Level: Soothing and relaxing

Intrusion Level: Minimal intrusion

Resistance Method: Patented WaterFlywheel emulates natural dynamic of rowing

Resistance Levels: Unique self-regulating resistance, infinitely variable, suiting any user without adjustment

Muscle Groups Used: All major muscle groups (84% of Total Muscle Mass)

Maximum User Height: Up to 38" Inseam (42" Option available)

Maximum User Weight: In excess of 1000lbs

Other User Issues: No Impact and non-load bearing, perfect for users with joint concerns

Heart Rate Monitor: Available as an option

Dimensions: L-83", W-22", H- 21"

Entry Height: 12" (20" with optional HiRise Adaptor)

Storability: Stores Easily on End, L-21", W-22", H-83"

Weight: 108lbs (Min water level)

Shipping Dimensions: Tank Box (L-28.5" x W-24.5" x H-23.5"), Rail Box (L-83" x W-6" x H-3.25").

Shipping Weight: Tank Box 52lbs, Rail Box 30lbs

Maintenance: Virtually maintenance free. No lubrication required. Simply add a chlorine tablet every 2-6 months (available free of charge) Wearing Parts: In heavy traffic areas the only wearing parts are the foot straps which pass over the toes

WATERROWER CLUB

Warranty: 1 Year (Upgradeable to 3 year parts, 5 year frame free of charge with registration)

WaterRower

Styling:

Commercial use

Material:

Fabricated Tubular Steel

Finish:

Powder Coated Steel

Noise Level:

Soothing and relaxing

Intrusion Level:

Minimal intrusion

Resistance Method:

Patented WaterFlywheel emulates natural dynamic of rowing

Resistance Levels:

Unique self-regulating resistance, infinitely variable, suiting any user without adjustment

Muscle Groups Used:

All major muscle groups (84% of total muscle mass)

Maximum User Height:

Up to 38" (961/2 cm) Inseam (42"/ 106cm option available)

Maximum User Weight:

In excess of 1000lbs (453kg)

Other User Issues:

No impact and non-load Bearing, perfect for users with joint concerns

Heart Rate Monitor:

Available as an option

Dimensions:

L- 88" (224cm), W- 22¼" (57cm), H- 27⁵/₈" (71cm)

Entry Height:

20" (51cm)

Storability:

Stores Easily on End, L- 27⁵/8" (71cm), W- 22¼" (57cm), H- 88" (224cm)

Weight:

120lbs (541/2kg) empty, 157lbs (711/2kg) with 17l of water in the tank

Shipping Dimensions:

Tank Box L- 28" (71cm) x W- 24" (61cm) x H- 24" (61cm) Rail Box L- 86" (219cm) x W- 3½" (9cm) x H- 15" (38cm) × 2

Shipping Weight:

Tank Box 76lbs (341/2kg), Rail Box 33lbs (15kg) each

Maintenance:

Virtually maintenance free. No lubrication required. Simply add a Chlorine Tablet every 2-6 months (Available Free of Charge)

Wearing Parts:

In heavy traffic areas the only wearing parts are the foot straps which pass over the toes

Warranty:

1 Year; (Upgradeable to 3 year parts, 5 year frame free of charge with registration)

WaterRower US

560 Metacom Avenue Warren, RI 02885 t: +1 (401) 274 7742 e: support@waterrower.com www.waterrower.com



Styling: Commercial use

LORISE NATERROWER Material: Fabricated tubular steel

Finish: Powder Coated Steel

Noise Level: Soothing and silent

Intrusion Level: Minimal intrusion

Resistance Method: Patented WaterFlywheel emulates natural dynamic of rowing

Resistance Levels: Unique self regulating resistance, infinitely variable, suiting any user without adjustment

Muscle Groups Used: All Major Muscle Groups (84% of Total Muscle Mass)

Maximum User Height: Up to 38" Inseam (42" Option Available)

Maximum User Weight: In Excess of 1000lbs

Other User Issues: No impact and non-load bearing, perfect for users with joint issues

Heart Rate Monitor: Available as an option

Dimensions: L-83", W-22", H- 21"

Entry Height: 10"

Storability: Stores Easily on End, L-21", W-22", H- 83"

Weight: 112lbs (Min Water Level)

Shipping Dimensions: Tank Box (1 of L-28.5" x W-24.5" x H-23.5"), Rail Box (1 of L-83" x W-6" x H-3")

Shipping Weight: Tank Box 80lbs, Rail Box 30lbs

Maintenance: Virtually maintenance free. No lubrication required. Simply add a Chlorine Tablet periodically (available free of charge)

Wearing Parts: In Heavy traffic areas the only wearing parts are the foot straps which pass over the toes

Warranty: 1 Year; (Upgradeable to 3 year parts, 5 year frame, free of charge with registration)

WaterRower US 560 Metacom Avenue Warren, RI 02885 t: +1 (401) 274 7742 e: support@waterrower.com www.waterrower.com



MSRP 1/30/18

The pricing structure of the WaterRower is a matter of confidential information between WaterRower and its Authorized Agent.

Model	Recommended Retail Price
A1 Selection	***
A1 Home (Blond Ash) (120)	\$895.00
A1 Studio (Ash) (125)	\$995.00
Natural Selection	* .
WaterRower Natural (Ash) (100)	\$1,095.00
WaterRower Club (Rose and Black) (150)	\$1,095.00
Designer Selection	* 4 005 00
Oxbridge (in Cherry Wood) (200)	\$1,295.00
Classic (in Black Walnut) (300)	\$1,495.00
S1 (stainless steel) (400)	\$2,500.00
Signature Selection	#4 405 00
Xeno Signature (105)	\$1,195.00
Commercial Selection	#4 005 00
M1 LoRise (500)	\$1,695.00
M1 HiRise (510)	\$1,795.00
Accessories	¢F0 00
WaterRower Mat (610US)	\$50.00
Wood HiRise Attachment (dual rail only)	\$100.00 \$100.00
Wood XL Rails (additional 4 inches)	\$100.00
Footboard Upgrade (WRPP810)	\$75.00 \$25.00
Handle Upgrade (WRPH1100)	\$35.00 \$50.00
HR POLAR Receiver (704 OEM)	\$50.00
HR POLAR Chest belt (750)	\$50.00 \$05.00
External ANT Heartrate Kit (7042 PLUG) Internal ANT Heartrate Kit (7042 INT)	\$95.00 \$00.00
Protective Cover (600)	\$90.00 \$150.00
Start-Up Kit: Int. ANT Receiver (616)	\$145.00 \$145.00
Start-Up Kit: Ext. ANT Receiver (617) WaterRower Cleaning Kit (640wood)	\$35.00
Dual-Density ErgPad (644)	\$35.00
Duar Density Elyrau (044)	φ 3 0.00



Oarsome Grips (646)

\$35.00

Lap Top Stands (605:Nat,606:Club,607:Ox,608:Wal)

\$150.00

WaterRower US

560 Metacom Avenue, Warren, RI, 02885 tel: +1 401 247 7742 fax: +1 401 247 7743 website: www.waterrower.com, email: support@waterrower.com